
NATIONAL ONCOLOGICAL HOSPITAL

BULGARIAN NATIONAL CANCER REGISTRY

CANCER INCIDENCE IN BULGARIA 2004

Volume XV



ФОНДАЦИЯ БОРБА С РАКА
FIGHTING THE CANCER FOUNDATION

Фондация "Борба с рака" спонсорира издаването на настоящия "Годишник на заболяемостта от злокачествени новообразувания в България за 2004 година" – XV том

За контакти:

София
Тел./ факс 871 03 30
e-mail: info@facf.orbitel.bg

Фармацевтични фирми, спонсорирали настоящето издание на "Cancer Incidence in Bulgaria 2004":
Actavis
Astra Zeneca
Ecopharm
Eli Lilly
F. Hoffmann – La Roche
GlaxoSmithKline
Merck
Novartis Pharma
Sanofi – Aventis

NATIONAL ONCOLOGICAL HOSPITAL

BULGARIAN NATIONAL CANCER REGISTRY

CANCER INCIDENCE IN BULGARIA 2004

Volume XV
2007

Авторски колектив
Ш. Данон
Здр. Валерианова
Цв. Иванова

Editors
Sh. Danon
Zdr. Valerianova
Tzv. Ivanova

Издателство “АВИС-24” ООД

Publisher “AVIS-24” Ltd.

Уважаеми читатели,
Уважаеми колеги,

Пред вас е том XV на книгата Cancer incidence in Bulgaria 2004. През целия период след 1989 г. чрез това издание всеки гражданин в България или извън нея може да се запознае ежегодно с отпечатваните данни за заболяемост, смъртност и други съвременни показатели, свързани с диагностиката, лечението и диспансеризацията на злокачествените новообразувания.
С тези томове стана по-достъпна дейността, която от половин столетие допринася за нареждане на България сред развитото онкологично здравеопазване. Това е дейността на Българския национален раков регистър (БНРР) – национална система, която се развива от 1952 г. и покрива цялото население и територия на страната. Само допреди месеци начело на БНРР и на авторския колектив на изданието в продължение на много години беше доц. Шемуел Е. Данон, дм. Неговите, признати от всички, компетентност и прецизност, съчетани с творчески подход и огромна отдаденост към делото, дадоха своя определящ за качеството на системата и на книгата принос.
Смятам, че изразявам надеждата на много колеги и съмишленици, че полезната дейност на доц. Данон ще продължи и в бъдеще със същото умение и компетентност в редица сектори на националното здравеопазване.



Проф. д-р Иван Черноземски, дмн
Онколог, член на ВМС към МЗ

БЪЛГАРСКИ НАЦИОНАЛЕН РАКОВ РЕГИСТЪР

ПЕРСОНАЛ
доц. д-р Здравка Г. Валерианова, дм
ръководител регистър
инж. Цветелина Д. Иванова
Мария С. Данова
Минка М. Ненова
Тинка П. Кунева
Йовка К. Петкова
Минка Р. Йорданова
Лиляна Н. Узунова
Теодора Й. Грозева

ЗА ИНФОРМАЦИЯ
Здравка Г. Валерианова

БЪЛГАРСКИ НАЦИОНАЛЕН РАКОВ РЕГИСТЪР
"Пловдивско поле" 6
1756 СОФИЯ, БЪЛГАРИЯ

тел: 02/ 8706258, 8076 367
факс: 02/ 8720651

e-mail: BNCR_Zdravka@netbg.com
web site: http://www.onco-bg.com

BULGARIAN NATIONAL CANCER REGISTRY

STAFF
Zdravka G. Valerianova, MD, PhD
Head of BNCR
eng. Tzvetelina D. Ivanova
Maria S. Danova
Minka M. Nenova
Tinka P. Kuneva
Iovka K. Petkova
Minka R. Yordanova
Lilyana N. Uzunova
Teodora Y. Grozeva

FOR INFORMATION
Zdravka G. Valerianova

BULGARIAN NATIONAL CANCER REGISTRY
6, Plovdivsko pole Str.
1756 SOFIA, BULGARIA

tel: +359 2/ 8706258, 8076 367
fax: +359 2/ 8720651

e-mail: BNCR_Zdravka@netbg.com
web site: http://www.onco-bg.com

CANCER INCIDENCE IN BULGARIA 2004

Volume XV 2007

СЪДЪРЖАНИЕ

България – Въведение 4-7

Фигури:

1. Специализирана онкологична мрежа в България 10
2. Структура на заболяемостта от злокачествени новообразувания по пол в България за 2004 г. 11
3. Заболяемост от всички злокачествени новообразувания по пол в България за периода 1981 – 2004 г..... 12
4. Заболяемост от всички злокачествени новообразувания по възрастови групи и пол в България за 1981 и 2004 г. 13
5. Стандартизирана заболяемост от най-честите злокачествени новообразувания по пол в България за периода 1981 – 2004 г. 14
6. Стандартизирана заболяемост от злокачествени новообразувания на 100 000 по области в България за 2004 г. – мъже. 15
7. Стандартизирана заболяемост от злокачествени новообразувания на 100 000 по области в България за 2004 г. – жени. 15

Таблици:

1. Средногодишно население на България по възрастови групи, пол и области за 2004 г. 8
2. Заболяемост от злокачествени новообразувания в България за 2004 г. Разпределение на новите случаи по локализации и пол 9
3. Брой новозаболели от злокачествени новообразувания по локализации и възрастови групи в България за 2004 г. – мъже 16-25
4. Брой новозаболели от злокачествени новообразувания по локализации и възрастови групи в България за 2004 г. – жени 26-35
5. Заболяемост от злокачествени новообразувания на 100 000 по локализации и възрастови групи в България за 2004 г. – мъже 36-45
6. Заболяемост от злокачествени новообразувания на 100 000 по локализации и възрастови групи в България за 2004 г. – жени 46-55
7. Стандартизирана заболяемост от злокачествени новообразувания на 100 000 по локализации при мъжете в България за периода 1981 – 2004 г. 56-57
8. Стандартизирана заболяемост от злокачествени новообразувания на 100 000 по локализации при жените в България за периода 1981 – 2004 г. 58-59
9. Разпределение на морфологично доказаните злокачествени новообразувания по локализации, пол и възрастови групи в България за 2004 г. 60-62
10. Разпределение на морфологично доказаните случаи със злокачествени новообразувания на млечната жлеза по хистологичен вид и пол в България 2004 г. 63
11. Разпределение на морфологично доказаните случаи със злокачествени новообразувания на белия дроб по хистологичен вид и пол в България 2004 г. 64
12. Разпределение на морфологично доказаните случаи със злокачествени новообразувания на маточната шийка по хистологичен вид в България 2004 г. 65
13. Разпределение на морфологично доказаните случаи със злокачествени новообразувания на простата по хистологичен вид в България 2004 г. 65
14. Стандартизирана заболяемост от злокачествени новообразувания на 100 000 по локализации и области в България за 2004 г. – мъже 66-69
15. Стандартизирана заболяемост от злокачествени новообразувания на 100 000 по локализации и области в България за 2004 г. – жени 70-73
16. Разпределение на новозаболелите от злокачествени новообразувания при най-често срещаните локализации по начин на доказване в България за 2004 г. 74
17. Разпределение на новозаболелите от злокачествени новообразувания при най-често срещаните локализации по стадии в България за 2004 г. 74
18. Разпределение на новозаболелите от злокачествени новообразувания при най-често срещаните локализации по стадии и области в България за 2004 г. 75
19. Болестност от злокачествени новообразувания в България за 2004 г. Разпределение по локализации и пол 76
20. Умирания от злокачествени новообразувания в България за 2004 г. Разпределение на смъртните случаи по локализации и пол 77
21. Наблюдавана петгодишна преживяемост (Obs) и 95% доверителен интервал (CI) от злокачествени новообразувания при децата от 0–14 години в Европейските страни 78
22. Наблюдавана петгодишна преживяемост (Obs) и 95% доверителен интервал (CI) от злокачествени новообразувания при децата от 0–19 години в Европейските страни 79

Приложение:

Бързо известие за задължително съобщаване на злокачествено новообразувание 80

CONTENTS

Bulgaria – background information 4-7

Figures:

1. Specialized cancer network in Bulgaria 10
2. Percentage distribution of cancer incidence by sex in Bulgaria 2004 11
3. Age-standardized and crude incidence rates of all cancers by sex in Bulgaria 1981 – 2004 12
4. Age-specific incidence rates for all cancers by sex in Bulgaria, 1981 and 2004 13
5. Age-standardized incidence rates (world standard) of the most common cancers by sex in Bulgaria 1981 – 2004 14
6. Age-adjusted (world standard) incidence rates per 100 000 for all cancers by districts in Bulgaria 2004 – males 15
7. Age-adjusted (world standard) incidence rates per 100 000 for all cancers by districts in Bulgaria 2004 – females 15

Tables:

1. The mean population of Bulgaria by age, sex and districts 2004 8
2. Cancer incidence in Bulgaria 2004. Distribution of the new cases by primary sites and sex 9
3. Number of new cancer cases by primary sites and age at diagnosis in Bulgaria 2004 – males 16-25
4. Number of new cancer cases by primary sites and age at diagnosis in Bulgaria 2004 – females 26-35
5. Cancer incidence rates per 100 000 by primary sites and age at diagnosis in Bulgaria 2004 – males 36-45
6. Cancer incidence rates per 100 000 by primary sites and age at diagnosis in Bulgaria 2004 – females 46-55
7. Age-adjusted (world standard) incidence rates per 100 000 by primary cancer sites and year of diagnosis in Bulgaria 1981-2004 – males 56-57
8. Age-adjusted (world standard) incidence rates per 100 000 by primary cancer sites and year of diagnosis in Bulgaria 1981-2004 – females 58-59
9. Percentage distribution of morphologically verified cancer cases by primary sites, sex and age at diagnosis in Bulgaria 2004 60-62
10. Number and percentage of morphologically confirmed new breast cancer cases by histologic type and sex in Bulgaria 2004 63
11. Number and percentage of morphologically confirmed new lung (incl. trachea and bronchus) cancer cases by histologic type and sex in Bulgaria 2004 64
12. Number and percentage of morphologically confirmed new cervix uteri cancer cases by histologic type in Bulgaria 2004 65
13. Number and percentage of morphologically confirmed new prostate cancer cases by histologic type in Bulgaria 2004 65
14. Age-adjusted (world standard) incidence rates of cancer per 100 000 by primary sites and districts in Bulgaria 2004 – males 66-69
15. Age-adjusted (world standard) incidence rates of cancer per 100 000 by primary sites and districts in Bulgaria 2004 – females 70-73
16. Distribution of the newly diagnosed cancer cases by selected primary sites and basis of diagnosis in Bulgaria 2004 74
17. Distribution of the newly diagnosed cancer cases by selected primary sites and stages in Bulgaria 2004 74
18. Distribution of the newly diagnosed cancer cases by selected primary sites, stages and districts in Bulgaria 2004 75
19. Cancer prevalence in Bulgaria 2004. Distribution by primary sites and sex 76
20. Cancer mortality in Bulgaria 2004. Distribution of deaths by primary sites and sex 77
21. National estimates of five-year observed cumulative survival (Obs) and 95% confidence interval (CI) Age 0 – 14 78
22. National estimates of five-year observed cumulative survival (Obs) and 95% confidence interval (CI) Age 0 – 19 79

Appendix:

Rapid notification 80

РЕПУБЛИКА БЪЛГАРИЯ

Република България е разположена в Югоизточна Европа, на Балканския полуостров и лежи между 44°13' и 41°14' N (северна географска ширина) и 28°36' и 20°21' E (източна географска дължина). Територията ѝ е 110 911,5 кв. км. Намира се на границата между умерената и средиземноморската климатична област. В северната ѝ част климатът е умерено-континентален, докато на юг се чувства осезателно средиземноморско климатично влияние. България има население 7 781 161 души (2004 г.). Административно страната е разделена на 28 области. Около 70% от населението живее в градовете. Източноправославната религия се изповядва от 85% от населението, мюсюлманите са 13% и католиците – 1%.

От 1952 г. в България съществува специализирана онкологична мрежа, състояща се от 13 диспансера за онкологични заболявания и Национална специализирана болница за активно лечение по онкология – ЕАД, София. Регионалните ракови регистри са част от структурата на всеки диспансер, а Националният раков регистър – от Националната онкологична болница.

В страната е въведена з***адължителна регистрация*** на злокачествените новообразувания, регламентирана с Инструкция на МЗ № 858/ 05.03.1964 г., Заповед на МЗ № РД-09-451/ 29.06.1990 г. и Наредба на МЗ №34 от 2005 г.

Всеки медицински работник, установил пръв контакт, се задължава да изпрати „Бързо известие" за всеки заболял, съмнителен или починал от злокачествено заболяване, а от 1975 г. и за ca in situ, до Онкологичния диспансер по постоянно местожителство на пациента.

Служителите от регионалните ракови регистри посещават периодично лечебните заведения в региона, който обслужват и активно издирват всички случаи със злокачествени новообразувания и *ca in situ*, които са неизвестни на съответния регистър. Друг източник на информация за онкологично болните са и свидетелствата за смърт. Националният статистически институт ежегодно обработва и публикува данни за смъртността.

В Националният раков регистър се получава информация за злокачествените новообразувания от регионалните регистри в страната. Информацията се проверява за обхват и пълнота на данните, дубликати, съвпадение на клинична и морфологична диагноза и др.

През 1992 г. е въведен подобрен вариант на бързото известие (Номенклатура №2 за медицински формуляри, пореден №120А на МЗ), включващ допълнителна информация. От 1993 г. болните се проследяват по видове лечение, като се прави съпоставка между топографска и морфологична диагноза. От м. януари 2006 г. в България се въведе Международната класификация на болестите (МКБ), 10-та ревизия от 1992 г. Това наложи всички случаи със злокачествени новообразувания от 1993 г. насам (годината, от която има идентификация на случаите по лица) да се прекодират, съгласно изискванията на новата класификация. Локализацията се кодира по четиризначната рубрика за всички злокачествени заболявания (C00 – C97) и *ca in situ* (D00 – D09).

За нуждите на регистрацията на злокачествените новообразувания е разработен нов програмен продукт „Онкология – 2005", който е въведен от началото на 2006 г. във всички онкологични диспансери в страната. Той е съобразен с изискванията за кодиране на отделните променливи, залегнали в "Standards and Guidelines for Cancer Registration in Europe", IARC Technical Publication No.40, 2003. Програмният продукт позволява да се събира допълнителна информация за локализация на метастазите; Clark и Breslow за кожния малигнен меланом; естроген и прогестерон рецепторите за рак на млечната жлеза; вида на лечебното заведение, където е проведено лечението през първата година от диагностициране на заболяването и т.н.

Въвеждането на новата класификация наложи представянето на някои от данните да е съобразено със старата 9-та и новата 10-та ревизия на МКБ. Таблиците за начин на доказване, стадийно разпределение, болестност и смъртност запазват кодирането на злокачествените заболявания по 9-та ревизия, поради

факта, че въвеждането на новата МКБ е от 2006 г. За да не се наруши тенденцията на стандартизираната заболеваемост по пол от 1981 г. насам, данните са представени и по старата, и по новата класификация. Информацията за новите случаи по локализация, пол, морфология и тяхното разпределение по възрастови групи и области в страната е представена по 10-та ревизия. В три последователни таблици се съдържа информация за някои организационни аспекти на раковия контрол. Първата от тях включва разпределение на новодиагностицираните случаи според начина на доказване на диагнозата. Втората съдържа данни за стадиите при някои локализации в страната. Последната разглежда три основни заболявания по области (рак на женската гърда, маточната шийка и простатата), които са включени в Националната скринингова програма 2001 – 2006 г.

В настоящето издание се представят данни за разпределението на новите случаи по морфологичен вид при двете основни локализации рак на белия дроб и млечната жлеза при мъжете и жените, а също така рак на простатата и рак на маточната шийка. Представена е и наблюдаваната петгодишна преживяемост (с 95% доверителен интервал) от злокачествени новообразувания при децата и юношите от 0 – 14 и 0 – 19 години в страните от Европа, където е включена и България. Източник на данните е Automated Childhood Cancer Information System (ACCIS) – Система за предоставяне, представяне и интерпретация на данни за заболеваемост и преживяемост от злокачествени новообразувания при децата и юношите в Европа, на web адрес: http://www-dep.iarc.fr/accis.htm.

За първична локализация (първичен тумор) се приема топографската локализация, от която той произхожда. Ако има 2 и повече тумора с различна хистология и/или локализация, те се приемат за 2 отделни случая. При определяне на първичната множественост при злокачествените новообразувания се спазват правилата на Международната асоциация на раковите регистри (IACR).

На 4.12.1992 г. в България е проведено преброяване на населението. Установи се, че главно поради емиграция, броят на населението за предходните три години е с около 500 000 души по-малко. Това наложи преизчисляване на заболеваемостта за 1989, 1990 и 1991 г. При използване на брой 1 и 2 на изданието „Заболеваемост от рак в България“ трябва да се има предвид, че показателите са изчислени с некоригираното население.

Във връзка с подобряване на системата за регистрация на злокачествените новообразувания, съгласно изискванията на IACR е направена проверка в службите „ГРАО“ за всички починали от тези заболявания след 1998 г.

Данните за населението и смъртните случаи, публикувани в настоящото издание, са предоставени от Националния статистически институт.

Цялата документация се съхранява съгласно Закона за държавния архивен фонд от 1974 г. и Закона за здравето от 2004 г.

Данните за заболеваемостта от злокачествени новообразувания, както и включените допълнителни такива, се използват за епидемиологични проучвания, за вземане на управленчески решения и др. Информацията е достъпна за всички заинтересовани лица и институции. Предоставянето на медико-статистическа информация за онкологично болните се осъществява при спазване на необходимите изисквания за конфиденциалност на данните, съгласно нормативната уредба на страната – Наредба на МЗ №10/ 05.07.2000 г. за предоставяне на медико-статистическа информация и информация за извършваната медицинска дейност от лечебните заведения, Закон за достъп до обществена информация от 2000 г., Закон за защита на личните данни от 2002 г. и Закон за защита на класифицираната информация от 2002 г.

REPUBLIC OF BULGARIA

Republic of Bulgaria is situated in South-Eastern Europe, on the Balkan Peninsula, between 44°13' and 41°14' N (northern latitude) and 28°36' and 20°21' E (eastern longitude). Its total area is 110 911.5 sq. km. Bulgaria is at the border of line between the temperate and Mediterranean climatic areas. In its Northern part, the climate is temperate continental, whereas the southern part is influenced by the Mediterranean Sea. The population of Bulgaria is 7 781 161 (2004). The country is divided into 28 administrative districts and about 70% of the population lives in urban areas. The predominant religion in the country is Eastern Orthodox (85% of the population), followed by Muslims (13%), and Catholics (1%).

A specialized cancer network was founded in Bulgaria in 1952. It consists of 13 Regional Oncological Centers (dispensaries) and a National Oncological Hospital in Sofia. The Regional Oncological Registries are part of the structure of each Regional Oncological Center, and the Bulgarian National Cancer Registry (BNCR) – of the National Oncological Hospital.

In the country exists a ***compulsory registration of malignant neoplasm,*** regulated by a Ministry of Health Instruction № 858/ 05.03.1964, Ministry of Health Order № RD-09-451/ 29.06.1990 and Ministry of Health Regulation № 34/ 2005.

Every physician/medical worker is required to send a "rapid notification" to the Regional Oncological Center for each newly diagnosed cancer case, for a person suspected of having cancer or for those dying from a malignant neoplasm, and since 1975 for carcinoma in situ, as well, by the patient's permanent residence.

The BNCR uses active and passive methods of data collection. The personnel of the Regional Oncological Registries periodically visits the regional health facilities, which provide service, as well as actively seeks all cases of malignant neoplasm and *carcinoma in situ,* unknown to the certain registry. Another source of information on cancer patients are death certificates. The National Institute of Statistics processes and releases data on mortality rates on an annual basis.

The BNCR receives information from all Regional Oncological Registries around the country. The data are verified for range and completeness, duplication, and consistency between clinical and morphological diagnosis.

The most recent update of the rapid notification was introduced in 1992 (Nomenclature № 2 concerning medical forms, serial № 120A of the Ministry of Health). For 1993 the cancer patients have been following up by type of treatment and date of death, as well. In January 2006 the Xth revision of the International Classification of Diseases (ICD) since 1992 was introduced in Bulgaria. All cases of malignant neoplasm dated after 1993 (the initial year of cases identification by person) had to be rerecorded, according to the new classification requirements. The localization is coded according to the four-digit rubrics for all malignant neoplasms (C00 - C97) and *carcinoma in situ* (D00 - D09).

A new software product "Oncology - 2005", has been developed to serve the needs of registration of cancer cases and was implemented throughout the country in all Regional Oncological Centers at the beginning of 2006. The software meets all requirements of "Standards and Guidelines for Cancer Registration in Europe", IARC Technical Publication № 40, 2003, for coding of certain variables. It also allows additional information for cancer cases to be collected, for example: information for metastases localization; Clark and Breslow for the malignant melanoma of skin; estrogen and progesterone receptors of breast cancer; new information about the type of medical facility, where the initial treatment happened during the first year after cancer diagnoses.

The introduction of the new classification required presenting of some data according to the old IXth and the new Xth revision of ICD. The tables about basis of diagnosis, distribution by stage, prevalence and mortality rates keep the same coding for malignant neoplasms from the old IXth revision, due to the fact that the new ICD happened in 2006. Data is represented according to both, the old and the new classification, in order

not to disrupt the tendency of standardized incidence rate by sex, established in 1981. New information for cancer cases sorted by site, sex, morphology and their distribution in age groups and country districts is represented in compliance with the Xth revision. Data about some organizational aspects of cancer control is presented in three consecutive tables. The first table includes the distribution of the newly diagnosed cancer cases by basis of diagnosis. The second includes data by stage according to the cancer site, throughout the country. The last one contains information about the three major cancer sites (breast cancer, cervix uteri cancer and prostate cancer) sorted by country district, which are included in The National Screening Program.

In this issue is presented data about the distribution of the new cancer cases of lung, breast, cervix uteri and prostate by morphological type. On a separate table is presented the observed five-year survival (with 95% confidence interval) of the malignant neoplasm cases in children (age 0-14) and adolescents (age 0-19) in European countries, including Bulgaria. The data source is the Automated Childhood Cancer Information System (ACCIS) – a system of provision, representation and interpretation of data on cancer cases and survival rate among children and adolescents in Europe, available online at: http://www-dep.iarc.fr/accis.htm.

Primary site is the topographic site, where the tumour originated. If there are two or more tumors of different histological types and/or localization, they are considered as two cases. When determining the multiple primary cancers the rules of the International Association of Cancer Registries (IACR) are followed.

On December the 4th, 1992 a census of the population in Bulgaria was carried out. It was observed that the population has diminished with 500 000 people for the preceding three years mainly due to immigration. Because of that, a recalculation of the incidence rates for 1989, 1990 and 1991 was necessary. When using volumes one and two of “Cancer Incidence in Bulgaria”, one must take into account that the rates have been calculated before the correction of the population.

A check of the Central Population Register was made for all cases died from cancer since 1998 in order to improve the malignant neoplasm registration system in accordance with IARC requirements.

Population and mortality data, published in the current issue, is provided by The National Statistical Institute.

All records are kept stored according to The Archives Law from 1974 and The Health Law from 2004.

The data on malignant neoplasms incidence, as well as the included additional data, is used for epidemiological studies, for public health administering, etc. This information is available to all individuals and institutions interested according to the legislation of the country for data confidentiality.

THE MEAN POPULATION OF BULGARIA BY AGE AND SEX 2004

AGE	TOTAL	MALES	FEMALES
00-04	333597	171655	161942
05-09	323349	165840	157509
10-14	432540	222112	210428
15-19	522608	267751	254857
20-24	547011	281023	265988
25-29	586249	299845	286404
30-34	558817	284369	274448
35-39	520237	262593	257644
40-44	534401	267500	266901
45-49	550308	271305	279003
50-54	564928	273908	291020
55-59	538901	255403	283498
60-64	435942	200125	235817
65-69	412627	182942	229685
70-74	389605	166696	222909
75-79	294981	119126	175855
80-84	171454	64416	107038
85+	63606	22615	40991
ALL AGES	**7781161**	**3779224**	**4001937**

THE MEAN POPULATION OF BULGARIA BY SEX AND DISTRICTS 2004

DISTRICT	TOTAL	MALES	FEMALES
BLAGOEVGRAD	335273	164953	170320
BOURGAS	419425	204701	214724
YAMBOL	148720	72978	75742
VARNA	458527	223742	234785
DOBRICH	207681	101924	105757
VELIKO TURNOVO	286344	137906	148438
GABROVO	138288	66732	71556
VRATSA	214522	104930	109592
VIDIN	121400	58646	62754
MONTANA	171906	83594	88312
PLEVEN	312839	153441	159398
LOVECH	162266	79557	82709
PLOVDIV	710410	342817	367593
PAZARDJIK	301670	148378	153292
SMOLYAN	134022	65120	68902
ROUSSE	260140	126383	133757
RAZGRAD	141566	69185	72381
SILISTRA	136563	67681	68882
SOFIA CITY	1215043	575666	639377
SOFIA DISTRICT	263510	129363	134147
KYUSTENDIL	155422	75787	79635
PERNIK	143177	69675	73502
STARA ZAGORA	363071	177015	186056
SLIVEN	212099	103619	108480
HASKOVO	269215	131122	138093
KURDJALI	160440	79509	80931
SHOUMEN	200139	97389	102750
TURGOVISHTE	137483	67411	70072

CANCER INCIDENCE IN BULGARIA 2004

DISTRIBUTION OF THE NEW CASES BY PRIMARY SITES AND SEX

CODE ICD-10	SITE	NUMBER	MALES CRUDE DATA 100 000	%	NUMBER	FEMALES CRUDE DATA 100 000	%	NUMBER	TOTAL CRUDE DATA 100 000	%
C00-97	**ALL SITES**	**16527**	**441.5**	**100.0**	**15124**	**377.9**	**100.0**	**31651**	**406.8**	**100.0**
C00	LIP	173	4.6	1.0	60	1.5	0.4	233	3.0	0.7
C01-02	TONGUE	105	2.8	0.6	29	0.7	0.2	134	1.7	0.4
C03-06	MOUTH	103	2.8	0.6	11	0.3	0.1	114	1.5	0.4
C07-08	SALIVARY GLANDS	47	1.2	0.3	27	0.7	0.2	74	1.0	0.2
C09-14	PHARYNX	181	4.8	1.1	46	1.1	0.3	227	2.9	0.7
C15	OESOPHAGUS	147	3.9	0.9	42	1.0	0.3	189	2.4	0.6
C16	STOMACH	1067	28.5	6.5	695	17.4	4.6	1762	22.6	5.6
C17	SMALL INTESTINE	19	0.5	0.1	16	0.4	0.1	35	0.5	0.1
C18	COLON	1231	32.9	7.4	1065	26.6	7.0	2296	29.5	7.3
C19-21	RECTUM AND ANUS	1029	27.5	6.2	715	17.9	4.7	1744	22.4	5.5
C22	LIVER AND INTRAHEPATIC BILE DUCTS	361	9.6	2.2	187	4.7	1.2	548	7.0	1.7
C23-24	GALLBLADDER AND EXTRAHEPATIC BILE DUCTS	94	2.5	0.6	149	3.7	1.0	243	3.1	0.8
C25	PANCREAS	649	17.3	3.9	465	11.6	3.1	1114	14.3	3.5
C30-31	NOSE, SINUSES	37	1.0	0.2	11	0.3	0.1	48	0.6	0.2
C32	LARYNX	575	15.4	3.5	28	0.7	0.2	603	7.8	1.9
C33-34	TRACHEA, BRONCHUS, LUNG	3167	84.6	19.2	596	14.9	3.9	3763	48.4	11.9
C40-41	BONE	57	1.5	0.3	28	0.7	0.2	85	1.1	0.3
C43	MELANOMA OF SKIN	207	5.5	1.3	189	4.7	1.2	396	5.1	1.3
C44	OTHER SKIN	1715	45.8	10.4	1576	39.4	10.4	3291	42.3	10.4
C47-C49	CONNECTIVE TISSUE	112	3.0	0.7	84	2.1	0.6	196	2.5	0.6
C50	BREAST	36	1.0	0.2	3548	88.7	23.5	3584	46.1	11.3
C53	CERVIX UTERI	-	-	-	1097	27.4	7.3	1097	14.1	3.5
C54	CORPUS UTERI	-	-	-	1198	29.9	7.9	1198	15.4	3.8
C56, C57.0-4	OVARY AND OTHER UTERINE ADNEXA	-	-	-	870	21.7	5.8	870	11.2	2.8
C51,C52,C55, C57.7-9, C58	OTHER FEMALE GENITAL ORGANS	-	-	-	228	5.7	1.5	228	2.9	0.7
C60	PENIS	43	1.2	0.3	-	-	-	43	0.6	0.1
C61	PROSTATE	1621	43.3	9.8	-	-	-	1621	20.8	5.1
C62	TESTIS	168	4.5	1.0	-	-	-	168	2.2	0.5
C64-66, C68	KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS	421	11.2	2.6	193	4.8	1.3	614	7.9	1.9
C67	BLADDER	1025	27.4	6.2	259	6.5	1.7	1284	16.5	4.1
C69	EYE	29	0.8	0.2	20	0.5	0.1	49	0.6	0.2
C70-72	BRAIN, CENTRAL NERVOUS SYSTEM	367	9.8	2.2	276	6.9	1.8	643	8.3	2.0
C73	THYROID	47	1.3	0.3	163	4.1	1.1	210	2.7	0.7
C74-75	OTHER ENDOCRINE GLANDS	23	0.6	0.1	16	0.4	0.1	39	0.5	0.1
C81	HODGKIN'S DISEASE	109	2.9	0.7	60	1.5	0.4	169	2.2	0.5
C82-85, C96	NON-HODGKIN'S LYMPHOMA	231	6.2	1.4	196	4.9	1.3	427	5.5	1.3
C88, C90	MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE DISEASES	86	2.3	0.5	103	2.6	0.7	189	2.4	0.6
C91	LYMPHOID LEUKAEMIA	139	3.7	0.8	105	2.6	0.7	244	3.1	0.8
C92	MYELOID LEUKAEMIA	137	3.7	0.8	98	2.5	0.6	235	3.0	0.7
C93	MONOCYTIC LEUKAEMIA	8	0.2	0.1	9	0.2	0.1	17	0.2	0.1
C94-95	OTHER LEUKAEMIAS	60	1.6	0.4	69	1.7	0.5	129	1.7	0.4
PSU	PRIMARY SITE UNCERTAIN	901	24.1	5.4	597	14.9	3.8	1498	19.2	4.7
D06	NOT INCLUDED ABOVE CA IN SITU OF CERVIX UTERI	-	-	-	281	7.0	-	281	3.6	-

SPECIALIZED CANCER NETWORK IN BULGARIA




Bulgarian National Cancer Registry


Regional Cancer Registry

District City


PERCENTAGE DISTRIBUTION OF CANCER INCIDENCE IN MALES
BULGARIA 2004




PERCENTAGE DISTRIBUTION OF CANCER INCIDENCE IN FEMALES
BULGARIA 2004




AGE-STANDARDIZED AND CRUDE INCIDENCE RATES OF ALL CANCERS IN MALES
BULGARIA 1981-2004




AGE-STANDARDIZED AND CRUDE INCIDENCE RATES OF ALL CANCERS IN FEMALES
BULGARIA 1981-2004




AGE-SPECIFIC INCIDENCE RATES FOR ALL CANCERS IN MALES
BULGARIA, 1981 AND 2004




AGE-SPECIFIC INCIDENCE RATES FOR ALL CANCERS IN FEMALES
BULGARIA, 1981 AND 2004




AGE-STANDARDIZED INCIDENCE RATES (WORLD STANDARD) OF THE MOST COMMON CANCERS IN MALES
BULGARIA 1981-2004




AGE-STANDARDIZED INCIDENCE RATES (WORLD STANDARD) OF THE MOST COMMON CANCERS IN FEMALES
BULGARIA 1981-2004



AGE-ADJUSTED (WORLD STANDARD) INCIDENCE RATES PER 100 000 FOR ALL CANCERS BY DISTRICTS IN BULGARIA 2004 - MALES



AGE-ADJUSTED (WORLD STANDARD) INCIDENCE RATES PER 100 000 FOR ALL CANCERS BY DISTRICTS IN BULGARIA 2004 - FEMALES



NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 – MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C00-97	**ALL SITES**	**34**	**14**	**23**	**28**	**71**	**97**	**124**	**198**	**346**	**730**	**1418**	**1965**	**2173**	**2624**	**2905**	**2247**	**1206**	**324**	**16527**
C00	**LIP**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**3**	**4**	**5**	**14**	**15**	**22**	**30**	**29**	**30**	**18**	**3**	**173**
C00.0		-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	3
C00.1		-	-	-	-	-	-	-	3	4	5	13	14	21	27	29	29	18	3	166
C00.3		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
C00.4		-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	3
C01	**BASE OF TONGUE**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**2**	**1**	**1**	**8**	**9**	**3**	**5**	**2**	**1**	**-**	**-**	**33**
C02	**OTHER AND UNSPECIFIED PARTS OF TONGUE**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**3**	**12**	**12**	**20**	**8**	**10**	**4**	**1**	**-**	**1**	**72**
C02.0		-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	4
C02.1		-	-	-	-	-	-	-	-	1	7	3	5	3	5	1	1	-	-	26
C02.2		-	-	-	-	-	-	-	-	-	-	3	2	-	1	1	-	-	-	7
C02.3		-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	3
C02.8		-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2
C02.9		-	-	-	-	-	1	-	-	1	5	5	9	4	4	1	-	-	-	30
C03	**GUM**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**4**	**4**	**4**	**4**	**5**	**3**	**1**	**2**	**-**	**27**
C03.0		-	-	-	-	-	-	-	-	-	2	1	1	2	2	1	1	1	-	11
C03.1		-	-	-	-	-	-	-	-	-	2	2	3	2	3	2	-	-	-	14
C03.9		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2
C04	**FLOOR OF MOUTH**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**2**	**1**	**5**	**11**	**7**	**10**	**5**	**2**	**2**	**1**	**2**	**48**
C04.0		-	-	-	-	-	-	-	-	-	2	2	3	3	3	1	1	-	-	15
C04.1		-	-	-	-	-	-	-	1	-	1	3	-	3	-	1	-	-	1	10
C04.9		-	-	-	-	-	-	-	1	1	2	6	4	4	2	-	1	1	1	23
C05	**PALATE**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**2**	**2**	**4**	**3**	**5**	**-**	**-**	**-**	**-**	**-**	**16**
C05.0		-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2
C05.1		-	-	-	-	-	-	-	-	1	1	4	3	3	-	-	-	-	-	12
C05.2		-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2
C06	**OTHER AND UNSPECIFIED PARTS OF MOUTH**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**-**	**4**	**3**	**-**	**1**	**1**	**1**	**-**	**-**	**12**
C06.0		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
C06.2		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
C06.8		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
C06.9		-	-	-	-	-	-	-	1	-	-	2	3	-	1	1	1	-	-	9
C07	**PAROTID GLAND**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**4**	**7**	**7**	**2**	**3**	**6**	**6**	**1**	**-**	**36**
C08	**OTHER AND UNSPECIFIED MAJOR SALIVARY GLANDS**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**2**	**-**	**-**	**3**	**-**	**2**	**1**	**1**	**2**	**-**	**-**	**11**
C08.0		-	-	-	-	-	-	-	1	-	-	3	-	2	1	1	1	-	-	9
C08.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
C08.9		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
C09	**TONSIL**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**3**	**5**	**11**	**14**	**8**	**5**	**9**	**-**	**-**	**-**	**56**
C09.1		-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	3

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 – MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C09.8		-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
C09.9		-	-	-	-	-	-	-	1	3	4	11	13	7	5	8	-	-	-	52
C10	**OROPHARYNX**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**3**	**1**	**1**	**2**	**2**	**3**	**-**	**1**	**-**	**15**
C10.2		-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2
C10.3		-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	3
C10.8		-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	3
C10.9		-	-	-	-	-	-	-	-	1	1	1	-	2	1	-	-	1	-	7
C11	**NASOPHARYNX**	**-**	**-**	**1**	**2**	**1**	**1**	**-**	**2**	**4**	**9**	**6**	**5**	**1**	**2**	**2**	**3**	**1**	**2**	**42**
C11.0		-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	3
C11.1		-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2
C11.2		-	-	1	1	-	-	-	-	1	1	2	-	-	1	-	-	-	-	7
C11.3		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
C11.8		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
C11.9		-	-	-	-	1	1	-	2	2	7	3	5	1	-	1	2	1	2	28
C12	**PYRIFORM SINUS**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**3**	**5**	**1**	**-**	**1**	**-**	**-**	**-**	**-**	**11**
C13	**HYPOPHARYNX**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**2**	**9**	**6**	**9**	**11**	**6**	**5**	**1**	**-**	**-**	**49**
C13.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
C13.1		-	-	-	-	-	-	-	-	1	2	-	1	-	1	-	-	-	-	5
C13.2		-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	5
C13.8		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
C13.9		-	-	-	-	-	-	-	-	-	7	5	6	10	4	4	1	-	-	37
C14	**OTHER AND ILL-DEFINED SITES IN LIP, ORAL CAVITY AND PHARYNX**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**5**	**1**	**-**	**1**	**-**	**-**	**-**	**8**
C14.0		-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	4
C14.8		-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	4
C15	**OESOPHAGUS**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**1**	**9**	**23**	**27**	**28**	**18**	**20**	**11**	**6**	**2**	**147**
C15.0		-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	1	-	-	7
C15.1		-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	4
C15.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
C15.3		-	-	-	-	-	-	1	-	-	1	4	3	5	2	2	-	2	-	20
C15.4		-	-	-	-	-	-	-	-	1	1	4	6	1	3	1	-	-	-	17
C15.5		-	-	-	-	-	-	-	-	-	2	5	4	10	3	5	3	1	-	33
C15.8		-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2
C15.9		-	-	-	-	-	-	-	-	-	4	9	10	11	7	11	7	2	2	63
C16	**STOMACH**	**-**	**-**	**-**	**-**	**2**	**2**	**3**	**8**	**21**	**30**	**87**	**118**	**135**	**173**	**217**	**164**	**90**	**17**	**1067**
C16.0		-	-	-	-	-	1	-	1	3	4	7	11	14	15	22	9	3	1	91
C16.1		-	-	-	-	-	-	-	-	1	1	5	5	4	8	10	8	2	-	44
C16.2		-	-	-	-	-	-	-	-	2	1	13	21	24	19	32	16	12	1	141
C16.3		-	-	-	-	-	-	-	1	1	7	6	17	17	8	27	17	5	-	106
C16.4		-	-	-	-	-	1	1	1	-	-	6	10	6	3	13	2	5	1	49

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 – MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C16.5		-	-	-	-	-	-	-	2	6	6	9	11	7	18	10	9	2	-	80
C16.6		-	-	-	-	-	-	-	-	1	2	7	10	5	16	13	9	5	-	68
C16.8		-	-	-	-	-	-	2	1	1	1	12	11	16	23	17	7	7	2	100
C16.9		-	-	-	-	2	-	-	2	6	8	22	22	42	63	73	87	49	12	388
C17	**SMALL INTESTINE**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**2**	**3**	**2**	**4**	**7**	**-**	**-**	**-**	**-**	**19**
C17.1		-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2
C17.2		-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	3
C17.9		-	-	-	-	-	-	-	-	1	-	3	2	2	6	-	-	-	-	14
C18	**COLON**	**-**	**-**	**-**	**-**	**1**	**2**	**4**	**9**	**12**	**37**	**72**	**111**	**158**	**213**	**284**	**214**	**89**	**25**	**1231**
C18.0		-	-	-	-	-	1	-	2	2	1	5	16	19	24	31	23	8	3	135
C18.1		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
C18.2		-	-	-	-	-	-	-	4	2	4	10	17	22	29	38	38	12	2	178
C18.3		-	-	-	-	-	-	-	1	-	2	5	9	7	16	11	7	1	-	59
C18.4		-	-	-	-	-	1	1	-	1	6	8	9	16	16	26	18	8	2	112
C18.5		-	-	-	-	-	-	-	-	3	1	3	6	11	13	12	9	3	1	62
C18.6		-	-	-	-	-	-	-	-	-	3	9	12	12	14	20	9	6	1	86
C18.7		-	-	-	-	1	-	1	2	4	18	31	38	55	79	108	61	34	5	437
C18.8		-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	5
C18.9		-	-	-	-	-	-	2	-	-	2	1	3	16	21	37	46	17	11	156
C19	**RECTOSIGMOID JUNCTION**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**6**	**7**	**12**	**15**	**11**	**23**	**14**	**4**	**2**	**94**
C20	**RECTUM**	**-**	**-**	**-**	**-**	**1**	**3**	**7**	**8**	**13**	**25**	**70**	**110**	**104**	**182**	**161**	**116**	**69**	**29**	**898**
C21	**ANUS AND ANAL CANAL**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**1**	**3**	**1**	**5**	**11**	**3**	**4**	**6**	**2**	**-**	**37**
C21.0		-	-	-	-	-	1	-	-	1	-	1	3	1	-	2	2	-	-	11
C21.1		-	-	-	-	-	-	-	-	-	2	-	2	8	2	2	2	2	-	20
C21.8		-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	2	-	-	6
C22	**LIVER AND INTRAHEPATIC BILE DUCTS**	**2**	**-**	**-**	**-**	**1**	**-**	**2**	**6**	**11**	**13**	**30**	**31**	**52**	**59**	**56**	**53**	**35**	**10**	**361**
C22.0		-	-	-	-	1	-	-	2	1	2	11	9	10	16	8	5	4	-	69
C22.1		-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	5
C22.2		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
C22.7		-	-	-	-	-	-	-	-	-	1	1	2	1	3	1	-	-	-	9
C22.9		1	-	-	-	-	-	2	4	10	10	17	20	40	39	46	47	31	10	277
C23	**GALLBLADDER**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**3**	**4**	**10**	**7**	**7**	**8**	**2**	**2**	**45**
C24	**OTHER AND UNSPECIFIED PARTS OF BILIARY TRACT**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**3**	**2**	**5**	**7**	**5**	**14**	**5**	**6**	**2**	**49**
C24.0		-	-	-	-	-	-	-	-	-	2	1	3	3	2	3	1	4	-	19
C24.1		-	-	-	-	-	-	-	-	-	1	1	2	3	2	8	4	1	1	23
C24.9		-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	1	7
C25	**PANCREAS**	**-**	**-**	**-**	**-**	**-**	**1**	**2**	**6**	**16**	**33**	**59**	**60**	**87**	**105**	**113**	**102**	**52**	**13**	**649**
C25.0		-	-	-	-	-	-	2	2	10	21	32	36	41	57	60	42	23	2	328
C25.1		-	-	-	-	-	1	-	1	1	2	4	5	8	15	8	11	1	-	57

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 – MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C25.2		-	-	-	-	-	-	-	-	1	-	4	1	2	4	4	1	-	-	17
C25.3		-	-	-	-	-	-	-	-	-	1	1	-	1	4	1	2	-	-	10
C25.8		-	-	-	-	-	-	-	-	-	2	10	4	10	8	5	6	4	1	50
C25.9		-	-	-	-	-	-	-	3	4	7	8	14	25	17	35	40	24	10	187
C26	**OTHER AND ILL-DEFINED DIGESTIVE ORGANS**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**1**	**1**	**-**	**1**	**1**	**1**	**7**
C26.0		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
C26.9		-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	1	6
C30	**NASAL CAVITY AND MIDDLE EAR**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**3**	**2**	**3**	**-**	**-**	**-**	**-**	**9**
C30.0		-	-	-	-	-	-	-	-	-	1	-	2	2	3	-	-	-	-	8
C30.1		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
C31	**ACCESSORY SINUSES**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**4**	**2**	**4**	**5**	**2**	**5**	**2**	**1**	**2**	**1**	**28**
C31.0		-	-	-	-	-	-	-	-	4	2	1	4	2	4	-	1	1	-	19
C31.1		-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2
C31.3		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
C31.8		-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	4
C31.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
C32	**LARYNX**	**-**	**-**	**-**	**-**	**1**	**-**	**4**	**2**	**20**	**58**	**104**	**119**	**93**	**86**	**56**	**23**	**8**	**1**	**575**
C32.0		-	-	-	-	1	-	1	-	5	12	32	37	25	25	11	3	-	-	152
C32.1		-	-	-	-	-	-	1	1	1	5	10	15	14	5	3	1	2	-	58
C32.2		-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	5
C32.3		-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2
C32.8		-	-	-	-	-	-	-	-	3	6	20	18	15	9	10	4	-	-	85
C32.9		-	-	-	-	-	-	2	1	11	34	42	48	35	46	32	15	6	1	273
C33	**TRACHEA**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**2**	**-**	**1**	**1**	**-**	**1**	**1**	**-**	**7**
C34	**BRONCHUS AND LUNG**	**-**	**-**	**-**	**-**	**-**	**1**	**8**	**20**	**56**	**164**	**356**	**519**	**541**	**571**	**500**	**284**	**123**	**17**	**3160**
C34.0		-	-	-	-	-	-	1	2	7	27	49	66	61	77	61	23	14	3	391
C34.1		-	-	-	-	-	-	3	12	28	64	160	211	222	200	169	75	32	-	1176
C34.2		-	-	-	-	-	1	-	2	7	17	29	45	54	46	48	24	9	5	287
C34.3		-	-	-	-	-	-	-	2	8	21	46	83	107	99	82	50	22	1	521
C34.8		-	-	-	-	-	-	1	-	-	9	8	12	15	22	9	13	4	-	93
C34.9		-	-	-	-	-	-	3	2	6	26	64	102	82	127	131	99	42	8	692
C37	**THYMUS**	**-**	**-**	**-**	**-**	**-**	**2**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**4**	**1**	**-**	**-**	**-**	**9**
C38	**HEART, MEDIASTINUM, AND PLEURA**	**-**	**-**	**-**	**1**	**-**	**1**	**1**	**-**	**-**	**1**	**1**	**8**	**2**	**2**	**5**	**-**	**4**	**-**	**26**
C38.1		-	-	-	-	-	-	-	-	-	-	-	3	-	1	3	-	1	-	8
C38.2		-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	3
C38.3		-	-	-	1	-	1	1	-	-	1	1	1	1	-	2	-	1	-	10
C38.4		-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	5

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 – MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C39	**OTHER AND ILL-DEFINED SITES WITHIN RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**1**
C39.9		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
C40	**BONES, JOINTS AND ARTICULAR CARTILAGE OF LIMBS**	**-**	**-**	**-**	**2**	**2**	**1**	**2**	**-**	**-**	**1**	**-**	**7**	**-**	**3**	**5**	**2**	**1**	**-**	**26**
C40.0		-	-	-	2	-	-	1	-	-	-	-	3	-	1	1	1	1	-	10
C40.1		-	-	-	-	-	1	1	-	-	-	-	3	-	-	-	-	-	-	5
C40.2		-	-	-	-	2	-	-	-	-	-	-	1	-	2	4	1	-	-	10
C40.3		-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
C41	**BONES, JOINTS AND ARTICULAR CARTILAGE OF OTHER AND UNSPECIFIED SITES**	**-**	**-**	**-**	**1**	**2**	**2**	**1**	**1**	**2**	**1**	**5**	**5**	**3**	**3**	**2**	**2**	**-**	**1**	**31**
C41.1		-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	2
C41.2		-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	4
C41.3		-	-	-	-	1	1	-	-	-	-	2	1	1	-	1	-	-	-	7
C41.4		-	-	-	-	-	1	1	-	1	1	2	2	1	-	-	-	-	-	9
C41.9		-	-	-	1	1	-	-	-	1	-	-	-	-	2	1	2	-	1	9
C43	**MELANOMA OF SKIN**	**-**	**-**	**-**	**-**	**2**	**2**	**3**	**5**	**12**	**21**	**27**	**33**	**22**	**27**	**26**	**16**	**6**	**5**	**207**
C43.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
C43.1		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
C43.2		-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	5
C43.3		-	-	-	-	-	-	-	-	-	1	1	2	2	3	4	1	-	-	14
C43.4		-	-	-	-	1	-	-	-	2	1	2	3	4	2	3	2	1	1	22
C43.5		-	-	-	-	1	1	2	1	7	12	17	16	7	13	10	6	4	1	98
C43.6		-	-	-	-	-	1	-	-	1	5	1	2	2	2	2	2	-	-	18
C43.7		-	-	-	-	-	-	1	2	-	1	2	8	2	4	3	3	-	1	27
C43.9		-	-	-	-	-	-	-	2	2	1	3	1	3	2	3	1	1	2	21
C44	**OTHER SKIN**	**-**	**-**	**-**	**-**	**2**	**1**	**3**	**12**	**19**	**51**	**78**	**126**	**170**	**261**	**360**	**331**	**226**	**75**	**1715**
C44.0		-	-	-	-	-	-	-	-	-	2	2	1	2	3	4	10	2	1	27
C44.1		-	-	-	-	-	-	-	3	1	1	6	8	14	13	14	16	8	3	87
C44.2		-	-	-	-	-	-	-	-	-	1	2	6	9	18	35	31	21	9	132
C44.3		-	-	-	-	-	1	-	4	10	29	44	59	94	155	221	194	145	41	997
C44.4		-	-	-	-	-	-	2	2	4	2	8	11	15	24	19	30	14	9	140
C44.5		-	-	-	-	1	-	1	1	3	9	8	29	25	29	40	29	21	9	205
C44.6		-	-	-	-	1	-	-	2	-	1	4	7	5	10	17	12	8	1	68
C44.7		-	-	-	-	-	-	-	-	-	5	3	3	5	5	9	6	4	2	42
C44.8		-	-	-	-	-	-	-	-	1	1	1	1	1	3	1	1	1	-	11
C44.9		-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	-	6
C45	**MESOTHELIOMA**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**1**	**6**	**3**	**4**	**3**	**1**	**-**	**1**	**-**	**20**
C45.0		-	-	-	-	-	-	1	-	-	1	5	3	3	3	-	-	1	-	17

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 – MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C45.1		-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2
C45.7		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
C46	**KAPOSI'S SARCOMA**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**2**	**3**	**1**	**-**	**7**
C46.0		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
C46.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	4
C46.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2
C47	**PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM**	**1**	**-**	**1**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**3**
C47.1		-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
C47.4		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
C47.9		-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
C48	**RETROPERITONEUM AND PERITONEUM**	**1**	**-**	**-**	**-**	**1**	**1**	**1**	**2**	**2**	**2**	**4**	**4**	**6**	**5**	**7**	**3**	**3**	**-**	**42**
C48.0		1	-	-	-	1	1	1	2	2	2	3	4	4	4	5	3	2	-	35
C48.2		-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	1	-	7
C49	**CONNECTIVE AND OTHER SOFT TISSUES**	**1**	**1**	**2**	**1**	**5**	**5**	**3**	**6**	**6**	**9**	**11**	**13**	**10**	**6**	**8**	**13**	**9**	**-**	**109**
C49.0		-	-	1	-	1	1	1	1	-	1	3	2	-	1	1	-	1	-	14
C49.1		-	-	-	-	1	-	-	-	1	2	1	-	-	-	1	1	3	-	10
C49.2		1	-	-	-	1	1	2	2	3	3	1	4	5	4	2	-	-	-	29
C49.3		-	-	-	-	-	-	-	1	1	-	1	2	-	-	2	4	2	-	13
C49.4		-	-	-	-	1	2	-	1	-	1	1	1	2	-	-	3	1	-	13
C49.5		-	1	1	1	1	-	-	-	1	-	2	2	2	-	2	3	2	-	18
C49.6		-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	1	-	-	6
C49.9		-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	1	-	-	6
C50	**BREAST**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**3**	**-**	**4**	**4**	**6**	**4**	**7**	**4**	**3**	**1**	**36**
C50.0		-	-	-	-	-	-	-	-	1	-	2	-	1	-	1	1	-	-	6
C50.1		-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	3
C50.2		-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2
C50.4		-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	4
C50.5		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2
C50.8		-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	4
C50.9		-	-	-	-	-	-	-	-	2	-	1	2	2	2	1	1	3	1	15
C60	**PENIS**	**-**	**-**	**-**	**-**	**-**	**-**	**2**	**-**	**2**	**2**	**4**	**3**	**4**	**3**	**7**	**6**	**6**	**4**	**43**
C60.0		-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	-	5
C60.1		-	-	-	-	-	-	2	-	1	1	2	2	4	2	4	3	3	4	28
C60.2		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
C60.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3
C60.9		-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	1	-	-	6
C61	**PROSTATE GLAND**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**1**	**14**	**25**	**90**	**133**	**260**	**412**	**402**	**225**	**57**	**1621**

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 – MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C62	**TESTIS**	**2**	**-**	**-**	**5**	**24**	**26**	**33**	**27**	**19**	**7**	**8**	**8**	**4**	**3**	**1**	**1**	**-**	**-**	**168**
C62.0		1	-	-	1	5	7	6	5	3	1	3	1	-	2	-	-	-	-	35
C62.1		-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	3
C62.9		1	-	-	4	19	18	26	22	16	6	5	7	4	-	1	1	-	-	130
C63	**OTHER AND UNSPECIFIED MALE GENITAL ORGANS**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**2**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**1**	**5**
C63.2		-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	3
C63.9		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2
C64	**KIDNEY**	**2**	**-**	**-**	**-**	**1**	**1**	**-**	**10**	**12**	**33**	**52**	**66**	**59**	**37**	**56**	**32**	**12**	**3**	**376**
C65	**RENAL PELVIS**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**2**	**2**	**3**	**7**	**6**	**2**	**3**	**2**	**-**	**29**
C66	**URETER**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**1**	**-**	**1**	**2**	**1**	**1**	**1**	**-**	**-**	**8**
C67	**BLADDER**	**1**	**-**	**-**	**2**	**-**	**2**	**2**	**8**	**17**	**29**	**80**	**122**	**150**	**178**	**200**	**152**	**62**	**20**	**1025**
C67.0		-	-	-	-	-	-	-	-	-	1	2	4	6	9	7	3	2	1	35
C67.1		-	-	-	-	-	-	-	-	1	-	2	2	1	3	1	4	2	-	16
C67.2		-	-	-	2	-	1	1	3	5	9	22	25	45	44	57	37	17	3	271
C67.3		-	-	-	-	-	-	-	-	-	1	3	3	7	5	12	9	1	-	41
C67.4		-	-	-	-	-	1	-	-	-	2	5	8	14	15	11	11	4	2	73
C67.5		-	-	-	-	-	-	1	-	1	1	3	9	10	19	8	10	4	-	66
C67.6		-	-	-	-	-	-	-	2	3	1	4	15	8	7	12	11	3	1	67
C67.7		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
C67.8		-	-	-	-	-	-	-	-	2	4	6	10	13	9	17	12	3	1	77
C67.9		1	-	-	-	-	-	-	3	5	10	33	45	46	67	75	55	26	12	378
C68	**OTHER AND UNSPECIFIED URINARY ORGANS**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**2**	**1**	**1**	**-**	**1**	**2**	**-**	**8**
C68.8		-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	1	2	-	7
C68.9		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
C69	**EYE AND ADNEXA**	**2**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**1**	**4**	**2**	**5**	**5**	**3**	**1**	**4**	**-**	**29**
C69.0		-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	-	6
C69.1		-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	2
C69.2		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
C69.3		-	-	-	-	-	-	-	-	-	-	4	-	1	-	-	1	-	-	6
C69.4		-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	3
C69.5		-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	3
C69.6		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2
C69.9		-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	1	-	5
C70	**MENINGES**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**1**	**-**	**1**	**1**	**1**	**2**	**3**	**1**	**-**	**-**	**11**
C70.0		-	-	-	-	-	-	1	-	-	-	1	1	1	1	2	1	-	-	8
C70.9		-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	3
C71	**BRAIN**	**3**	**3**	**7**	**5**	**8**	**12**	**6**	**12**	**20**	**22**	**39**	**41**	**51**	**47**	**38**	**20**	**12**	**2**	**348**
C71.0		-	1	-	-	-	-	-	-	-	-	1	4	2	1	1	1	-	-	11
C71.1		-	-	1	1	3	4	2	5	2	4	4	10	1	8	5	1	-	-	51

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 – MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C71.2		-	-	-	1	1	3	-	-	3	6	12	6	10	7	4	1	3	-	57
C71.3		-	-	1	1	2	2	1	1	1	2	7	-	5	4	5	1	2	-	35
C71.4		-	-	-	-	-	1	1	-	-	-	-	-	2	3	-	-	-	1	8
C71.5		-	1	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	5
C71.6		2	-	2	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	8
C71.7		-	1	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	6
C71.8		-	-	-	1	-	-	-	4	3	2	4	5	2	1	2	2	-	-	26
C71.9		1	-	3	1	-	1	-	2	8	6	11	16	28	22	20	14	7	1	141
C72	**SPINAL CORD, CRANIAL NERVES, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM**	**1**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**1**	**1**	**2**	**-**	**1**	**1**	**-**	**-**	**-**	**8**
C72.0		-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	4
C72.5		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
C72.9		1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3
C73	**THYROID GLAND**	**-**	**-**	**-**	**-**	**2**	**1**	**2**	**1**	**3**	**2**	**3**	**10**	**10**	**5**	**5**	**3**	**-**	**-**	**47**
C74	**ADRENAL GLAND**	**1**	**-**	**-**	**1**	**1**	**-**	**-**	**-**	**-**	**1**	**1**	**5**	**1**	**2**	**2**	**-**	**-**	**-**	**15**
C74.0		-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	3
C74.1		-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
C74.9		1	-	-	-	-	-	-	-	-	1	1	4	1	2	1	-	-	-	11
C75	**OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**1**	**3**	**1**	**-**	**1**	**1**	**-**	**-**	**8**
C75.0		-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	2
C75.1		-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2
C75.9		-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	4
C76	**OTHER AND ILL-DEFINED SITES**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**3**	**-**	**2**	**4**	**1**	**3**	**1**	**15**
C76.0		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
C76.1		-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	5
C76.2		-	-	-	-	-	1	-	-	-	-	-	2	-	1	1	1	2	1	9
C80	**MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE**	**-**	**-**	**-**	**-**	**1**	**-**	**3**	**8**	**16**	**32**	**79**	**89**	**94**	**124**	**120**	**115**	**75**	**13**	**769**
C81	**HODGKIN'S DISEASE**	**4**	**-**	**4**	**1**	**5**	**13**	**10**	**14**	**5**	**14**	**8**	**4**	**12**	**3**	**6**	**2**	**2**	**2**	**109**
C81.0		-	-	1	-	-	2	-	-	-	-	1	-	1	1	2	-	-	-	8
C81.1		1	-	-	-	3	3	5	6	2	5	3	1	2	1	2	1	1	-	36
C81.2		3	-	3	1	2	5	1	4	2	2	1	3	4	-	1	1	-	1	34
C81.3		-	-	-	-	-	1	-	1	-	3	-	-	1	-	-	-	-	-	6
C81.9		-	-	-	-	-	2	4	3	1	4	3	-	4	1	1	-	1	1	25
C82	**FOLLICULAR NON-HODGKIN'S LYMPHOMA**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**2**	**2**	**1**	**-**	**2**	**-**	**8**
C82.0		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
C82.9		-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	2	-	7

Part 9

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 – MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C83	**DIFFUSE NON-HODGKIN'S LYMPHOMA**	**1**	**1**	**1**	**1**	**-**	**2**	**4**	**6**	**1**	**3**	**4**	**11**	**10**	**12**	**7**	**13**	**3**	**2**	**82**
C83.0		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	3
C83.1		-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	2	-	-	5
C83.2		-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	2
C83.3		-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	-	-	7
C83.4		1	1	-	-	-	1	1	1	-	2	1	3	-	2	-	1	-	1	15
C83.5		-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	1	-	-	5
C83.8		-	-	1	1	-	1	2	4	-	-	2	6	6	7	4	5	3	1	43
C83.9		-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2
C84	**PERIPHERAL AND CUTANEOUS T-CELL LYMPHOMAS**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**1**	**2**	**2**	**1**	**-**	**-**	**1**	**-**	**9**
C84.0		-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	1	-	6
C84.2		-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
C84.4		-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2
C85	**OTHER AND UNSPECIFIED TYPES OF NON-HODGKIN'S LYMPHOMA**	**-**	**1**	**2**	**1**	**3**	**4**	**2**	**1**	**4**	**7**	**13**	**12**	**18**	**20**	**22**	**17**	**5**	**-**	**132**
C85.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
C85.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
C85.9		-	1	2	1	3	4	2	1	4	7	13	12	18	20	21	17	4	-	130
C88	**MALIGNANT IMMUNOPROLIFERATIVE DISEASES**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**2**
C88.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
C88.9		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
C90	**MULTIPLE MYELOMA AND MALIGNANT PLASMA CELL NEOPLASMS**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**4**	**8**	**8**	**10**	**18**	**8**	**15**	**5**	**5**	**2**	**84**
C90.0		-	-	-	-	-	-	1	-	3	4	8	6	14	7	10	4	5	1	63
C90.2		-	-	-	-	-	-	-	-	1	4	-	4	4	1	5	1	-	1	21
C91	**LYMPHOID LEUKAEMIA**	**5**	**7**	**3**	**1**	**2**	**4**	**4**	**1**	**5**	**4**	**4**	**15**	**8**	**29**	**20**	**20**	**6**	**1**	**139**
C91.0		5	6	3	1	1	4	3	-	-	-	1	-	2	4	2	3	2	-	37
C91.1		-	-	-	-	1	-	-	1	4	2	3	13	6	22	18	16	3	1	90
C91.2		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
C91.3		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
C91.4		-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	4
C91.9		-	1	-	-	-	-	1	-	-	1	-	-	-	1	-	1	1	-	6
C92	**MYELOID LEUKAEMIA**	**6**	**1**	**1**	**4**	**1**	**3**	**3**	**3**	**9**	**5**	**14**	**13**	**16**	**15**	**21**	**14**	**5**	**3**	**137**
C92.0		6	-	1	3	-	2	-	2	1	2	4	2	8	6	10	4	4	3	58
C92.1		-	-	-	-	-	1	3	1	8	2	7	11	5	5	10	7	-	-	60

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 – MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C92.4		-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	4
C92.5		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
C92.7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2
C92.9		-	1	-	1	1	-	-	-	-	1	1	-	2	3	1	1	-	-	12
C93	**MONOCYTIC LEUKAEMIA**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**-**	**-**	**2**	**2**	**2**	**-**	**8**
C93.0		-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	6
C93.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
C93.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
C94	**OTHER LEUKAEMIAS OF SPECIFIED CELL TYPE**	**1**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**-**	**-**	**6**	**4**	**6**	**3**	**3**	**3**	**1**	**1**	**30**
C94.0		-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2
C94.1		-	-	-	-	-	-	-	-	-	-	3	3	3	3	1	-	1	-	14
C94.2		1	-	-	-	-	-	1	1	-	-	1	1	3	-	2	3	-	1	14
C95	**LEUKAEMIA, UNSPECIFIED CELL TYPE**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**2**	**3**	**2**	**2**	**9**	**2**	**6**	**3**	**-**	**30**
C95.0		-	-	-	-	1	-	-	-	-	1	1	-	1	7	1	3	-	-	15
C95.1		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
C95.9		-	-	-	-	-	-	-	-	-	1	1	2	1	2	1	3	3	-	14

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 – FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C00-97	**ALL SITES**	**21**	**15**	**29**	**25**	**54**	**121**	**243**	**364**	**686**	**1033**	**1363**	**1772**	**1735**	**2021**	**2205**	**1925**	**1159**	**353**	**15124**
C00	**LIP**	**-**	**-**	**-**	**2**	**-**	**-**	**-**	**-**	**-**	**1**	**5**	**3**	**6**	**8**	**11**	**13**	**7**	**4**	**60**
C00.0		-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	1	-	8
C00.1		-	-	-	2	-	-	-	-	-	1	2	3	4	7	9	11	6	3	48
C00.4		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
C00.9		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	3
C01	**BASE OF TONGUE**	**-**	**1**	**-**	**-**	**-**	**-**	**2**	**-**	**1**	**-**	**1**	**2**	**1**	**-**	**-**	**1**	**-**	**-**	**9**
C02	**OTHER AND UNSPECIFIED PARTS OF TONGUE**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**3**	**5**	**2**	**-**	**3**	**3**	**4**	**-**	**-**	**20**
C02.0		-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	3
C02.1		-	-	-	-	-	-	-	-	-	1	3	-	-	1	-	2	-	-	7
C02.3		-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
C02.8		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2
C02.9		-	-	-	-	-	-	-	-	-	1	2	1	-	-	2	1	-	-	7
C03	**GUM**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**2**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**3**
C03.0		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
C03.1		-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2
C04	**FLOOR OF MOUTH**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**1**	**-**	**-**	**1**	**-**	**-**	**-**	**3**
C04.9		-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	3
C06	**OTHER AND UNSPECIFIED PARTS OF MOUTH**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**1**	**-**	**-**	**1**	**1**	**1**	**-**	**-**	**5**
C06.0		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2
C06.9		-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	3
C07	**PAROTID GLAND**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**1**	**-**	**-**	**3**	**1**	**3**	**5**	**2**	**4**	**-**	**20**
C08	**OTHER AND UNSPECIFIED MAJOR SALIVARY GLANDS**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**2**	**-**	**1**	**-**	**-**	**2**	**-**	**-**	**1**	**7**
C08.0		-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2
C08.1		-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	2
C08.9		-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	3
C09	**TONSIL**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**2**	**-**	**1**	**1**	**5**	**1**	**-**	**12**
C09.9		-	-	-	1	-	-	-	-	-	1	-	2	-	1	1	5	1	-	12
C11	**NASOPHARYNX**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**1**	**4**	**3**	**2**	**1**	**2**	**2**	**4**	**2**	**-**	**-**	**23**
C11.0		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
C11.1		-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	4
C11.2		-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
C11.3		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
C11.9		-	-	-	-	-	1	1	1	2	2	-	1	1	1	4	2	-	-	16
C12	**PYRIFORM SINUS**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**1**
C13	**HYPOPHARYNX**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**2**	**1**	**2**	**1**	**1**	**2**	**-**	**-**	**-**	**9**
C13.9		-	-	-	-	-	-	-	-	-	2	1	2	1	1	2	-	-	-	9

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 – FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C14	**OTHER AND ILL-DEFINED SITES IN LIP, ORAL CAVITY AND PHARYNX**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**1**
C14.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
C15	**OESOPHAGUS**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**1**	**2**	**-**	**4**	**4**	**2**	**4**	**9**	**8**	**5**	**2**	**42**
C15.0		-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	3
C15.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
C15.3		-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	-	4
C15.4		-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	4
C15.5		-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	2	1	1	9
C15.9		-	-	-	-	-	-	-	1	1	-	2	1	1	1	6	6	1	1	21
C16	**STOMACH**	**-**	**-**	**-**	**1**	**1**	**4**	**9**	**12**	**13**	**11**	**33**	**53**	**64**	**100**	**119**	**147**	**94**	**34**	**695**
C16.0		-	-	-	-	-	-	-	-	-	1	-	4	3	7	7	7	4	3	36
C16.1		-	-	-	-	-	-	1	1	1	-	1	3	3	4	9	4	3	1	31
C16.2		-	-	-	-	1	1	2	4	1	-	2	8	10	16	20	15	14	3	97
C16.3		-	-	-	-	-	-	2	1	-	2	7	2	6	16	8	15	5	1	65
C16.4		-	-	-	-	-	-	1	-	1	-	2	2	2	1	4	7	3	1	24
C16.5		-	-	-	-	-	-	-	2	4	-	6	5	9	5	6	16	3	3	59
C16.6		-	-	-	-	-	-	-	-	1	1	-	3	1	4	7	3	7	1	28
C16.8		-	-	-	-	-	2	2	1	1	2	3	11	9	8	11	16	4	3	73
C16.9		-	-	-	1	-	1	1	3	4	5	12	15	21	39	47	64	51	18	282
C17	**SMALL INTESTINE**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**1**	**1**	**2**	**1**	**2**	**1**	**5**	**2**	**-**	**-**	**16**
C17.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
C17.2		-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	3
C17.9		-	-	-	-	-	-	1	-	1	-	2	1	2	1	2	2	-	-	12
C18	**COLON**	**-**	**-**	**1**	**-**	**-**	**-**	**8**	**5**	**12**	**38**	**74**	**116**	**122**	**176**	**206**	**177**	**107**	**23**	**1065**
C18.0		-	-	-	-	-	-	1	3	3	7	10	16	17	32	26	19	12	-	146
C18.1		-	-	1	-	-	-	-	-	-	1	1	1	-	-	1	-	1	-	6
C18.2		-	-	-	-	-	-	-	-	3	3	8	15	17	32	29	28	19	1	155
C18.3		-	-	-	-	-	-	-	1	-	2	5	4	5	10	12	10	3	-	52
C18.4		-	-	-	-	-	-	-	-	-	5	7	11	13	10	26	16	6	1	95
C18.5		-	-	-	-	-	-	-	-	-	1	1	2	3	10	6	7	1	2	33
C18.6		-	-	-	-	-	-	3	-	1	3	6	10	9	10	11	9	9	1	72
C18.7		-	-	-	-	-	-	4	1	5	15	34	50	50	51	75	62	24	4	375
C18.9		-	-	-	-	-	-	-	-	-	1	2	7	8	21	20	26	32	14	131
C19	**RECTOSIGMOID JUNCTION**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**2**	**4**	**8**	**7**	**8**	**12**	**14**	**10**	**4**	**3**	**73**
C20	**RECTUM**	**-**	**-**	**-**	**-**	**-**	**2**	**2**	**2**	**11**	**20**	**53**	**65**	**89**	**91**	**101**	**91**	**60**	**18**	**605**
C21	**ANUS AND ANAL CANAL**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**3**	**2**	**7**	**4**	**5**	**6**	**5**	**3**	**2**	**-**	**37**
C21.0		-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	-	1	-	7
C21.1		-	-	-	-	-	-	-	-	1	2	6	1	4	5	4	3	1	-	27
C21.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 – FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C21.8		-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2
C22	**LIVER AND INTRAHEPATIC BILE DUCTS**	**1**	**-**	**1**	**-**	**1**	**1**	**-**	**1**	**1**	**5**	**8**	**12**	**15**	**28**	**38**	**39**	**26**	**10**	**187**
C22.0		-	-	1	-	-	-	-	-	-	1	1	3	2	5	5	2	3	-	23
C22.1		-	-	-	-	-	-	-	-	1	1	1	1	-	3	3	1	-	-	11
C22.2		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
C22.3		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
C22.7		-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	3
C22.9		-	-	-	-	1	1	-	1	-	3	6	8	11	19	29	36	23	10	148
C23	**GALLBLADDER**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**3**	**5**	**9**	**15**	**22**	**17**	**17**	**20**	**5**	**113**
C24	**OTHER AND UNSPECIFIED PARTS OF BILIARY TRACT**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**1**	**3**	**4**	**9**	**8**	**4**	**5**	**1**	**36**
C24.0		-	-	-	-	-	-	-	-	-	-	1	1	1	7	4	2	1	1	18
C24.1		-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	1	-	6
C24.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
C24.9		-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	3	-	11
C25	**PANCREAS**	**-**	**-**	**-**	**-**	**1**	**-**	**4**	**2**	**7**	**11**	**21**	**56**	**41**	**80**	**81**	**93**	**60**	**8**	**465**
C25.0		-	-	-	-	-	-	1	1	3	5	14	32	19	39	38	32	33	1	218
C25.1		-	-	-	-	-	-	1	-	-	2	4	6	3	11	10	12	3	-	52
C25.2		-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	3	2	-	13
C25.3		-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	-	7
C25.8		-	-	-	-	-	-	1	-	2	-	-	8	4	5	6	9	-	1	36
C25.9		-	-	-	-	1	-	1	1	1	3	2	9	13	23	25	34	20	6	139
C26	**OTHER AND ILL-DEFINED DIGESTIVE ORGANS**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**2**	**2**	**5**	**2**	**1**	**14**
C26.1		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3
C26.9		-	-	-	-	1	-	-	-	-	-	-	-	1	1	2	4	1	1	11
C30	**NASAL CAVITY AND MIDDLE EAR**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**2**	**1**	**-**	**-**	**-**	**-**	**4**
C30.0		-	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	4
C31	**ACCESSORY SINUSES**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**4**	**-**	**-**	**-**	**2**	**7**
C31.0		-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	2	6
C31.1		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
C32	**LARYNX**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**-**	**2**	**1**	**3**	**6**	**2**	**4**	**1**	**3**	**3**	**1**	**28**
C32.0		-	-	-	-	-	-	1	-	1	-	1	2	1	1	-	1	2	-	10
C32.1		-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	2
C32.8		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
C32.9		-	-	-	-	-	1	-	-	1	-	1	3	1	3	1	2	1	1	15
C33	**TRACHEA**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**2**
C34	**BRONCHUS AND LUNG**	**-**	**-**	**-**	**-**	**-**	**2**	**-**	**8**	**15**	**40**	**56**	**62**	**79**	**77**	**98**	**88**	**55**	**14**	**594**
C34.0		-	-	-	-	-	-	-	1	3	3	4	7	11	12	7	8	4	-	60

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 – FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C34.1		-	-	-	-	-	-	-	2	6	10	25	24	26	25	28	18	19	4	187
C34.2		-	-	-	-	-	1	-	-	2	6	5	2	4	5	12	9	2	1	49
C34.3		-	-	-	-	-	1	-	1	2	9	9	15	16	14	8	15	4	-	94
C34.8		-	-	-	-	-	-	-	-	-	-	4	1	2	4	1	3	2	-	17
C34.9		-	-	-	-	-	-	-	4	2	12	9	13	20	17	42	35	24	9	187
C37	**THYMUS**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**1**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**3**
C38	**HEART, MEDIASTINUM, AND PLEURA**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**3**	**2**	**-**	**2**	**2**	**1**	**2**	**1**	**15**
C38.1		-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2
C38.2		-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2
C38.3		-	-	-	-	-	-	-	1	-	-	2	1	-	1	-	1	1	1	8
C38.4		-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	3
C39	**OTHER AND ILL-DEFINED SITES WITHIN RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**2**	**-**	**-**	**3**
C39.0		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
C39.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2
C40	**BONES, JOINTS AND ARTICULAR CARTILAGE OF LIMBS**	**-**	**-**	**3**	**4**	**-**	**-**	**-**	**-**	**2**	**-**	**-**	**1**	**-**	**-**	**1**	**1**	**-**	**1**	**13**
C40.0		-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	4
C40.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
C40.2		-	-	2	3	-	-	-	-	1	-	-	-	-	-	1	-	-	-	7
C40.3		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
C41	**BONES, JOINTS AND ARTICULAR CARTILAGE OF OTHER AND UNSPECIFIED SITES**	**-**	**-**	**2**	**-**	**1**	**-**	**-**	**-**	**1**	**-**	**1**	**1**	**2**	**2**	**3**	**1**	**1**	**-**	**15**
C41.0		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
C41.1		-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
C41.3		-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	3
C41.4		-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	3
C41.9		-	-	-	-	1	-	-	-	-	-	-	1	1	-	2	1	1	-	7
C43	**MELANOMA OF SKIN**	**-**	**-**	**2**	**-**	**2**	**6**	**9**	**8**	**7**	**6**	**21**	**20**	**23**	**26**	**25**	**20**	**10**	**4**	**189**
C43.1		-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	3
C43.3		-	-	-	-	-	1	-	-	-	-	2	-	2	2	4	2	3	-	16
C43.4		-	-	-	-	-	-	-	1	-	-	-	2	-	-	2	-	-	1	6
C43.5		-	-	1	-	2	4	5	4	2	3	4	2	4	9	5	4	2	1	52
C43.6		-	-	-	-	-	-	1	-	2	1	3	2	5	3	2	4	2	-	25
C43.7		-	-	1	-	-	1	2	2	3	2	10	9	11	12	7	7	1	-	68
C43.8		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
C43.9		-	-	-	-	-	-	-	1	-	-	2	4	1	-	3	3	2	2	18

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 – FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C44	**OTHER SKIN**	**-**	**-**	**-**	**-**	**5**	**5**	**14**	**10**	**18**	**47**	**83**	**110**	**143**	**200**	**284**	**324**	**233**	**100**	**1576**
C44.0		-	-	-	-	-	-	-	-	1	1	2	4	4	4	9	7	5	-	37
C44.1		-	-	-	-	-	-	2	1	2	6	2	12	14	7	18	28	8	5	105
C44.2		-	-	-	-	-	-	-	-	-	1	-	1	3	2	8	15	9	6	45
C44.3		-	-	-	-	-	1	2	4	8	24	43	63	94	133	189	238	167	76	1042
C44.4		-	-	-	-	-	-	4	1	2	5	14	8	5	16	15	12	10	2	94
C44.5		-	-	-	-	4	3	6	4	2	9	18	17	14	21	15	13	11	3	140
C44.6		-	-	-	-	-	1	-	-	2	-	1	3	6	7	11	6	14	7	58
C44.7		-	-	-	-	-	-	-	-	1	1	2	2	3	9	14	4	5	1	42
C44.8		-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	5
C44.9		-	-	-	-	1	-	-	-	-	-	1	-	-	-	4	-	2	-	8
C45	**MESOTHELIOMA**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**1**	**2**	**1**	**1**	**2**	**1**	**-**	**-**	**9**
C45.0		-	-	-	-	-	-	-	-	1	-	-	2	1	1	2	-	-	-	7
C45.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
C45.9		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
C46	**KAPOSI'S SARCOMA**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**1**
C46.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
C47	**PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM**	**1**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**3**
C47.4		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
C47.5		-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
C47.9		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
C48	**RETROPERITONEUM AND PERITONEUM**	**1**	**1**	**-**	**-**	**-**	**-**	**-**	**1**	**2**	**1**	**5**	**5**	**7**	**8**	**9**	**6**	**1**	**-**	**47**
C48.0		1	1	-	-	-	-	-	1	1	1	5	5	3	7	7	4	-	-	36
C48.2		-	-	-	-	-	-	-	-	1	-	-	-	4	1	2	2	1	-	11
C49	**CONNECTIVE AND OTHER SOFT TISSUES**	**-**	**1**	**1**	**-**	**1**	**-**	**4**	**3**	**3**	**3**	**13**	**9**	**6**	**17**	**5**	**9**	**5**	**1**	**81**
C49.0		-	1	-	-	-	-	2	-	-	-	1	2	-	-	1	-	1	-	8
C49.1		-	-	1	-	-	-	-	-	1	-	3	1	-	2	1	3	2	-	14
C49.2		-	-	-	-	1	-	1	2	2	1	2	2	4	7	2	3	2	1	30
C49.3		-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	4
C49.4		-	-	-	-	-	-	-	-	-	-	1	2	1	4	-	1	-	-	9
C49.5		-	-	-	-	-	-	-	-	-	1	3	1	-	2	-	1	-	-	8
C49.6		-	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	5
C49.9		-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	3
C50	**BREAST**	**-**	**-**	**-**	**-**	**2**	**12**	**45**	**118**	**247**	**368**	**409**	**485**	**430**	**464**	**434**	**330**	**160**	**44**	**3548**
C50.0		-	-	-	-	-	-	2	1	10	20	22	16	19	14	20	9	8	1	142
C50.1		-	-	-	-	1	1	2	11	20	32	38	32	27	35	40	27	16	5	287
C50.2		-	-	-	-	-	1	4	7	17	35	28	47	36	34	29	28	5	4	275

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 – FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C50.3		-	-	-	-	-	1	1	6	6	5	17	21	15	15	20	12	4	1	124
C50.4		-	-	-	-	-	5	23	53	125	174	188	235	195	213	205	137	46	12	1611
C50.5		-	-	-	-	-	-	3	12	25	30	32	47	38	53	46	33	17	3	339
C50.6		-	-	-	-	-	-	1	-	3	1	1	-	1	1	-	-	1	-	9
C50.8		-	-	-	-	1	2	6	20	35	53	70	66	68	64	54	53	27	5	524
C50.9		-	-	-	-	-	2	3	8	6	18	13	21	31	35	20	31	36	13	237
C51	**VULVA**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**3**	**5**	**3**	**11**	**11**	**26**	**25**	**24**	**12**	**6**	**128**
C51.0		-	-	-	-	-	-	-	-	-	1	1	1	4	4	5	8	3	2	29
C51.1		-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	7
C51.2		-	-	-	-	-	-	-	-	1	-	1	-	-	3	1	-	-	-	6
C51.8		-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	3
C51.9		-	-	-	-	-	-	1	1	2	4	1	9	6	17	17	13	8	4	83
C52	**VAGINA**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**2**	**1**	**7**	**5**	**5**	**9**	**4**	**-**	**34**
C53	**CERVIX UTERI**	**-**	**-**	**-**	**-**	**4**	**26**	**73**	**98**	**158**	**174**	**130**	**122**	**87**	**71**	**75**	**50**	**25**	**4**	**1097**
C53.0		-	-	-	-	2	6	25	31	40	65	44	38	33	18	25	19	6	-	352
C53.1		-	-	-	-	1	15	39	42	78	67	49	45	34	31	26	16	8	4	455
C53.8		-	-	-	-	-	1	1	2	1	7	1	4	-	-	1	1	-	-	19
C53.9		-	-	-	-	1	4	8	23	39	35	36	35	20	22	23	14	11	-	271
C54	**CORPUS UTERI**	**-**	**-**	**-**	**1**	**-**	**1**	**3**	**18**	**32**	**87**	**145**	**231**	**221**	**162**	**173**	**71**	**44**	**9**	**1198**
C54.0		-	-	-	-	-	-	-	-	1	-	-	5	6	-	-	1	1	2	16
C54.1		-	-	-	-	-	1	2	14	23	61	116	189	182	134	139	56	30	5	952
C54.2		-	-	-	1	-	-	1	3	4	13	6	10	9	11	9	5	-	-	72
C54.3		-	-	-	-	-	-	-	-	1	6	13	14	14	7	8	4	2	-	69
C54.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2
C54.9		-	-	-	-	-	-	-	1	3	7	10	13	10	10	16	4	11	2	87
C55	**UTERUS, NOS**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**2**	**6**	**5**	**-**	**8**	**12**	**7**	**8**	**7**	**2**	**58**
C56	**OVARY**	**-**	**-**	**2**	**5**	**12**	**16**	**16**	**24**	**51**	**78**	**108**	**132**	**94**	**102**	**111**	**69**	**29**	**7**	**856**
C57	**OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**1**	**1**	**-**	**4**	**2**	**3**	**4**	**2**	**-**	**-**	**18**
C57.0		-	-	-	-	-	-	1	-	-	1	-	3	1	2	1	-	-	-	9
C57.3		-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	-	-	5
C57.8		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2
C57.9		-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2
C58	**PLACENTA**	**-**	**-**	**-**	**1**	**-**	**-**	**2**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**4**
C64	**KIDNEY**	**-**	**-**	**1**	**-**	**-**	**3**	**-**	**2**	**8**	**7**	**17**	**16**	**33**	**36**	**31**	**16**	**4**	**4**	**178**
C65	**RENAL PELVIS**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**2**	**2**	**3**	**1**	**-**	**10**
C66	**URETER**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**2**
C67	**BLADDER**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**2**	**8**	**8**	**19**	**23**	**32**	**35**	**35**	**51**	**35**	**10**	**259**
C67.0		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	5
C67.1		-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	3
C67.2		-	-	-	-	-	-	-	-	3	2	4	10	10	9	9	13	6	7	73

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 – FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C67.3		-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	2	2	1	10
C67.4		-	-	-	-	-	1	-	-	1	-	-	1	8	-	4	6	4	1	26
C67.5		-	-	-	-	-	-	-	-	1	1	-	1	2	3	2	4	1	-	15
C67.6		-	-	-	-	-	-	-	-	-	2	3	4	1	7	2	3	1	-	23
C67.8		-	-	-	-	-	-	-	-	-	1	2	3	1	2	6	4	4	-	23
C67.9		-	-	-	-	-	-	-	1	3	1	10	4	9	10	10	16	16	1	81
C68	**OTHER AND UNSPECIFIED URINARY ORGANS**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**3**
C68.8		-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	3
C69	**EYE AND ADNEXA**	**1**	**1**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**1**	**1**	**5**	**3**	**-**	**4**	**-**	**2**	**-**	**20**
C69.0		-	1	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	5
C69.2		1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	3
C69.3		-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2
C69.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2
C69.5		-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2
C69.6		-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	3
C69.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
C69.9		-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2
C70	**MENINGES**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**2**	**-**	**4**	**2**	**5**	**1**	**-**	**-**	**-**	**16**
C70.0		-	-	-	-	-	-	-	1	1	2	-	3	1	4	1	-	-	-	13
C70.1		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
C70.9		-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2
C71	**BRAIN**	**6**	**6**	**8**	**4**	**1**	**8**	**6**	**6**	**7**	**22**	**14**	**33**	**29**	**31**	**35**	**25**	**14**	**1**	**256**
C71.0		-	-	1	-	-	-	-	-	-	-	2	-	-	2	1	-	1	-	7
C71.1		2	1	1	-	-	1	-	2	1	4	2	7	6	2	6	1	1	-	37
C71.2		-	-	-	-	-	-	2	-	-	3	2	5	8	11	2	3	1	-	37
C71.3		-	1	-	1	-	2	1	1	-	4	3	3	3	3	1	3	3	-	29
C71.4		-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	4
C71.5		-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
C71.6		-	2	2	1	-	1	2	-	-	-	1	1	2	-	-	-	-	-	12
C71.7		-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	3
C71.8		-	-	-	-	-	-	-	1	1	2	1	3	-	4	5	3	2	-	22
C71.9		4	1	4	1	1	3	-	2	5	8	2	12	10	9	19	15	6	1	103
C72	**SPINAL CORD, CRANIAL NERVES, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM**	**1**	**1**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**4**
C72.0		-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
C72.1		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
C72.3		-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
C72.9		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
C73	**THYROID GLAND**	**-**	**-**	**-**	**1**	**8**	**7**	**12**	**11**	**18**	**15**	**20**	**15**	**14**	**14**	**9**	**11**	**6**	**2**	**163**

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 – FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C74	**ADRENAL GLAND**	**-**	**1**	**-**	**-**	**-**	**-**	**1**	**-**	**1**	**1**	**2**	**-**	**1**	**3**	**2**	**-**	**-**	**-**	**12**
C74.0		-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	5
C74.1		-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3
C74.9		-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	4
C75	**OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**1**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**4**
C75.0		-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
C75.1		-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
C75.3		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
C75.9		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
C76	**OTHER AND ILL-DEFINED SITES**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**2**	**1**	**1**	**1**	**1**	**2**	**3**	**4**	**1**	**2**	**18**
C76.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2
C76.1		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
C76.2		-	-	-	-	-	-	-	-	2	1	1	1	-	2	2	3	1	-	13
C76.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
C76.7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
C80	**MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE**	**1**	**-**	**-**	**1**	**-**	**3**	**3**	**4**	**8**	**16**	**18**	**53**	**49**	**64**	**88**	**90**	**69**	**20**	**487**
C81	**HODGKIN'S DISEASE**	**-**	**-**	**1**	**3**	**5**	**10**	**9**	**4**	**3**	**5**	**4**	**3**	**4**	**3**	**1**	**4**	**-**	**1**	**60**
C81.0		-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-	5
C81.1		-	-	-	1	4	3	6	3	2	-	2	2	-	-	-	2	-	-	25
C81.2		-	-	-	1	1	4	1	1	-	3	1	1	3	1	1	1	-	-	19
C81.3		-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
C81.7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
C81.9		-	-	1	1	-	3	2	-	-	1	-	-	-	-	-	-	-	1	9
C82	**FOLLICULAR NON-HODGKIN'S LYMPHOMA**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**3**	**1**	**1**	**3**	**-**	**10**
C82.2		-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	3
C82.9		-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	2	-	7
C83	**DIFFUSE NON-HODGKIN'S LYMPHOMA**	**-**	**-**	**-**	**-**	**1**	**3**	**1**	**2**	**2**	**3**	**3**	**8**	**10**	**9**	**12**	**6**	**3**	**1**	**64**
C83.0		-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	-	-	4
C83.1		-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	3
C83.2		-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
C83.3		-	-	-	-	-	-	-	1	-	1	-	1	1	-	2	-	1	-	7
C83.4		-	-	-	-	-	1	1	1	1	-	-	3	4	2	2	2	1	-	18
C83.5		-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	4
C83.8		-	-	-	-	1	1	-	-	1	-	3	4	1	6	6	2	1	-	26
C83.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 – FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C84	**PERIPHERAL AND CUTANEOUS T-CELL LYMPHOMAS**	**-**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**1**	**1**	**1**	**2**	**1**	**1**	**-**	**1**	**9**
C84.0		-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	5
C84.3		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
C84.4		-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	2
C84.5		-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1
C85	**OTHER AND UNSPECIFIED TYPES OF NON-HODGKIN'S LYMPHOMA**	**1**	**-**	**-**	**-**	**1**	**1**	**4**	**7**	**2**	**5**	**7**	**12**	**9**	**16**	**13**	**18**	**11**	**3**	**110**
C85.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
C85.7		-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
C85.9		1	-	-	-	1	1	4	7	2	4	7	12	9	16	12	18	11	3	108
C88	**MALIGNANT IMMUNOPROLIFERATIVE DISEASES**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**2**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**2**
C88.9		-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2
C90	**MULTIPLE MYELOMA AND MALIGNANT PLASMA CELL NEOPLASMS**	**-**	**-**	**-**	**-**	**-**	**-**	**1**	**1**	**2**	**10**	**10**	**12**	**13**	**20**	**17**	**9**	**6**	**-**	**101**
C90.0		-	-	-	-	-	-	-	-	1	9	8	9	8	13	13	9	5	-	75
C90.1		-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
C90.2		-	-	-	-	-	-	1	1	1	-	2	3	5	7	4	-	1	-	25
C91	**LYMPHOID LEUKAEMIA**	**6**	**3**	**4**	**-**	**1**	**1**	**1**	**1**	**2**	**3**	**4**	**11**	**8**	**12**	**23**	**14**	**11**	**-**	**105**
C91.0		6	3	4	-	1	-	-	-	1	-	1	2	1	1	4	-	1	-	25
C91.1		-	-	-	-	-	-	-	1	1	2	3	9	6	10	18	14	8	-	72
C91.3		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
C91.4		-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
C91.5		-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
C91.9		-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	2	-	5
C92	**MYELOID LEUKAEMIA**	**-**	**-**	**-**	**1**	**2**	**2**	**2**	**3**	**9**	**4**	**9**	**9**	**9**	**13**	**15**	**16**	**4**	**-**	**98**
C92.0		-	-	-	1	-	1	1	2	3	-	4	5	4	6	5	7	1	-	40
C92.1		-	-	-	-	2	1	1	1	5	3	5	4	3	4	9	7	1	-	46
C92.3		-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1
C92.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
C92.9		-	-	-	-	-	-	-	-	1	1	-	-	2	2	-	2	2	-	10
C93	**MONOCYTIC LEUKAEMIA**	**-**	**-**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**2**	**-**	**1**	**2**	**-**	**2**	**1**	**-**	**-**	**9**
C93.0		-	-	-	-	1	-	-	-	-	2	-	1	2	-	2	-	-	-	8
C93.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
C94	**OTHER LEUKAEMIAS OF SPECIFIED CELL TYPE**	**-**	**-**	**-**	**-**	**-**	**-**	**2**	**1**	**2**	**1**	**6**	**4**	**5**	**8**	**1**	**8**	**-**	**-**	**38**
C94.1		-	-	-	-	-	-	-	-	-	-	3	2	3	7	1	4	-	-	20
C94.2		-	-	-	-	-	-	2	1	2	1	3	2	1	1	-	4	-	-	17

NUMBER OF NEW CANCER CASES BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 – FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																	
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES
C94.7		-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
C95	**LEUKAEMIA, UNSPECIFIED CELL TYPE**	**1**	**-**	**1**	**-**	**-**	**-**	**1**	**1**	**1**	**1**	**2**	**4**	**2**	**5**	**6**	**3**	**1**	**2**	**31**
C95.0		1	-	1	-	-	-	-	1	-	1	2	3	2	1	4	2	-	-	18
C95.1		-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	4
C95.9		-	-	-	-	-	-	1	-	1	-	-	-	-	3	1	-	1	2	9
C96	**OTHER AND UNSPECIFIED NEOPLASMS OF LYMPHOID, BLOOD FORMING AND RELATED TISSUES**	**1**	**-**	**1**	**-**	**-**	**1**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**3**
C96.1		1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3
D06	**NOT INCLUDED ABOVE CA IN SITU OF CERVIX UTERI**	**-**	**-**	**-**	**3**	**12**	**34**	**59**	**42**	**52**	**39**	**25**	**4**	**2**	**5**	**1**	**1**	**2**	**-**	**281**

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 - MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																			WORLD STAND. RATE
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C00-97	**ALL SITES**	**19.8**	**8.4**	**10.4**	**10.5**	**25.3**	**32.4**	**49.9**	**75.4**	**129.4**	**269.1**	**517.7**	**769.4**	**1085.8**	**1434.3**	**1742.7**	**1886.2**	**1872.2**	**1432.7**	**441.5**	**254.5**
C00	**LIP**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1.1**	**1.5**	**1.8**	**5.1**	**5.9**	**11.0**	**16.4**	**17.4**	**25.2**	**27.9**	**13.3**	**4.6**	**2.5**
C00.0		-	-	-	-	-	-	-	-	-	-	-	0.4	-	1.1	-	-	-	-	0.1	0.1
C00.1		-	-	-	-	-	-	-	1.1	1.5	1.8	4.8	5.5	10.5	14.8	17.4	24.3	27.9	13.3	4.4	2.4
C00.3		-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	-	0.0	0.0
C00.4		-	-	-	-	-	-	-	-	-	-	0.4	-	-	0.6	-	0.8	-	-	0.1	0.0
C01	**BASE OF TONGUE**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.8**	**0.4**	**0.4**	**2.9**	**3.5**	**1.5**	**2.7**	**1.2**	**0.8**	**-**	**-**	**0.9**	**0.6**
C02	**OTHER AND UNSPECIFIED PARTS OF TONGUE**	**-**	**-**	**-**	**-**	**-**	**0.3**	**-**	**-**	**1.1**	**4.4**	**4.4**	**7.8**	**4.0**	**5.5**	**2.4**	**0.8**	**-**	**4.4**	**1.9**	**1.3**
C02.0		-	-	-	-	-	-	-	-	-	-	0.4	0.8	-	-	0.6	-	-	-	0.1	0.1
C02.1		-	-	-	-	-	-	-	-	0.4	2.6	1.1	2.0	1.5	2.7	0.6	0.8	-	-	0.7	0.5
C02.2		-	-	-	-	-	-	-	-	-	-	1.1	0.8	-	0.6	0.6	-	-	-	0.2	0.1
C02.3		-	-	-	-	-	-	-	-	0.4	-	-	0.4	-	-	-	-	-	4.4	0.1	0.1
C02.8		-	-	-	-	-	-	-	-	-	-	-	0.4	0.5	-	-	-	-	-	0.0	0.0
C02.9		-	-	-	-	-	0.3	-	-	0.4	1.8	1.8	3.5	2.0	2.2	0.6	-	-	-	0.8	0.6
C03	**GUM**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1.5**	**1.5**	**1.6**	**2.0**	**2.7**	**1.8**	**0.8**	**3.1**	**-**	**0.7**	**0.4**
C03.0		-	-	-	-	-	-	-	-	-	0.7	0.4	0.4	1.0	1.1	0.6	0.8	1.6	-	0.3	0.2
C03.1		-	-	-	-	-	-	-	-	-	0.7	0.7	1.2	1.0	1.6	1.2	-	-	-	0.4	0.2
C03.9		-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	1.6	-	0.0	0.0
C04	**FLOOR OF MOUTH**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.8**	**0.4**	**1.8**	**4.0**	**2.7**	**5.0**	**2.7**	**1.2**	**1.7**	**1.6**	**8.8**	**1.3**	**0.9**
C04.0		-	-	-	-	-	-	-	-	-	0.7	0.7	1.2	1.5	1.6	0.6	0.8	-	-	0.4	0.3
C04.1		-	-	-	-	-	-	-	0.4	-	0.4	1.1	-	1.5	-	0.6	-	-	4.4	0.3	0.2
C04.9		-	-	-	-	-	-	-	0.4	0.4	0.7	2.2	1.6	2.0	1.1	-	0.8	1.6	4.4	0.6	0.4
C05	**PALATE**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.8**	**0.7**	**1.5**	**1.2**	**2.5**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.3**
C05.0		-	-	-	-	-	-	-	-	0.4	-	-	-	0.5	-	-	-	-	-	0.1	0.0
C05.1		-	-	-	-	-	-	-	-	0.4	0.4	1.5	1.2	1.5	-	-	-	-	-	0.3	0.2
C05.2		-	-	-	-	-	-	-	-	-	0.4	-	-	0.5	-	-	-	-	-	0.1	0.0
C06	**OTHER AND UNSPECIFIED PARTS OF MOUTH**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.4**	**-**	**1.5**	**1.2**	**-**	**0.6**	**0.6**	**0.8**	**-**	**-**	**0.3**	**0.2**
C06.0		-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	0.0	0.0
C06.2		-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	0.0	0.0
C06.8		-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	0.0	0.0
C06.9		-	-	-	-	-	-	-	0.4	-	-	0.7	1.2	-	0.6	0.6	0.8	-	-	0.2	0.1
C07	**PAROTID GLAND**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1.5**	**2.6**	**2.7**	**1.0**	**1.6**	**3.6**	**5.0**	**1.6**	**-**	**1.0**	**0.6**
C08	**OTHER AND UNSPECIFIED MAJOR SALIVARY GLANDS**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.8**	**-**	**-**	**1.1**	**-**	**1.0**	**0.6**	**0.6**	**1.7**	**-**	**-**	**0.3**	**0.2**
C08.0		-	-	-	-	-	-	-	0.4	-	-	1.1	-	1.0	0.6	0.6	0.8	-	-	0.2	0.2
C08.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.8	-	-	0.0	0.0
C08.9		-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	-	0.0	0.0
C09	**TONSIL**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**1.1**	**1.8**	**4.0**	**5.5**	**4.0**	**2.7**	**5.4**	**-**	**-**	**-**	**1.5**	**1.0**
C09.1		-	-	-	-	-	-	-	-	-	-	-	0.4	0.5	-	0.6	-	-	-	0.1	0.1

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 - MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																			WORLD STAND. RATE
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C09.8		-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.0	0.0
C09.9		-	-	-	-	-	-	-	0.4	1.1	1.5	4.0	5.1	3.5	2.7	4.8	-	-	-	1.4	0.9
C10	**OROPHARYNX**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.4**	**1.1**	**0.4**	**0.4**	**1.0**	**1.1**	**1.8**	**-**	**1.6**	**-**	**0.4**	**0.3**
C10.2		-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.6	-	-	-	0.1	0.0
C10.3		-	-	-	-	-	-	-	-	-	0.4	-	0.4	-	-	0.6	-	-	-	0.1	0.1
C10.8		-	-	-	-	-	-	-	0.4	-	-	-	-	-	0.6	0.6	-	-	-	0.1	0.1
C10.9		-	-	-	-	-	-	-	-	0.4	0.4	0.4	-	1.0	0.6	-	-	1.6	-	0.2	0.1
C11	**NASOPHARYNX**	**-**	**-**	**0.4**	**0.8**	**0.4**	**0.3**	**-**	**0.8**	**1.5**	**3.3**	**2.2**	**2.0**	**0.5**	**1.1**	**1.2**	**2.5**	**1.6**	**8.8**	**1.1**	**0.8**
C11.0		-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	0.6	0.8	-	-	0.1	0.0
C11.1		-	-	-	0.4	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.1	0.1
C11.2		-	-	0.4	0.4	-	-	-	-	0.4	0.4	0.7	-	-	0.6	-	-	-	-	0.2	0.2
C11.3		-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	0.0	0.0
C11.8		-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	0.0	0.0
C11.9		-	-	-	-	0.4	0.3	-	0.8	0.8	2.6	1.1	2.0	0.5	-	0.6	1.7	1.6	8.8	0.8	0.5
C12	**PYRIFORM SINUS**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**1.1**	**1.8**	**0.4**	**-**	**0.6**	**-**	**-**	**-**	**-**	**0.3**	**0.2**
C13	**HYPOPHARYNX**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.8**	**3.3**	**2.2**	**3.5**	**5.5**	**3.3**	**3.0**	**0.8**	**-**	**-**	**1.3**	**0.9**
C13.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	0.0	0.0
C13.1		-	-	-	-	-	-	-	-	0.4	0.7	-	0.4	-	0.6	-	-	-	-	0.1	0.1
C13.2		-	-	-	-	-	-	-	-	0.4	-	0.4	0.4	0.5	0.6	-	-	-	-	0.1	0.1
C13.8		-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.0	0.0
C13.9		-	-	-	-	-	-	-	-	-	2.6	1.8	2.4	5.0	2.2	2.4	0.8	-	-	1.0	0.7
C14	**OTHER AND ILL-DEFINED SITES IN LIP, ORAL CAVITY AND PHARYNX**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**2.0**	**0.5**	**-**	**0.6**	**-**	**-**	**-**	**0.2**	**0.1**
C14.0		-	-	-	-	-	-	-	-	-	-	-	1.2	-	-	0.6	-	-	-	0.1	0.1
C14.8		-	-	-	-	-	-	-	-	-	0.4	-	0.8	0.5	-	-	-	-	-	0.1	0.1
C15	**OESOPHAGUS**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.4**	**0.4**	**3.3**	**8.4**	**10.6**	**14.0**	**9.8**	**12.0**	**9.2**	**9.3**	**8.8**	**3.9**	**2.4**
C15.0		-	-	-	-	-	-	-	-	-	0.4	0.4	0.8	0.5	0.6	-	0.8	-	-	0.2	0.1
C15.1		-	-	-	-	-	-	-	0.4	-	-	-	0.4	-	0.6	0.6	-	-	-	0.1	0.1
C15.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.6	-	0.0	0.0
C15.3		-	-	-	-	-	-	0.4	-	-	0.4	1.5	1.2	2.5	1.1	1.2	-	3.1	-	0.5	0.3
C15.4		-	-	-	-	-	-	-	-	0.4	0.4	1.5	2.4	0.5	1.6	0.6	-	-	-	0.4	0.3
C15.5		-	-	-	-	-	-	-	-	-	0.7	1.8	1.6	5.0	1.6	3.0	2.5	1.6	-	0.9	0.5
C15.8		-	-	-	-	-	-	-	-	-	-	-	0.4	-	0.6	-	-	-	-	0.1	0.0
C15.9		-	-	-	-	-	-	-	-	-	1.5	3.3	3.9	5.5	3.8	6.6	5.9	3.1	8.8	1.7	1.0
C16	**STOMACH**	**-**	**-**	**-**	**-**	**0.7**	**0.7**	**1.2**	**3.0**	**7.8**	**11.1**	**31.8**	**46.2**	**67.5**	**94.6**	**130.2**	**137.7**	**139.7**	**75.2**	**28.5**	**15.5**
C16.0		-	-	-	-	-	0.3	-	0.4	1.1	1.5	2.6	4.3	7.0	8.2	13.2	7.6	4.7	4.4	2.4	1.4
C16.1		-	-	-	-	-	-	-	-	0.4	0.4	1.8	2.0	2.0	4.4	6.0	6.7	3.1	-	1.2	0.6
C16.2		-	-	-	-	-	-	-	-	0.8	0.4	4.8	8.2	12.0	10.4	19.2	13.4	18.6	4.4	3.8	2.1
C16.3		-	-	-	-	-	-	-	0.4	0.4	2.6	2.2	6.7	8.5	4.4	16.2	14.3	7.8	-	2.8	1.6
C16.4		-	-	-	-	-	0.3	0.4	0.4	-	-	2.2	3.9	3.0	1.6	7.8	1.7	7.8	4.4	1.3	0.7

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 - MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		ALL AGES	WORLD STAND. RATE
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
C16.5		-	-	-	-	-	-	-	0.8	2.2	2.2	3.3	4.3	3.5	9.8	6.0	7.6	3.1	-	2.1	1.3
C16.6		-	-	-	-	-	-	-	-	0.4	0.7	2.6	3.9	2.5	8.8	7.8	7.6	7.8	-	1.8	1.0
C16.8		-	-	-	-	-	-	0.8	0.4	0.4	0.4	4.4	4.3	8.0	12.6	10.2	5.9	10.9	8.8	2.7	1.6
C16.9		-	-	-	-	0.7	-	-	0.8	2.2	3.0	8.0	8.6	21.0	34.4	43.8	73.0	76.1	53.1	10.4	5.3
C17	**SMALL INTESTINE**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.7**	**1.1**	**0.8**	**2.0**	**3.8**	**-**	**-**	**-**	**-**	**0.5**	**0.4**
C17.1		-	-	-	-	-	-	-	-	-	-	-	-	0.5	0.6	-	-	-	-	0.1	0.0
C17.2		-	-	-	-	-	-	-	-	-	0.7	-	-	0.5	-	-	-	-	-	0.1	0.1
C17.9		-	-	-	-	-	-	-	-	0.4	-	1.1	0.8	1.0	3.3	-	-	-	-	0.4	0.2
C18	**COLON**	**-**	**-**	**-**	**-**	**0.4**	**0.7**	**1.6**	**3.4**	**4.5**	**13.6**	**26.3**	**43.5**	**79.0**	**116.4**	**170.4**	**179.6**	**138.2**	**110.6**	**32.9**	**17.6**
C18.0		-	-	-	-	-	0.3	-	0.8	0.8	0.4	1.8	6.3	9.5	13.1	18.6	19.3	12.4	13.3	3.6	2.0
C18.1		-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.0	0.0
C18.2		-	-	-	-	-	-	-	1.5	0.8	1.5	3.6	6.7	11.0	15.8	22.8	31.9	18.6	8.8	4.8	2.5
C18.3		-	-	-	-	-	-	-	0.4	-	0.7	1.8	3.5	3.5	8.8	6.6	5.9	1.6	-	1.6	0.9
C18.4		-	-	-	-	-	0.3	0.4	-	0.4	2.2	2.9	3.5	8.0	8.8	15.6	15.1	12.4	8.8	3.0	1.6
C18.5		-	-	-	-	-	-	-	-	1.1	0.4	1.1	2.4	5.5	7.1	7.2	7.6	4.7	4.4	1.7	0.9
C18.6		-	-	-	-	-	-	-	-	-	1.1	3.3	4.7	6.0	7.6	12.0	7.6	9.3	4.4	2.3	1.3
C18.7		-	-	-	-	0.4	-	0.4	0.8	1.5	6.6	11.3	14.9	27.5	43.2	64.8	51.2	52.8	22.1	11.7	6.3
C18.8		-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	0.6	2.5	-	-	0.1	0.1
C18.9		-	-	-	-	-	-	0.8	-	-	0.7	0.4	1.2	8.0	11.5	22.2	38.6	26.4	48.6	4.2	2.0
C19	**RECTOSIGMOID JUNCTION**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**2.2**	**2.6**	**4.7**	**7.5**	**6.0**	**13.8**	**11.8**	**6.2**	**8.8**	**2.5**	**1.4**
C20	**RECTUM**	**-**	**-**	**-**	**-**	**0.4**	**1.0**	**2.8**	**3.0**	**4.9**	**9.2**	**25.6**	**43.1**	**52.0**	**99.5**	**96.6**	**97.4**	**107.1**	**128.2**	**24.0**	**13.4**
C21	**ANUS AND ANAL CANAL**	**-**	**-**	**-**	**-**	**-**	**0.3**	**-**	**-**	**0.4**	**1.1**	**0.4**	**2.0**	**5.5**	**1.6**	**2.4**	**5.0**	**3.1**	**-**	**1.0**	**0.6**
C21.0		-	-	-	-	-	0.3	-	-	0.4	-	0.4	1.2	0.5	-	1.2	1.7	-	-	0.3	0.2
C21.1		-	-	-	-	-	-	-	-	-	0.7	-	0.8	4.0	1.1	1.2	1.7	3.1	-	0.5	0.3
C21.8		-	-	-	-	-	-	-	-	-	0.4	-	-	1.0	0.6	-	1.7	-	-	0.2	0.1
C22	**LIVER AND INTRAHEPATIC BILE DUCTS**	**1.2**	**-**	**-**	**-**	**0.4**	**-**	**0.8**	**2.3**	**4.1**	**4.8**	**11.0**	**12.1**	**26.0**	**32.2**	**33.6**	**44.5**	**54.3**	**44.2**	**9.6**	**5.5**
C22.0		-	-	-	-	0.4	-	-	0.8	0.4	0.7	4.0	3.5	5.0	8.8	4.8	4.2	6.2	-	1.8	1.1
C22.1		-	-	-	-	-	-	-	-	-	-	0.4	-	0.5	0.6	0.6	0.8	-	-	0.1	0.1
C22.2		0.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.1
C22.7		-	-	-	-	-	-	-	-	-	0.4	0.4	0.8	0.5	1.6	0.6	-	-	-	0.2	0.2
C22.9		0.6	-	-	-	-	-	0.8	1.5	3.7	3.7	6.2	7.8	20.0	21.3	27.6	39.4	48.1	44.2	7.4	4.1
C23	**GALLBLADDER**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.4**	**1.1**	**1.6**	**5.0**	**3.8**	**4.2**	**6.7**	**3.1**	**8.8**	**1.2**	**0.7**
C24	**OTHER AND UNSPECIFIED PARTS OF BILIARY TRACT**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1.1**	**0.7**	**2.0**	**3.5**	**2.7**	**8.4**	**4.2**	**9.3**	**8.8**	**1.3**	**0.7**
C24.0		-	-	-	-	-	-	-	-	-	0.7	0.4	1.2	1.5	1.1	1.8	0.8	6.2	-	0.5	0.3
C24.1		-	-	-	-	-	-	-	-	-	0.4	0.4	0.8	1.5	1.1	4.8	3.4	1.6	4.4	0.6	0.3
C24.9		-	-	-	-	-	-	-	-	-	-	-	-	0.5	0.6	1.8	-	1.6	4.4	0.2	0.1
C25	**PANCREAS**	**-**	**-**	**-**	**-**	**-**	**0.3**	**0.8**	**2.3**	**6.0**	**12.2**	**21.5**	**23.5**	**43.5**	**57.4**	**67.8**	**85.6**	**80.7**	**57.5**	**17.3**	**9.7**
C25.0		-	-	-	-	-	-	0.8	0.8	3.7	7.7	11.7	14.1	20.5	31.2	36.0	35.3	35.7	8.8	8.8	5.0
C25.1		-	-	-	-	-	0.3	-	0.4	0.4	0.7	1.5	2.0	4.0	8.2	4.8	9.2	1.6	-	1.5	0.9

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 - MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																			WORLD STAND. RATE
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C25.2		-	-	-	-	-	-	-	-	0.4	-	1.5	0.4	1.0	2.2	2.4	0.8	-	-	0.4	0.3
C25.3		-	-	-	-	-	-	-	-	-	0.4	0.4	-	0.5	2.2	0.6	1.7	-	-	0.3	0.2
C25.8		-	-	-	-	-	-	-	-	-	0.7	3.6	1.6	5.0	4.4	3.0	5.0	6.2	4.4	1.3	0.8
C25.9		-	-	-	-	-	-	-	1.1	1.5	2.6	2.9	5.5	12.5	9.3	21.0	33.6	37.3	44.2	5.0	2.6
C26	**OTHER AND ILL-DEFINED DIGESTIVE ORGANS**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.4**	**0.5**	**0.6**	**-**	**0.8**	**1.6**	**4.4**	**0.2**	**0.1**
C26.0		-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.0	0.0
C26.9		-	-	-	-	-	-	-	-	-	-	0.4	-	0.5	0.6	-	0.8	1.6	4.4	0.2	0.1
C30	**NASAL CAVITY AND MIDDLE EAR**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**1.2**	**1.0**	**1.6**	**-**	**-**	**-**	**-**	**0.2**	**0.2**
C30.0		-	-	-	-	-	-	-	-	-	0.4	-	0.8	1.0	1.6	-	-	-	-	0.2	0.1
C30.1		-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.0	0.0
C31	**ACCESSORY SINUSES**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1.5**	**0.7**	**1.5**	**2.0**	**1.0**	**2.7**	**1.2**	**0.8**	**3.1**	**4.4**	**0.8**	**0.5**
C31.0		-	-	-	-	-	-	-	-	1.5	0.7	0.4	1.6	1.0	2.2	-	0.8	1.6	-	0.5	0.3
C31.1		-	-	-	-	-	-	-	-	-	-	0.4	0.4	-	-	-	-	-	-	0.1	0.0
C31.3		-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	0.0	0.0
C31.8		-	-	-	-	-	-	-	-	-	-	0.7	-	-	-	1.2	-	-	-	0.1	0.1
C31.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.6	4.4	0.1	0.0
C32	**LARYNX**	**-**	**-**	**-**	**-**	**0.4**	**-**	**1.6**	**0.8**	**7.5**	**21.4**	**38.0**	**46.6**	**46.5**	**47.0**	**33.6**	**19.3**	**12.4**	**4.4**	**15.4**	**9.9**
C32.0		-	-	-	-	0.4	-	0.4	-	1.9	4.4	11.7	14.5	12.5	13.7	6.6	2.5	-	-	4.1	2.7
C32.1		-	-	-	-	-	-	0.4	0.4	0.4	1.8	3.6	5.9	7.0	2.7	1.8	0.8	3.1	-	1.6	1.0
C32.2		-	-	-	-	-	-	-	-	-	0.4	-	0.4	1.0	0.6	-	-	-	-	0.1	0.1
C32.3		-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	-	-	-	-	0.1	0.0
C32.8		-	-	-	-	-	-	-	-	1.1	2.2	7.3	7.0	7.5	4.9	6.0	3.4	-	-	2.3	1.4
C32.9		-	-	-	-	-	-	0.8	0.4	4.1	12.5	15.3	18.8	17.5	25.1	19.2	12.6	9.3	4.4	7.3	4.6
C33	**TRACHEA**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.7**	**-**	**0.5**	**0.6**	**-**	**0.8**	**1.6**	**-**	**0.2**	**0.1**
C34	**BRONCHUS AND LUNG**	**-**	**-**	**-**	**-**	**-**	**0.3**	**3.2**	**7.6**	**20.9**	**60.4**	**130.0**	**203.2**	**270.3**	**312.1**	**300.0**	**238.4**	**191.0**	**75.2**	**84.4**	**50.1**
C34.0		-	-	-	-	-	-	0.4	0.8	2.6	10.0	17.9	25.8	30.5	42.1	36.6	19.3	21.7	13.3	10.4	6.3
C34.1		-	-	-	-	-	-	1.2	4.6	10.5	23.6	58.4	82.6	110.9	109.3	101.4	63.0	49.7	-	31.4	19.2
C34.2		-	-	-	-	-	0.3	-	0.8	2.6	6.3	10.6	17.6	27.0	25.1	28.8	20.2	14.0	22.1	7.7	4.6
C34.3		-	-	-	-	-	-	-	0.8	3.0	7.7	16.8	32.5	53.5	54.1	49.2	42.0	34.2	4.4	13.9	8.2
C34.8		-	-	-	-	-	-	0.4	-	-	3.3	2.9	4.7	7.5	12.0	5.4	10.9	6.2	-	2.5	1.5
C34.9		-	-	-	-	-	-	1.2	0.8	2.2	9.6	23.4	39.9	41.0	69.4	78.6	83.1	65.2	35.4	18.5	10.2
C37	**THYMUS**	**-**	**-**	**-**	**-**	**-**	**0.7**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.5**	**2.2**	**0.6**	**-**	**-**	**-**	**0.2**	**0.2**
C38	**HEART, MEDIASTINUM, AND PLEURA**	**-**	**-**	**-**	**0.4**	**-**	**0.3**	**0.4**	**-**	**-**	**0.4**	**0.4**	**3.1**	**1.0**	**1.1**	**3.0**	**-**	**6.2**	**-**	**0.7**	**0.4**
C38.1		-	-	-	-	-	-	-	-	-	-	-	1.2	-	0.6	1.8	-	1.6	-	0.2	0.1
C38.2		-	-	-	-	-	-	-	-	-	-	-	0.8	-	-	-	-	1.6	-	0.1	0.0
C38.3		-	-	-	0.4	-	0.3	0.4	-	-	0.4	0.4	0.4	0.5	-	1.2	-	1.6	-	0.3	0.2
C38.4		-	-	-	-	-	-	-	-	-	-	-	0.8	0.5	0.6	-	-	1.6	-	0.1	0.1

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 - MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		WORLD STAND. RATE
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C39	**OTHER AND ILL-DEFINED SITES WITHIN RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.5**	**-**	**-**	**-**	**-**	**-**	**0.0**	**0.0**
C39.9		-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	-	0.0	0.0
C40	**BONES, JOINTS AND ARTICULAR CARTILAGE OF LIMBS**	**-**	**-**	**-**	**0.8**	**0.7**	**0.3**	**0.8**	**-**	**-**	**0.4**	**-**	**2.7**	**-**	**1.6**	**3.0**	**1.7**	**1.6**	**-**	**0.7**	**0.5**
C40.0		-	-	-	0.8	-	-	0.4	-	-	-	-	1.2	-	0.6	0.6	0.8	1.6	-	0.3	0.2
C40.1		-	-	-	-	-	0.3	0.4	-	-	-	-	1.2	-	-	-	-	-	-	0.1	0.1
C40.2		-	-	-	-	0.7	-	-	-	-	-	-	0.4	-	1.1	2.4	0.8	-	-	0.3	0.2
C40.3		-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.0	0.0
C41	**BONES, JOINTS AND ARTICULAR CARTILAGE OF OTHER AND UNSPECIFIED SITES**	**-**	**-**	**-**	**0.4**	**0.7**	**0.7**	**0.4**	**0.4**	**0.8**	**0.4**	**1.8**	**2.0**	**1.5**	**1.6**	**1.2**	**1.7**	**-**	**4.4**	**0.8**	**0.6**
C41.1		-	-	-	-	-	-	-	0.4	-	-	0.4	-	-	-	-	-	-	-	0.1	0.0
C41.2		-	-	-	-	-	-	-	-	-	-	-	0.8	0.5	0.6	-	-	-	-	0.1	0.1
C41.3		-	-	-	-	0.4	0.3	-	-	-	-	0.7	0.4	0.5	-	0.6	-	-	-	0.2	0.1
C41.4		-	-	-	-	-	0.3	0.4	-	0.4	0.4	0.7	0.8	0.5	-	-	-	-	-	0.2	0.2
C41.9		-	-	-	0.4	0.4	-	-	-	0.4	-	-	-	-	1.1	0.6	1.7	-	4.4	0.2	0.2
C43	**MELANOMA OF SKIN**	**-**	**-**	**-**	**-**	**0.7**	**0.7**	**1.2**	**1.9**	**4.5**	**7.7**	**9.9**	**12.9**	**11.0**	**14.8**	**15.6**	**13.4**	**9.3**	**22.1**	**5.5**	**3.5**
C43.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.8	-	-	0.0	0.0
C43.1		-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	0.0	0.0
C43.2		-	-	-	-	-	-	-	-	-	-	0.4	0.4	1.0	-	0.6	-	-	-	0.1	0.1
C43.3		-	-	-	-	-	-	-	-	-	0.4	0.4	0.8	1.0	1.6	2.4	0.8	-	-	0.4	0.2
C43.4		-	-	-	-	0.4	-	-	-	0.8	0.4	0.7	1.2	2.0	1.1	1.8	1.7	1.6	4.4	0.6	0.4
C43.5		-	-	-	-	0.4	0.3	0.8	0.4	2.6	4.4	6.2	6.3	3.5	7.1	6.0	5.0	6.2	4.4	2.6	1.7
C43.6		-	-	-	-	-	0.3	-	-	0.4	1.8	0.4	0.8	1.0	1.1	1.2	1.7	-	-	0.5	0.3
C43.7		-	-	-	-	-	-	0.4	0.8	-	0.4	0.7	3.1	1.0	2.2	1.8	2.5	-	4.4	0.7	0.4
C43.9		-	-	-	-	-	-	-	0.8	0.8	0.4	1.1	0.4	1.5	1.1	1.8	0.8	1.6	8.8	0.6	0.4
C44	**OTHER SKIN**	**-**	**-**	**-**	**-**	**0.7**	**0.3**	**1.2**	**4.6**	**7.1**	**18.8**	**28.5**	**49.3**	**85.0**	**142.7**	**216.0**	**277.8**	**350.8**	**331.6**	**45.8**	**23.6**
C44.0		-	-	-	-	-	-	-	-	-	0.7	0.7	0.4	1.0	1.6	2.4	8.4	3.1	4.4	0.7	0.4
C44.1		-	-	-	-	-	-	-	1.1	0.4	0.4	2.2	3.1	7.0	7.1	8.4	13.4	12.4	13.3	2.3	1.3
C44.2		-	-	-	-	-	-	-	-	-	0.4	0.7	2.4	4.5	9.8	21.0	26.0	32.6	39.8	3.5	1.7
C44.3		-	-	-	-	-	0.3	-	1.5	3.7	10.7	16.1	23.1	47.0	84.7	132.6	162.8	225.1	181.3	26.6	13.4
C44.4		-	-	-	-	-	-	0.8	0.8	1.5	0.7	2.9	4.3	7.5	13.1	11.4	25.2	21.7	39.8	3.7	2.0
C44.5		-	-	-	-	0.4	-	0.4	0.4	1.1	3.3	2.9	11.4	12.5	15.8	24.0	24.3	32.6	39.8	5.5	3.0
C44.6		-	-	-	-	0.4	-	-	0.8	-	0.4	1.5	2.7	2.5	5.5	10.2	10.1	12.4	4.4	1.8	0.9
C44.7		-	-	-	-	-	-	-	-	-	1.8	1.1	1.2	2.5	2.7	5.4	5.0	6.2	8.8	1.1	0.6
C44.8		-	-	-	-	-	-	-	-	0.4	0.4	0.4	0.4	0.5	1.6	0.6	0.8	1.6	-	0.3	0.2
C44.9		-	-	-	-	-	-	-	-	-	-	-	0.4	-	0.6	-	1.7	3.1	-	0.2	0.1
C45	**MESOTHELIOMA**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**0.4**	**2.2**	**1.2**	**2.0**	**1.6**	**0.6**	**-**	**1.6**	**-**	**0.5**	**0.4**
C45.0		-	-	-	-	-	-	0.4	-	-	0.4	1.8	1.2	1.5	1.6	-	-	1.6	-	0.4	0.3

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 - MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		ALL AGES	WORLD STAND. RATE
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+		
C45.1		-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	0.6	-	-	-	0.1	0.0
C45.7		-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	0.0	0.0
C46	**KAPOSI'S SARCOMA**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.5**	**-**	**1.2**	**2.5**	**1.6**	**-**	**0.2**	**0.1**
C46.0		-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	-	0.0	0.0
C46.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	1.7	1.6	-	0.1	0.0
C46.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	0.8	-	-	0.1	0.0
C47	**PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM**	**0.6**	**-**	**0.4**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.1**	**0.1**
C47.1		-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0
C47.4		0.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.1
C47.9		-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0
C48	**RETROPERITONEUM AND PERITONEUM**	**0.6**	**-**	**-**	**-**	**0.4**	**0.3**	**0.4**	**0.8**	**0.8**	**0.7**	**1.5**	**1.6**	**3.0**	**2.7**	**4.2**	**2.5**	**4.7**	**-**	**1.1**	**0.8**
C48.0		0.6	-	-	-	0.4	0.3	0.4	0.8	0.8	0.7	1.1	1.6	2.0	2.2	3.0	2.5	3.1	-	0.9	0.6
C48.2		-	-	-	-	-	-	-	-	-	-	0.4	-	1.0	0.6	1.2	-	1.6	-	0.2	0.1
C49	**CONNECTIVE AND OTHER SOFT TISSUES**	**0.6**	**0.6**	**0.9**	**0.4**	**1.8**	**1.7**	**1.2**	**2.3**	**2.2**	**3.3**	**4.0**	**5.1**	**5.0**	**3.3**	**4.8**	**10.9**	**14.0**	**-**	**2.9**	**2.0**
C49.0		-	-	0.4	-	0.4	0.3	0.4	0.4	-	0.4	1.1	0.8	-	0.6	0.6	-	1.6	-	0.4	0.3
C49.1		-	-	-	-	0.4	-	-	-	0.4	0.7	0.4	-	-	-	0.6	0.8	4.7	-	0.3	0.2
C49.2		0.6	-	-	-	0.4	0.3	0.8	0.8	1.1	1.1	0.4	1.6	2.5	2.2	1.2	-	-	-	0.8	0.6
C49.3		-	-	-	-	-	-	-	0.4	0.4	-	0.4	0.8	-	-	1.2	3.4	3.1	-	0.4	0.2
C49.4		-	-	-	-	0.4	0.7	-	0.4	-	0.4	0.4	0.4	1.0	-	-	2.5	1.6	-	0.4	0.2
C49.5		-	0.6	0.4	0.4	0.4	-	-	-	0.4	-	0.7	0.8	1.0	-	1.2	2.5	3.1	-	0.5	0.4
C49.6		-	-	-	-	-	-	-	0.4	-	0.4	0.4	0.4	-	0.6	-	0.8	-	-	0.2	0.1
C49.9		-	-	-	-	-	0.3	-	-	-	0.4	0.4	0.4	0.5	-	-	0.8	-	-	0.2	0.1
C50	**BREAST**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1.1**	**-**	**1.5**	**1.6**	**3.0**	**2.2**	**4.2**	**3.4**	**4.7**	**4.4**	**1.0**	**0.6**
C50.0		-	-	-	-	-	-	-	-	0.4	-	0.7	-	0.5	-	0.6	0.8	-	-	0.2	0.1
C50.1		-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	0.6	0.8	-	-	0.1	0.0
C50.2		-	-	-	-	-	-	-	-	-	-	-	0.4	-	0.6	-	-	-	-	0.1	0.0
C50.4		-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.6	0.6	-	-	-	0.1	0.1
C50.5		-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	0.8	-	-	0.1	0.0
C50.8		-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	1.8	-	-	-	0.1	0.1
C50.9		-	-	-	-	-	-	-	-	0.8	-	0.4	0.8	1.0	1.1	0.6	0.8	4.7	4.4	0.4	0.2
C60	**PENIS**	**-**	**-**	**-**	**-**	**-**	**-**	**0.8**	**-**	**0.8**	**0.7**	**1.5**	**1.2**	**2.0**	**1.6**	**4.2**	**5.0**	**9.3**	**17.7**	**1.2**	**0.7**
C60.0		-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.6	0.8	3.1	-	0.1	0.1
C60.1		-	-	-	-	-	-	0.8	-	0.4	0.4	0.7	0.8	2.0	1.1	2.4	2.5	4.7	17.7	0.8	0.5
C60.2		-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	0.0	0.0
C60.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	0.8	1.6	-	0.1	0.0
C60.9		-	-	-	-	-	-	-	-	-	-	0.7	0.4	-	0.6	0.6	0.8	-	-	0.2	0.1
C61	**PROSTATE GLAND**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.4**	**0.4**	**5.2**	**9.1**	**35.2**	**66.5**	**142.1**	**247.2**	**337.4**	**349.3**	**252.0**	**43.3**	**20.5**

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 - MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																			WORLD STAND. RATE
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C62	**TESTIS**	**1.2**	**-**	**-**	**1.9**	**8.5**	**8.7**	**13.3**	**10.3**	**7.1**	**2.6**	**2.9**	**3.1**	**2.0**	**1.6**	**0.6**	**0.8**	**-**	**-**	**4.5**	**4.1**
C62.0		0.6	-	-	0.4	1.8	2.3	2.4	1.9	1.1	0.4	1.1	0.4	-	1.1	-	-	-	-	0.9	0.9
C62.1		-	-	-	-	-	0.3	0.4	-	-	-	-	-	-	0.6	-	-	-	-	0.1	0.1
C62.9		0.6	-	-	1.5	6.8	6.0	10.5	8.4	6.0	2.2	1.8	2.7	2.0	-	0.6	0.8	-	-	3.5	3.2
C63	**OTHER AND UNSPECIFIED MALE GENITAL ORGANS**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**-**	**0.7**	**-**	**-**	**-**	**0.6**	**-**	**-**	**-**	**4.4**	**0.1**	**0.1**
C63.2		-	-	-	-	0.4	-	-	-	-	0.7	-	-	-	-	-	-	-	-	0.1	0.1
C63.9		-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	4.4	0.1	0.0
C64	**KIDNEY**	**1.2**	**-**	**-**	**-**	**0.4**	**0.3**	**-**	**3.8**	**4.5**	**12.2**	**19.0**	**25.8**	**29.5**	**20.2**	**33.6**	**26.9**	**18.6**	**13.3**	**10.0**	**6.3**
C65	**RENAL PELVIS**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.4**	**0.7**	**0.7**	**1.2**	**3.5**	**3.3**	**1.2**	**2.5**	**3.1**	**-**	**0.8**	**0.5**
C66	**URETER**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**0.4**	**-**	**0.4**	**1.0**	**0.6**	**0.6**	**0.8**	**-**	**-**	**0.2**	**0.1**
C67	**BLADDER**	**0.6**	**-**	**-**	**0.8**	**-**	**0.7**	**0.8**	**3.0**	**6.4**	**10.7**	**29.2**	**47.8**	**75.0**	**97.3**	**120.0**	**127.6**	**96.2**	**88.4**	**27.4**	**15.3**
C67.0		-	-	-	-	-	-	-	-	-	0.4	0.7	1.6	3.0	4.9	4.2	2.5	3.1	4.4	0.9	0.5
C67.1		-	-	-	-	-	-	-	-	0.4	-	0.7	0.8	0.5	1.6	0.6	3.4	3.1	-	0.4	0.2
C67.2		-	-	-	0.8	-	0.3	0.4	1.1	1.9	3.3	8.0	9.8	22.5	24.0	34.2	31.1	26.4	13.3	7.2	4.1
C67.3		-	-	-	-	-	-	-	-	-	0.4	1.1	1.2	3.5	2.7	7.2	7.6	1.6	-	1.1	0.6
C67.4		-	-	-	-	-	0.3	-	-	-	0.7	1.8	3.1	7.0	8.2	6.6	9.2	6.2	8.8	2.0	1.1
C67.5		-	-	-	-	-	-	0.4	-	0.4	0.4	1.1	3.5	5.0	10.4	4.8	8.4	6.2	-	1.8	1.0
C67.6		-	-	-	-	-	-	-	0.8	1.1	0.4	1.5	5.9	4.0	3.8	7.2	9.2	4.7	4.4	1.8	1.0
C67.7		-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.0	0.0
C67.8		-	-	-	-	-	-	-	-	0.8	1.5	2.2	3.9	6.5	4.9	10.2	10.1	4.7	4.4	2.1	1.2
C67.9		0.6	-	-	-	-	-	-	1.1	1.9	3.7	12.0	17.6	23.0	36.6	45.0	46.2	40.4	53.1	10.1	5.6
C68	**OTHER AND UNSPECIFIED URINARY ORGANS**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**0.8**	**0.5**	**0.6**	**-**	**0.8**	**3.1**	**-**	**0.2**	**0.1**
C68.8		-	-	-	-	-	-	-	0.4	-	-	-	0.8	-	0.6	-	0.8	3.1	-	0.2	0.1
C68.9		-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	-	0.0	0.0
C69	**EYE AND ADNEXA**	**1.2**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.4**	**0.4**	**1.5**	**0.8**	**2.5**	**2.7**	**1.8**	**0.8**	**6.2**	**-**	**0.8**	**0.6**
C69.0		-	-	-	-	-	-	-	-	-	-	-	0.4	0.5	0.6	0.6	-	3.1	-	0.2	0.1
C69.1		-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.6	-	-	-	-	0.1	0.0
C69.2		1.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1
C69.3		-	-	-	-	-	-	-	-	-	-	1.5	-	0.5	-	-	0.8	-	-	0.2	0.1
C69.4		-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	1.2	-	-	-	0.1	0.0
C69.5		-	-	-	-	-	-	-	0.4	-	-	-	-	1.0	-	-	-	-	-	0.1	0.1
C69.6		-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	1.6	-	0.1	0.0
C69.9		-	-	-	-	-	-	-	-	-	0.4	-	-	0.5	1.1	-	-	1.6	-	0.1	0.1
C70	**MENINGES**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**0.4**	**-**	**0.4**	**0.4**	**0.5**	**1.1**	**1.8**	**0.8**	**-**	**-**	**0.3**	**0.2**
C70.0		-	-	-	-	-	-	0.4	-	-	-	0.4	0.4	0.5	0.6	1.2	0.8	-	-	0.2	0.1
C70.9		-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.6	0.6	-	-	-	0.1	0.1
C71	**BRAIN**	**1.8**	**1.8**	**3.2**	**1.9**	**2.8**	**4.0**	**2.4**	**4.6**	**7.5**	**8.1**	**14.2**	**16.0**	**25.5**	**25.7**	**22.8**	**16.8**	**18.6**	**8.8**	**9.3**	**6.6**
C71.0		-	0.6	-	-	-	-	-	-	-	-	0.4	1.6	1.0	0.6	0.6	0.8	-	-	0.3	0.2
C71.1		-	-	0.4	0.4	1.1	1.3	0.8	1.9	0.8	1.5	1.5	3.9	0.5	4.4	3.0	0.8	-	-	1.4	1.0

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 - MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																			WORLD STAND. RATE
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C71.2		-	-	-	0.4	0.4	1.0	-	-	1.1	2.2	4.4	2.4	5.0	3.8	2.4	0.8	4.7	-	1.5	1.0
C71.3		-	-	0.4	0.4	0.7	0.7	0.4	0.4	0.4	0.7	2.6	-	2.5	2.2	3.0	0.8	3.1	-	0.9	0.7
C71.4		-	-	-	-	-	0.3	0.4	-	-	-	-	-	1.0	1.6	-	-	-	4.4	0.2	0.2
C71.5		-	0.6	-	-	-	-	0.4	-	0.4	0.4	-	-	-	-	0.6	-	-	-	0.1	0.1
C71.6		1.2	-	0.9	-	0.4	-	-	-	-	0.4	-	-	0.5	0.6	-	-	-	-	0.2	0.3
C71.7		-	0.6	-	-	0.4	0.3	0.4	-	0.8	-	-	-	-	-	-	-	-	-	0.2	0.2
C71.8		-	-	-	0.4	-	-	-	1.5	1.1	0.7	1.5	2.0	1.0	0.6	1.2	1.7	-	-	0.7	0.5
C71.9		0.6	-	1.4	0.4	-	0.3	-	0.8	3.0	2.2	4.0	6.3	14.0	12.0	12.0	11.8	10.9	4.4	3.8	2.4
C72	**SPINAL CORD, CRANIAL NERVES, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM**	**0.6**	**-**	**-**	**-**	**-**	**0.3**	**-**	**-**	**-**	**0.4**	**0.4**	**0.8**	**-**	**0.6**	**0.6**	**-**	**-**	**-**	**0.2**	**0.2**
C72.0		-	-	-	-	-	0.3	-	-	-	0.4	-	0.8	-	-	-	-	-	-	0.1	0.1
C72.5		-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	0.0	0.0
C72.9		0.6	-	-	-	-	-	-	-	-	-	-	-	-	0.6	0.6	-	-	-	0.1	0.1
C73	**THYROID GLAND**	**-**	**-**	**-**	**-**	**0.7**	**0.3**	**0.8**	**0.4**	**1.1**	**0.7**	**1.1**	**3.9**	**5.0**	**2.7**	**3.0**	**2.5**	**-**	**-**	**1.3**	**0.8**
C74	**ADRENAL GLAND**	**0.6**	**-**	**-**	**0.4**	**0.4**	**-**	**-**	**-**	**-**	**0.4**	**0.4**	**2.0**	**0.5**	**1.1**	**1.2**	**-**	**-**	**-**	**0.4**	**0.3**
C74.0		-	-	-	-	0.4	-	-	-	-	-	-	0.4	-	-	0.6	-	-	-	0.1	0.1
C74.1		-	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0
C74.9		0.6	-	-	-	-	-	-	-	-	0.4	0.4	1.6	0.5	1.1	0.6	-	-	-	0.3	0.2
C75	**OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**0.4**	**1.2**	**0.5**	**-**	**0.6**	**0.8**	**-**	**-**	**0.2**	**0.1**
C75.0		-	-	-	-	-	-	0.4	-	-	-	-	0.4	-	-	-	-	-	-	0.1	0.0
C75.1		-	-	-	-	-	-	-	-	-	-	0.4	0.4	-	-	-	-	-	-	0.1	0.0
C75.9		-	-	-	-	-	-	-	-	-	-	-	0.4	0.5	-	0.6	0.8	-	-	0.1	0.1
C76	**OTHER AND ILL-DEFINED SITES**	**-**	**-**	**-**	**-**	**-**	**0.3**	**-**	**-**	**-**	**-**	**-**	**1.2**	**-**	**1.1**	**2.4**	**0.8**	**4.7**	**4.4**	**0.4**	**0.2**
C76.0		-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	0.0	0.0
C76.1		-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	1.8	-	1.6	-	0.1	0.1
C76.2		-	-	-	-	-	0.3	-	-	-	-	-	0.8	-	0.6	0.6	0.8	3.1	4.4	0.2	0.1
C80	**MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE**	**-**	**-**	**-**	**-**	**0.4**	**-**	**1.2**	**3.0**	**6.0**	**11.8**	**28.8**	**34.8**	**47.0**	**67.8**	**72.0**	**96.5**	**116.4**	**57.5**	**20.5**	**11.4**
C81	**HODGKIN'S DISEASE**	**2.3**	**-**	**1.8**	**0.4**	**1.8**	**4.3**	**4.0**	**5.3**	**1.9**	**5.2**	**2.9**	**1.6**	**6.0**	**1.6**	**3.6**	**1.7**	**3.1**	**8.8**	**2.9**	**2.6**
C81.0		-	-	0.4	-	-	0.7	-	-	-	-	0.4	-	0.5	0.6	1.2	-	-	-	0.2	0.2
C81.1		0.6	-	-	-	1.1	1.0	2.0	2.3	0.8	1.8	1.1	0.4	1.0	0.6	1.2	0.8	1.6	-	1.0	0.8
C81.2		1.8	-	1.4	0.4	0.7	1.7	0.4	1.5	0.8	0.7	0.4	1.2	2.0	-	0.6	0.8	-	4.4	0.9	1.0
C81.3		-	-	-	-	-	0.3	-	0.4	-	1.1	-	-	0.5	-	-	-	-	-	0.2	0.1
C81.9		-	-	-	-	-	0.7	1.6	1.1	0.4	1.5	1.1	-	2.0	0.6	0.6	-	1.6	4.4	0.7	0.5
C82	**FOLLICULAR NON-HODGKIN'S LYMPHOMA**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**1.0**	**1.1**	**0.6**	**-**	**3.1**	**-**	**0.2**	**0.1**
C82.0		-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	0.0	0.0
C82.9		-	-	-	-	-	-	-	-	-	-	-	0.4	1.0	0.6	0.6	-	3.1	-	0.2	0.1

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 - MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		WORLD STAND. RATE
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C83	**DIFFUSE NON-HODGKIN'S LYMPHOMA**	**0.6**	**0.6**	**0.4**	**0.4**	**-**	**0.7**	**1.6**	**2.3**	**0.4**	**1.1**	**1.5**	**4.3**	**5.0**	**6.6**	**4.2**	**10.9**	**4.7**	**8.8**	**2.2**	**1.5**
C83.0		-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	1.7	-	-	0.1	0.0
C83.1		-	-	-	-	-	-	0.4	-	-	-	-	-	1.0	-	-	1.7	-	-	0.1	0.1
C83.2		-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.6	-	-	-	0.1	0.0
C83.3		-	-	-	-	-	-	-	-	-	-	0.4	0.4	0.5	0.6	0.6	1.7	-	-	0.2	0.1
C83.4		0.6	0.6	-	-	-	0.3	0.4	0.4	-	0.7	0.4	1.2	-	1.1	-	0.8	-	4.4	0.4	0.4
C83.5		-	-	-	-	-	-	-	-	0.4	0.4	-	0.4	-	-	0.6	0.8	-	-	0.1	0.1
C83.8		-	-	0.4	0.4	-	0.3	0.8	1.5	-	-	0.7	2.4	3.0	3.8	2.4	4.2	4.7	4.4	1.2	0.7
C83.9		-	-	-	-	-	-	-	-	-	-	-	-	0.5	0.6	-	-	-	-	0.1	0.0
C84	**PERIPHERAL AND CUTANEOUS T-CELL LYMPHOMAS**	**-**	**-**	**0.4**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**0.4**	**0.8**	**1.0**	**0.6**	**-**	**-**	**1.6**	**-**	**0.2**	**0.2**
C84.0		-	-	-	-	-	-	-	-	-	-	-	0.8	1.0	0.6	-	-	1.6	-	0.2	0.1
C84.2		-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0
C84.4		-	-	-	-	-	-	-	-	0.4	-	0.4	-	-	-	-	-	-	-	0.1	0.0
C85	**OTHER AND UNSPECIFIED TYPES OF NON-HODGKIN'S LYMPHOMA**	**-**	**0.6**	**0.9**	**0.4**	**1.1**	**1.3**	**0.8**	**0.4**	**1.5**	**2.6**	**4.8**	**4.7**	**9.0**	**10.9**	**13.2**	**14.3**	**7.8**	**-**	**3.5**	**2.2**
C85.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	0.0	0.0
C85.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.6	-	0.0	0.0
C85.9		-	0.6	0.9	0.4	1.1	1.3	0.8	0.4	1.5	2.6	4.8	4.7	9.0	10.9	12.6	14.3	6.2	-	3.5	2.2
C88	**MALIGNANT IMMUNOPROLIFERATIVE DISEASES**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**-**	**-**	**-**	**0.6**	**-**	**-**	**-**	**0.1**	**0.0**
C88.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	0.0	0.0
C88.9		-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	-	0.0	0.0
C90	**MULTIPLE MYELOMA AND MALIGNANT PLASMA CELL NEOPLASMS**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**1.5**	**3.0**	**2.9**	**3.9**	**9.0**	**4.4**	**9.0**	**4.2**	**7.8**	**8.8**	**2.2**	**1.4**
C90.0		-	-	-	-	-	-	0.4	-	1.1	1.5	2.9	2.4	7.0	3.8	6.0	3.4	7.8	4.4	1.7	1.0
C90.2		-	-	-	-	-	-	-	-	0.4	1.5	-	1.6	2.0	0.6	3.0	0.8	-	4.4	0.6	0.4
C91	**LYMPHOID LEUKAEMIA**	**2.9**	**4.2**	**1.4**	**0.4**	**0.7**	**1.3**	**1.6**	**0.4**	**1.9**	**1.5**	**1.5**	**5.9**	**4.0**	**15.8**	**12.0**	**16.8**	**9.3**	**4.4**	**3.7**	**2.8**
C91.0		2.9	3.6	1.4	0.4	0.4	1.3	1.2	-	-	-	0.4	-	1.0	2.2	1.2	2.5	3.1	-	1.0	1.3
C91.1		-	-	-	-	0.4	-	-	0.4	1.5	0.7	1.1	5.1	3.0	12.0	10.8	13.4	4.7	4.4	2.4	1.3
C91.2		-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	0.0	0.0
C91.3		-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.0	0.0
C91.4		-	-	-	-	-	-	-	-	-	0.4	-	0.4	-	1.1	-	-	-	-	0.1	0.1
C91.9		-	0.6	-	-	-	-	0.4	-	-	0.4	-	-	-	0.6	-	0.8	1.6	-	0.2	0.1
C92	**MYELOID LEUKAEMIA**	**3.5**	**0.6**	**0.4**	**1.5**	**0.4**	**1.0**	**1.2**	**1.1**	**3.4**	**1.8**	**5.1**	**5.1**	**8.0**	**8.2**	**12.6**	**11.8**	**7.8**	**13.3**	**3.7**	**2.7**
C92.0		3.5	-	0.4	1.1	-	0.7	-	0.8	0.4	0.7	1.5	0.8	4.0	3.3	6.0	3.4	6.2	13.3	1.6	1.3
C92.1		-	-	-	-	-	0.3	1.2	0.4	3.0	0.7	2.6	4.3	2.5	2.7	6.0	5.9	-	-	1.6	1.0

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 - MALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		WORLD STAND. RATE
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C92.4		-	-	-	-	-	-	-	-	-	-	0.7	-	-	0.6	-	0.8	-	-	0.1	0.1
C92.5		-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	-	0.0	0.0
C92.7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.8	1.6	-	0.1	0.0
C92.9		-	0.6	-	0.4	0.4	-	-	-	-	0.4	0.4	-	1.0	1.6	0.6	0.8	-	-	0.3	0.3
C93	**MONOCYTIC LEUKAEMIA**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.4**	**-**	**-**	**1.2**	**1.7**	**3.1**	**-**	**0.2**	**0.1**
C93.0		-	-	-	-	-	-	-	-	-	-	0.4	0.4	-	-	0.6	0.8	3.1	-	0.2	0.1
C93.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.8	-	-	0.0	0.0
C93.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	0.0	0.0
C94	**OTHER LEUKAEMIAS OF SPECIFIED CELL TYPE**	**0.6**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.4**	**-**	**-**	**2.2**	**1.6**	**3.0**	**1.6**	**1.8**	**2.5**	**1.6**	**4.4**	**0.8**	**0.6**
C94.0		-	-	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	0.1	0.0
C94.1		-	-	-	-	-	-	-	-	-	-	1.1	1.2	1.5	1.6	0.6	-	1.6	-	0.4	0.2
C94.2		0.6	-	-	-	-	-	0.4	0.4	-	-	0.4	0.4	1.5	-	1.2	2.5	-	4.4	0.4	0.3
C95	**LEUKAEMIA, UNSPECIFIED CELL TYPE**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**-**	**0.7**	**1.1**	**0.8**	**1.0**	**4.9**	**1.2**	**5.0**	**4.7**	**-**	**0.8**	**0.4**
C95.0		-	-	-	-	0.4	-	-	-	-	0.4	0.4	-	0.5	3.8	0.6	2.5	-	-	0.4	0.2
C95.1		-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	0.0	0.0
C95.9		-	-	-	-	-	-	-	-	-	0.4	0.4	0.8	0.5	1.1	0.6	2.5	4.7	-	0.4	0.2

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 - FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																			WORLD STAND. RATE
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C00-97	**ALL SITES**	**13.0**	**9.5**	**13.8**	**9.8**	**20.3**	**42.2**	**88.5**	**141.3**	**257.0**	**370.2**	**468.4**	**625.0**	**735.7**	**879.9**	**989.2**	**1094.6**	**1082.8**	**861.1**	**377.9**	**205.8**
C00	**LIP**	**-**	**-**	**-**	**0.8**	**-**	**-**	**-**	**-**	**-**	**0.4**	**1.7**	**1.1**	**2.5**	**3.5**	**4.9**	**7.4**	**6.5**	**9.8**	**1.5**	**0.7**
C00.0		-	-	-	-	-	-	-	-	-	-	0.3	-	0.8	0.4	0.9	0.6	0.9	-	0.2	0.1
C00.1		-	-	-	0. 8	-	-	-	-	-	0.4	0.7	1.1	1.7	3.0	4.0	6.3	5.6	7.3	1.2	0.5
C00.4		-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	-	0.0	0.0
C00.9		-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.6	-	2.4	0.1	0.0
C01	**BASE OF TONGUE**	**-**	**0.6**	**-**	**-**	**-**	**-**	**0.7**	**-**	**0.4**	**-**	**0.3**	**0.7**	**0.4**	**-**	**-**	**0.6**	**-**	**-**	**0.2**	**0.2**
C02	**OTHER AND UNSPECIFIED PARTS OF TONGUE**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1.1**	**1.7**	**0.7**	**-**	**1.3**	**1.4**	**2.3**	**-**	**-**	**0.5**	**0.3**
C02.0		-	-	-	-	-	-	-	-	-	-	-	0.4	-	0.4	0.4	-	-	-	0.1	0.0
C02.1		-	-	-	-	-	-	-	-	-	0.4	1.0	-	-	0.4	-	1.1	-	-	0.2	0.1
C02.3		-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.0	0.0
C02.8		-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	0.6	-	-	0.1	0.0
C02.9		-	-	-	-	-	-	-	-	-	0.4	0.7	0.4	-	-	0.9	0.6	-	-	0.2	0.1
C03	**GUM**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.7**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**0.1**	**0.0**
C03.0		-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	-	0.0	0.0
C03.1		-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.4	-	-	-	0.1	0.0
C04	**FLOOR OF MOUTH**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**0.4**	**-**	**-**	**0.4**	**-**	**-**	**-**	**0.1**	**0.0**
C04.9		-	-	-	-	-	-	-	-	-	0.4	-	0.4	-	-	0.4	-	-	-	0.1	0.0
C06	**OTHER AND UNSPECIFIED PARTS OF MOUTH**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**0.3**	**-**	**-**	**0.4**	**0.4**	**0.6**	**-**	**-**	**0.1**	**0.1**
C06.0		-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	0.6	-	-	0.1	0.0
C06.9		-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.4	0.4	-	-	-	0.1	0.0
C07	**PAROTID GLAND**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**0.4**	**-**	**-**	**1.1**	**0.4**	**1.3**	**2.2**	**1.1**	**3.7**	**-**	**0.5**	**0.2**
C08	**OTHER AND UNSPECIFIED MAJOR SALIVARY GLANDS**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**0.7**	**-**	**0.4**	**-**	**-**	**0.9**	**-**	**-**	**2.4**	**0.2**	**0.1**
C08.0		-	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	0.1	0.0
C08.1		-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.4	-	-	-	0.1	0.0
C08.9		-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	0.4	-	-	2.4	0.1	0.0
C09	**TONSIL**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**0.7**	**-**	**0.4**	**0.4**	**2.8**	**0.9**	**-**	**0.3**	**0.1**
C09.9		-	-	-	0.4	-	-	-	-	-	0.4	-	0.7	-	0.4	0.4	2.8	0.9	-	0.3	0.1
C11	**NASOPHARYNX**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.4**	**0.4**	**1.5**	**1.1**	**0.7**	**0.4**	**0.8**	**0.9**	**1.8**	**1.1**	**-**	**-**	**0.6**	**0.4**
C11.0		-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	0.0	0.0
C11.1		-	-	-	-	-	-	-	-	0.4	-	0.7	-	-	0.4	-	-	-	-	0.1	0.1
C11.2		-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.0	0.0
C11.3		-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	0.0	0.0
C11.9		-	-	-	-	-	0.4	0.4	0.4	0.8	0.7	-	0.4	0.4	0.4	1.8	1.1	-	-	0.4	0.2
C12	**PYRIFORM SINUS**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**-**	**-**	**-**	**0.0**	**0.0**
C13	**HYPOPHARYNX**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.7**	**0.3**	**0.7**	**0.4**	**0.4**	**0.9**	**-**	**-**	**-**	**0.2**	**0.1**
C13.9		-	-	-	-	-	-	-	-	-	0.7	0.3	0.7	0.4	0.4	0.9	-	-	-	0.2	0.1

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 - FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		WORLD STAND. RATE
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C14	**OTHER AND ILL-DEFINED SITES IN LIP, ORAL CAVITY AND PHARYNX**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.6**	**-**	**-**	**0.0**	**0.0**
C14.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	0.0	0.0
C15	**OESOPHAGUS**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**0.4**	**0.8**	**-**	**1.4**	**1.4**	**0.8**	**1.7**	**4.0**	**4.6**	**4.7**	**4.9**	**1.0**	**0.5**
C15.0		-	-	-	-	-	-	-	-	-	-	-	0.4	-	0.4	-	-	0.9	-	0.1	0.0
C15.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	0.0	0.0
C15.3		-	-	-	-	-	0.4	-	-	-	-	0.3	-	-	0.4	-	-	0.9	-	0.1	0.1
C15.4		-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	0.9	-	-	-	0.1	0.1
C15.5		-	-	-	-	-	-	-	-	0.4	-	0.3	-	0.4	0.4	0.4	1.1	0.9	2.4	0.2	0.1
C15.9		-	-	-	-	-	-	-	0.4	0.4	-	0.7	0.4	0.4	0.4	2.7	3.4	0.9	2.4	0.5	0.2
C16	**STOMACH**	**-**	**-**	**-**	**0.4**	**0.4**	**1.4**	**3.3**	**4.7**	**4.9**	**3.9**	**11.3**	**18.7**	**27.1**	**43.5**	**53.4**	**83.6**	**87.8**	**82.9**	**17.4**	**7.6**
C16.0		-	-	-	-	-	-	-	-	-	0.4	-	1.4	1.3	3.0	3.1	4.0	3.7	7.3	0.9	0.4
C16.1		-	-	-	-	-	-	0.4	0.4	0.4	-	0.3	1.1	1.3	1.7	4.0	2.3	2.8	2.4	0.8	0.4
C16.2		-	-	-	-	0.4	0.4	0.7	1.6	0.4	-	0.7	2.8	4.2	7.0	9.0	8.5	13.1	7.3	2.4	1.1
C16.3		-	-	-	-	-	-	0.7	0.4	-	0.7	2.4	0.7	2.5	7.0	3.6	8.5	4.7	2.4	1.6	0.8
C16.4		-	-	-	-	-	-	0.4	-	0.4	-	0.7	0.7	0.8	0.4	1.8	4.0	2.8	2.4	0.6	0.3
C16.5		-	-	-	-	-	-	-	0.8	1.5	-	2.1	1.8	3.8	2.2	2.7	9.1	2.8	7.3	1.5	0.7
C16.6		-	-	-	-	-	-	-	-	0.4	0.4	-	1.1	0.4	1.7	3.1	1.7	6.5	2.4	0.7	0.3
C16.8		-	-	-	-	-	0.7	0.7	0.4	0.4	0.7	1.0	3.9	3.8	3.5	4.9	9.1	3.7	7.3	1.8	0.9
C16.9		-	-	-	0.4	-	0.4	0.4	1.2	1.5	1.8	4.1	5.3	8.9	17.0	21.1	36.4	47.6	43.9	7.0	2.9
C17	**SMALL INTESTINE**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**0.4**	**0.4**	**0.7**	**0.4**	**0.8**	**0.4**	**2.2**	**1.1**	**-**	**-**	**0.4**	**0.2**
C17.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	0.0	0.0
C17.2		-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.9	-	-	-	0.1	0.0
C17.9		-	-	-	-	-	-	0.4	-	0.4	-	0.7	0.4	0.8	0.4	0.9	1.1	-	-	0.3	0.2
C18	**COLON**	**-**	**-**	**0.5**	**-**	**-**	**-**	**2.9**	**1.9**	**4.5**	**13.6**	**25.4**	**40.9**	**51.7**	**76.6**	**92.4**	**100.6**	**100.0**	**56.1**	**26.6**	**12.3**
C18.0		-	-	-	-	-	-	0.4	1.2	1.1	2.5	3.4	5.6	7.2	13.9	11.7	10.8	11.2	-	3.6	1.8
C18.1		-	-	0.5	-	-	-	-	-	-	0.4	0.3	0.4	-	-	0.4	-	0.9	-	0.2	0.1
C18.2		-	-	-	-	-	-	-	-	1.1	1.1	2.8	5.3	7.2	13.9	13.0	15.9	17.8	2.4	3.9	1.7
C18.3		-	-	-	-	-	-	-	0.4	-	0.7	1.7	1.4	2.1	4.4	5.4	5.7	2.8	-	1.3	0.6
C18.4		-	-	-	-	-	-	-	-	-	1.8	2.4	3.9	5.5	4.4	11.7	9.1	5.6	2.4	2.4	1.1
C18.5		-	-	-	-	-	-	-	-	-	0.4	0.3	0.7	1.3	4.4	2.7	4.0	0.9	4.9	0.8	0.4
C18.6		-	-	-	-	-	-	1.1	-	0.4	1.1	2.1	3.5	3.8	4.4	4.9	5.1	8.4	2.4	1.8	0.9
C18.7		-	-	-	-	-	-	1.5	0.4	1.9	5.4	11.7	17.6	21.2	22.2	33.6	35.3	22.4	9.8	9.4	4.5
C18.9		-	-	-	-	-	-	-	-	-	0.4	0.7	2.5	3.4	9.1	9.0	14.8	29.9	34.2	3.3	1.2
C19	**RECTOSIGMOID JUNCTION**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**0.8**	**1.4**	**2.8**	**2.5**	**3.4**	**5.2**	**6.3**	**5.7**	**3.7**	**7.3**	**1.8**	**0.9**
C20	**RECTUM**	**-**	**-**	**-**	**-**	**-**	**0.7**	**0.7**	**0.8**	**4.1**	**7.2**	**18.2**	**22.9**	**37.7**	**39.6**	**45.3**	**51.8**	**56.0**	**43.9**	**15.1**	**7.3**
C21	**ANUS AND ANAL CANAL**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1.1**	**0.7**	**2.4**	**1.4**	**2.1**	**2.6**	**2.2**	**1.7**	**1.9**	**-**	**0.9**	**0.5**
C21.0		-	-	-	-	-	-	-	-	0.4	-	0.3	0.7	0.4	0.4	-	-	0.9	-	0.2	0.1
C21.1		-	-	-	-	-	-	-	-	0.4	0.7	2.1	0.4	1.7	2.2	1.8	1.7	0.9	-	0.7	0.4
C21.2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	0.0	0.0

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 - FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		WORLD STAND. RATE
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C21.8		-	-	-	-	-	-	-	-	0.4	-	-	0.4	-	-	-	-	-	-	0.1	0.0
C22	**LIVER AND INTRAHEPATIC BILE DUCTS**	**0.6**	**-**	**0.5**	**-**	**0.4**	**0.4**	**-**	**0.4**	**0.4**	**1.8**	**2.8**	**4.2**	**6.4**	**12.2**	**17.0**	**22.2**	**24.3**	**24.4**	**4.7**	**2.1**
C22.0		-	-	0.5	-	-	-	-	-	-	0.4	0.3	1.1	0.8	2.2	2.2	1.1	2.8	-	0.6	0.3
C22.1		-	-	-	-	-	-	-	-	0.4	0.4	0.3	0.4	-	1.3	1.4	0.6	-	-	0.3	0.2
C22.2		0.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.1
C22.3		-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	0.0	0.0
C22.7		-	-	-	-	-	-	-	-	-	-	-	-	0.4	0.4	0.4	-	-	-	0.1	0.0
C22.9		-	-	-	-	0.4	0.4	-	0.4	-	1.1	2.1	2.8	4.7	8.3	13.0	20.5	21.5	24.4	3.7	1.5
C23	**GALLBLADDER**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**1.1**	**1.7**	**3.2**	**6.4**	**9.6**	**7.6**	**9.7**	**18.7**	**12.2**	**2.8**	**1.2**
C24	**OTHER AND UNSPECIFIED PARTS OF BILIARY TRACT**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**0.3**	**1.1**	**1.7**	**3.9**	**3.6**	**2.3**	**4.7**	**2.4**	**0.9**	**0.4**
C24.0		-	-	-	-	-	-	-	-	-	-	0.3	0.4	0.4	3.0	1.8	1.1	0.9	2.4	0.4	0.2
C24.1		-	-	-	-	-	-	-	-	0.4	-	-	0.4	0.4	0.4	0.4	-	0.9	-	0.2	0.1
C24.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	0.0	0.0
C24.9		-	-	-	-	-	-	-	-	-	-	-	0.4	0.8	0.4	0.9	1.1	2.8	-	0.3	0.1
C25	**PANCREAS**	**-**	**-**	**-**	**-**	**0.4**	**-**	**1.5**	**0.8**	**2.6**	**3.9**	**7.2**	**19.8**	**17.4**	**34.8**	**36.3**	**52.9**	**56.0**	**19.5**	**11.6**	**5.1**
C25.0		-	-	-	-	-	-	0.4	0.4	1.1	1.8	4.8	11.3	8.1	17.0	17.0	18.2	30.8	2.4	5.4	2.4
C25.1		-	-	-	-	-	-	0.4	-	-	0.7	1.4	2.1	1.3	4.8	4.5	6.8	2.8	-	1.3	0.6
C25.2		-	-	-	-	-	-	-	-	0.4	0.4	0.3	0.4	0.4	0.9	0.4	1.7	1.9	-	0.3	0.2
C25.3		-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	0.4	1.7	1.9	-	0.2	0.1
C25.8		-	-	-	-	-	-	0.4	-	0.8	-	-	2.8	1.7	2.2	2.7	5.1	-	2.4	0.9	0.4
C25.9		-	-	-	-	0.4	-	0.4	0.4	0.4	1.1	0.7	3.2	5.5	10.0	11.2	19.3	18.7	14.6	3.5	1.4
C26	**OTHER AND ILL-DEFINED DIGESTIVE ORGANS**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.9**	**0.9**	**2.8**	**1.9**	**2.4**	**0.4**	**0.1**
C26.1		-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	0.6	0.9	-	0.1	0.0
C26.9		-	-	-	-	0.4	-	-	-	-	-	-	-	0.4	0.4	0.9	2.3	0.9	2.4	0.3	0.1
C30	**NASAL CAVITY AND MIDDLE EAR**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.8**	**0.4**	**-**	**-**	**-**	**-**	**0.1**	**0.1**
C30.0		-	-	-	-	0.4	-	-	-	-	-	-	-	0.8	0.4	-	-	-	-	0.1	0.1
C31	**ACCESSORY SINUSES**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**1.7**	**-**	**-**	**-**	**4.9**	**0.2**	**0.1**
C31.0		-	-	-	-	-	-	-	-	-	-	-	-	0.4	1.3	-	-	-	4.9	0.2	0.1
C31.1		-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.0	0.0
C32	**LARYNX**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.4**	**-**	**0.8**	**0.4**	**1.0**	**2.1**	**0.8**	**1.7**	**0.4**	**1.7**	**2.8**	**2.4**	**0.7**	**0.4**
C32.0		-	-	-	-	-	-	0.4	-	0.4	-	0.3	0.7	0.4	0.4	-	0.6	1.9	-	0.2	0.1
C32.1		-	-	-	-	-	-	-	-	-	0.4	0.3	-	-	-	-	-	-	-	0.1	0.0
C32.8		-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.0	0.0
C32.9		-	-	-	-	-	0.4	-	-	0.4	-	0.3	1.1	0.4	1.3	0.4	1.1	0.9	2.4	0.4	0.2
C33	**TRACHEA**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**0.1**	**0.0**
C34	**BRONCHUS AND LUNG**	**-**	**-**	**-**	**-**	**-**	**0.7**	**-**	**3.1**	**5.6**	**14.3**	**19.2**	**21.9**	**33.5**	**33.5**	**44.0**	**50.0**	**51.4**	**34.2**	**14.8**	**7.4**
C34.0		-	-	-	-	-	-	-	0.4	1.1	1.1	1.4	2.5	4.7	5.2	3.1	4.6	3.7	-	1.5	0.8

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 - FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																			WORLD STAND. RATE
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C34.1		-	-	-	-	-	-	-	0.8	2.2	3.6	8.6	8.5	11.0	10.9	12.6	10.2	17.8	9.8	4.7	2.4
C34.2		-	-	-	-	-	0.4	-	-	0.8	2.2	1.7	0.7	1.7	2.2	5.4	5.1	1.9	2.4	1.2	0.6
C34.3		-	-	-	-	-	0.4	-	0.4	0.8	3.2	3.1	5.3	6.8	6.1	3.6	8.5	3.7	-	2.4	1.3
C34.8		-	-	-	-	-	-	-	-	-	-	1.4	0.4	0.8	1.7	0.4	1.7	1.9	-	0.4	0.2
C34.9		-	-	-	-	-	-	-	1.6	0.8	4.3	3.1	4.6	8.5	7.4	18.8	19.9	22.4	22.0	4.7	2.1
C37	**THYMUS**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**0.4**	**-**	**-**	**0.4**	**-**	**-**	**-**	**-**	**-**	**-**	**0.1**	**0.1**
C38	**HEART, MEDIASTINUM, AND PLEURA**	**-**	**-**	**0.5**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**1.0**	**0.7**	**-**	**0.9**	**0.9**	**0.6**	**1.9**	**2.4**	**0.4**	**0.2**
C38.1		-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	0.4	-	-	-	0.1	0.0
C38.2		-	-	0.5	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.1	0.1
C38.3		-	-	-	-	-	-	-	0.4	-	-	0.7	0.4	-	0.4	-	0.6	0.9	2.4	0.2	0.1
C38.4		-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	0.4	-	0.9	-	0.1	0.0
C39	**OTHER AND ILL-DEFINED SITES WITHIN RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**1.1**	**-**	**-**	**0.1**	**0.0**
C39.0		-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	0.0	0.0
C39.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.1	-	-	0.1	0.0
C40	**BONES, JOINTS AND ARTICULAR CARTILAGE OF LIMBS**	**-**	**-**	**1.4**	**1.6**	**-**	**-**	**-**	**-**	**0.8**	**-**	**-**	**0.4**	**-**	**-**	**0.4**	**0.6**	**-**	**2.4**	**0.3**	**0.4**
C40.0		-	-	0.5	0.4	-	-	-	-	-	-	-	0.4	-	-	-	-	-	2.4	0.1	0.1
C40.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	0.0	0.0
C40.2		-	-	1.0	1.2	-	-	-	-	0.4	-	-	-	-	-	0.4	-	-	-	0.2	0.2
C40.3		-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	0.0	0.0
C41	**BONES, JOINTS AND ARTICULAR CARTILAGE OF OTHER AND UNSPECIFIED SITES**	**-**	**-**	**1.0**	**-**	**0.4**	**-**	**-**	**-**	**0.4**	**-**	**0.3**	**0.4**	**0.8**	**0.9**	**1.4**	**0.6**	**0.9**	**-**	**0.4**	**0.3**
C41.0		-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	0.0	0.0
C41.1		-	-	0.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0
C41.3		-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.4	0.4	-	-	-	0.1	0.0
C41.4		-	-	0.5	-	-	-	-	-	-	-	0.3	-	-	0.4	-	-	-	-	0.1	0.1
C41.9		-	-	-	-	0.4	-	-	-	-	-	-	0.4	0.4	-	0.9	0.6	0.9	-	0.2	0.1
C43	**MELANOMA OF SKIN**	**-**	**-**	**1.0**	**-**	**0.8**	**2.1**	**3.3**	**3.1**	**2.6**	**2.2**	**7.2**	**7.0**	**9.8**	**11.3**	**11.2**	**11.4**	**9.3**	**9.8**	**4.7**	**2.8**
C43.1		-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	0.9	-	-	-	0.1	0.0
C43.3		-	-	-	-	-	0.4	-	-	-	-	0.7	-	0.8	0.9	1.8	1.1	2.8	-	0.4	0.2
C43.4		-	-	-	-	-	-	-	0.4	-	-	-	0.7	-	-	0.9	-	-	2.4	0.2	0.1
C43.5		-	-	0.5	-	0.8	1.4	1.8	1.6	0.8	1.1	1.4	0.7	1.7	3.9	2.2	2.3	1.9	2.4	1.3	0.9
C43.6		-	-	-	-	-	-	0.4	-	0.8	0.4	1.0	0.7	2.1	1.3	0.9	2.3	1.9	-	0.6	0.3
C43.7		-	-	0.5	-	-	0.4	0.7	0.8	1.1	0.7	3.4	3.2	4.7	5.2	3.1	4.0	0.9	-	1.7	1.0
C43.8		-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.0	0.0
C43.9		-	-	-	-	-	-	-	0.4	-	-	0.7	1.4	0.4	-	1.4	1.7	1.9	4.9	0.4	0.2

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 - FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																			WORLD STAND. RATE
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C44	**OTHER SKIN**	**-**	**-**	**-**	**-**	**1.9**	**1.8**	**5.1**	**3.9**	**6.7**	**16.8**	**28.5**	**38.8**	**60.6**	**87.1**	**127.4**	**184.2**	**217.7**	**244.0**	**39.4**	**17.0**
C44.0		-	-	-	-	-	-	-	-	0.4	0.4	0.7	1.4	1.7	1.7	4.0	4.0	4.7	-	0.9	0.4
C44.1		-	-	-	-	-	-	0.7	0.4	0.8	2.2	0.7	4.2	5.9	3.0	8.1	15.9	7.5	12.2	2.6	1.2
C44.2		-	-	-	-	-	-	-	-	-	0.4	-	0.4	1.3	0.9	3.6	8.5	8.4	14.6	1.1	0.4
C44.3		-	-	-	-	-	0.4	0.7	1.6	3.0	8.6	14.8	22.2	39.9	57.9	84.8	135.3	156.0	185.4	26.0	10.6
C44.4		-	-	-	-	-	-	1.5	0.4	0.8	1.8	4.8	2.8	2.1	7.0	6.7	6.8	9.3	4.9	2.4	1.2
C44.5		-	-	-	-	1.5	1.0	2.2	1.6	0.8	3.2	6.2	6.0	5.9	9.1	6.7	7.4	10.3	7.3	3.5	2.0
C44.6		-	-	-	-	-	0.4	-	-	0.8	-	0.3	1.1	2.5	3.0	4.9	3.4	13.1	17.1	1.4	0.6
C44.7		-	-	-	-	-	-	-	-	0.4	0.4	0.7	0.7	1.3	3.9	6.3	2.3	4.7	2.4	1.0	0.5
C44.8		-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	0.4	0.6	1.9	-	0.1	0.0
C44.9		-	-	-	-	0.4	-	-	-	-	-	0.3	-	-	-	1.8	-	1.9	-	0.2	0.1
C45	**MESOTHELIOMA**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**0.3**	**0.7**	**0.4**	**0.4**	**0.9**	**0.6**	**-**	**-**	**0.2**	**0.1**
C45.0		-	-	-	-	-	-	-	-	0.4	-	-	0.7	0.4	0.4	0.9	-	-	-	0.2	0.1
C45.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	0.0	0.0
C45.9		-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	-	0.0	0.0
C46	**KAPOSI'S SARCOMA**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**0.0**	**0.0**
C46.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	0.0	0.0
C47	**PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM**	**0.6**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**0.3**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.1**	**0.1**
C47.4		-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	-	0.0	0.0
C47.5		-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0
C47.9		0.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.1
C48	**RETROPERITONEUM AND PERITONEUM**	**0.6**	**0.6**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.8**	**0.4**	**1.7**	**1.8**	**3.0**	**3.5**	**4.0**	**3.4**	**0.9**	**-**	**1.2**	**0.7**
C48.0		0.6	0.6	-	-	-	-	-	0.4	0.4	0.4	1.7	1.8	1.3	3.0	3.1	2.3	-	-	0.9	0.6
C48.2		-	-	-	-	-	-	-	-	0.4	-	-	-	1.7	0.4	0.9	1.1	0.9	-	0.3	0.1
C49	**CONNECTIVE AND OTHER SOFT TISSUES**	**-**	**0.6**	**0.5**	**-**	**0.4**	**-**	**1.5**	**1.2**	**1.1**	**1.1**	**4.5**	**3.2**	**2.5**	**7.4**	**2.2**	**5.1**	**4.7**	**2.4**	**2.0**	**1.2**
C49.0		-	0.6	-	-	-	-	0.7	-	-	-	0.3	0.7	-	-	0.4	-	0.9	-	0.2	0.2
C49.1		-	-	0.5	-	-	-	-	-	0.4	-	1.0	0.4	-	0.9	0.4	1.7	1.9	-	0.4	0.2
C49.2		-	-	-	-	0.4	-	0.4	0.8	0.8	0.4	0.7	0.7	1.7	3.0	0.9	1.7	1.9	2.4	0.8	0.4
C49.3		-	-	-	-	-	-	-	0.4	-	-	-	0.4	-	0.4	-	0.6	-	-	0.1	0.1
C49.4		-	-	-	-	-	-	-	-	-	-	0.3	0.7	0.4	1.7	-	0.6	-	-	0.2	0.1
C49.5		-	-	-	-	-	-	-	-	-	0.4	1.0	0.4	-	0.9	-	0.6	-	-	0.2	0.1
C49.6		-	-	-	-	-	-	0.4	-	-	0.4	1.0	-	-	-	-	-	-	-	0.1	0.1
C49.9		-	-	-	-	-	-	-	-	-	-	-	-	0.4	0.4	0.4	-	-	-	0.1	0.0
C50	**BREAST**	**-**	**-**	**-**	**-**	**0.8**	**4.2**	**16.4**	**45.8**	**92.5**	**131.9**	**140.5**	**171.1**	**182.3**	**202.0**	**194.7**	**187.6**	**149.5**	**107.3**	**88.7**	**51.9**
C50.0		-	-	-	-	-	-	0.7	0.4	3.8	7.2	7.6	5.6	8.1	6.1	9.0	5.1	7.5	2.4	3.6	2.1
C50.1		-	-	-	-	0.4	0.4	0.7	4.3	7.5	11.5	13.1	11.3	11.4	15.2	17.9	15.4	15.0	12.2	7.2	4.2
C50.2		-	-	-	-	-	0.4	1.5	2.7	6.4	12.5	9.6	16.6	15.3	14.8	13.0	15.9	4.7	9.8	6.9	4.1

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 - FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																			WORLD STAND. RATE
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C50.3		-	-	-	-	-	0.4	0.4	2.3	2.2	1.8	5.8	7.4	6.4	6.5	9.0	6.8	3.7	2.4	3.1	1.8
C50.4		-	-	-	-	-	1.8	8.4	20.6	46.8	62.4	64.6	82.9	82.7	92.7	92.0	77.9	43.0	29.3	40.3	24.0
C50.5		-	-	-	-	-	-	1.1	4.7	9.4	10.8	11.0	16.6	16.1	23.1	20.6	18.8	15.9	7.3	8.5	4.8
C50.6		-	-	-	-	-	-	0.4	-	1.1	0.4	0.3	-	0.4	0.4	-	-	0.9	-	0.2	0.2
C50.8		-	-	-	-	0.4	0.7	2.2	7.8	13.1	19.0	24.0	23.3	28.8	27.9	24.2	30.1	25.2	12.2	13.1	7.7
C50.9		-	-	-	-	-	0.7	1.1	3.1	2.2	6.4	4.5	7.4	13.2	15.2	9.0	17.6	33.6	31.7	5.9	3.0
C51	**VULVA**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.4**	**1.1**	**1.8**	**1.0**	**3.9**	**4.7**	**11.3**	**11.2**	**13.6**	**11.2**	**14.6**	**3.2**	**1.4**
C51.0		-	-	-	-	-	-	-	-	-	0.4	0.3	0.4	1.7	1.7	2.2	4.6	2.8	4.9	0.7	0.3
C51.1		-	-	-	-	-	-	-	-	-	-	-	0.4	0.4	0.4	0.4	1.1	0.9	-	0.2	0.1
C51.2		-	-	-	-	-	-	-	-	0.4	-	0.3	-	-	1.3	0.4	-	-	-	0.2	0.1
C51.8		-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	0.4	0.6	-	-	0.1	0.0
C51.9		-	-	-	-	-	-	0.4	0.4	0.8	1.4	0.3	3.2	2.5	7.4	7.6	7.4	7.5	9.8	2.1	1.0
C52	**VAGINA**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**0.7**	**0.4**	**3.0**	**2.2**	**2.2**	**5.1**	**3.7**	**-**	**0.8**	**0.4**
C53	**CERVIX UTERI**	**-**	**-**	**-**	**-**	**1.5**	**9.1**	**26.6**	**38.0**	**59.2**	**62.4**	**44.7**	**43.0**	**36.9**	**30.9**	**33.6**	**28.4**	**23.4**	**9.8**	**27.4**	**19.5**
C53.0		-	-	-	-	0.8	2.1	9.1	12.0	15.0	23.3	15.1	13.4	14.0	7.8	11.2	10.8	5.6	-	8.8	6.2
C53.1		-	-	-	-	0.4	5.2	14.2	16.3	29.2	24.0	16.8	15.9	14.4	13.5	11.7	9.1	7.5	9.8	11.4	8.3
C53.8		-	-	-	-	-	0.4	0.4	0.8	0.4	2.5	0.3	1.4	-	-	0.4	0.6	-	-	0.5	0.4
C53.9		-	-	-	-	0.4	1.4	2.9	8.9	14.6	12.5	12.4	12.4	8.5	9.6	10.3	8.0	10.3	-	6.8	4.6
C54	**CORPUS UTERI**	**-**	**-**	**-**	**0.4**	**-**	**0.4**	**1.1**	**7.0**	**12.0**	**31.2**	**49.8**	**81.5**	**93.7**	**70.5**	**77.6**	**40.4**	**41.1**	**22.0**	**29.9**	**17.0**
C54.0		-	-	-	-	-	-	-	-	0.4	-	-	1.8	2.5	-	-	0.6	0.9	4.9	0.4	0.2
C54.1		-	-	-	-	-	0.4	0.7	5.4	8.6	21.9	39.9	66.7	77.2	58.3	62.4	31.8	28.0	12.2	23.8	13.5
C54.2		-	-	-	0.4	-	-	0.4	1.2	1.5	4.7	2.1	3.5	3.8	4.8	4.0	2.8	-	-	1.8	1.2
C54.3		-	-	-	-	-	-	-	-	0.4	2.2	4.5	4.9	5.9	3.0	3.6	2.3	1.9	-	1.7	1.0
C54.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	0.6	-	-	0.1	0.0
C54.9		-	-	-	-	-	-	-	0.4	1.1	2.5	3.4	4.6	4.2	4.4	7.2	2.3	10.3	4.9	2.2	1.1
C55	**UTERUS, NOS**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**0.8**	**2.2**	**1.7**	**-**	**3.4**	**5.2**	**3.1**	**4.6**	**6.5**	**4.9**	**1.4**	**0.7**
C56	**OVARY**	**-**	**-**	**1.0**	**2.0**	**4.5**	**5.6**	**5.8**	**9.3**	**19.1**	**28.0**	**37.1**	**46.6**	**39.9**	**44.4**	**49.8**	**39.2**	**27.1**	**17.1**	**21.4**	**13.1**
C57	**OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**0.4**	**0.4**	**-**	**1.4**	**0.8**	**1.3**	**1.8**	**1.1**	**-**	**-**	**0.4**	**0.2**
C57.0		-	-	-	-	-	-	0.4	-	-	0.4	-	1.1	0.4	0.9	0.4	-	-	-	0.2	0.1
C57.3		-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	1.4	0.6	-	-	0.1	0.1
C57.8		-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	0.6	-	-	0.1	0.0
C57.9		-	-	-	-	-	-	-	-	-	-	-	-	0.4	0.4	-	-	-	-	0.1	0.0
C58	**PLACENTA**	**-**	**-**	**-**	**0.4**	**-**	**-**	**0.7**	**0.4**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.1**	**0.1**
C64	**KIDNEY**	**-**	**-**	**0.5**	**-**	**-**	**1.0**	**-**	**0.8**	**3.0**	**2.5**	**5.8**	**5.6**	**14.0**	**15.7**	**13.9**	**9.1**	**3.7**	**9.8**	**4.4**	**2.5**
C65	**RENAL PELVIS**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.4**	**0.9**	**0.9**	**1.7**	**0.9**	**-**	**0.2**	**0.1**
C66	**URETER**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.3**	**-**	**-**	**0.4**	**-**	**-**	**-**	**-**	**0.1**	**0.0**
C67	**BLADDER**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**0.8**	**3.0**	**2.9**	**6.5**	**8.1**	**13.6**	**15.2**	**15.7**	**29.0**	**32.7**	**24.4**	**6.5**	**3.0**
C67.0		-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	1.7	0.9	-	0.1	0.0
C67.1		-	-	-	-	-	-	-	-	-	0.4	-	-	-	0.4	0.4	-	-	-	0.1	0.0
C67.2		-	-	-	-	-	-	-	-	1.1	0.7	1.4	3.5	4.2	3.9	4.0	7.4	5.6	17.1	1.8	0.9

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 - FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		WORLD STAND. RATE
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C67.3		-	-	-	-	-	-	-	0.4	-	-	-	-	0.4	0.9	0.4	1.1	1.9	2.4	0.2	0.1
C67.4		-	-	-	-	-	0.4	-	-	0.4	-	-	0.4	3.4	-	1.8	3.4	3.7	2.4	0.6	0.3
C67.5		-	-	-	-	-	-	-	-	0.4	0.4	-	0.4	0.8	1.3	0.9	2.3	0.9	-	0.4	0.2
C67.6		-	-	-	-	-	-	-	-	-	0.7	1.0	1.4	0.4	3.0	0.9	1.7	0.9	-	0.6	0.3
C67.8		-	-	-	-	-	-	-	-	-	0.4	0.7	1.1	0.4	0.9	2.7	2.3	3.7	-	0.6	0.2
C67.9		-	-	-	-	-	-	-	0.4	1.1	0.4	3.4	1.4	3.8	4.4	4.5	9.1	15.0	2.4	2.0	0.9
C68	**OTHER AND UNSPECIFIED URINARY ORGANS**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**0.4**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**0.1**	**0.1**
C68.8		-	-	-	-	-	0.4	-	-	0.4	-	-	-	-	-	0.4	-	-	-	0.1	0.1
C69	**EYE AND ADNEXA**	**0.6**	**0.6**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.4**	**0.4**	**0.3**	**1.8**	**1.3**	**-**	**1.8**	**-**	**1.9**	**-**	**0.5**	**0.4**
C69.0		-	0.6	-	-	-	-	-	-	0.4	0.4	-	-	-	-	0.4	-	0.9	-	0.1	0.1
C69.2		0.6	-	-	-	-	-	-	-	-	-	0.3	0.4	-	-	-	-	-	-	0.1	0.1
C69.3		-	-	-	-	-	-	-	-	-	-	-	0.4	0.4	-	-	-	-	-	0.1	0.0
C69.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	0.9	-	0.1	0.0
C69.5		-	-	-	-	-	-	-	0.4	-	-	-	-	0.4	-	-	-	-	-	0.1	0.0
C69.6		-	-	-	-	-	-	-	-	-	-	-	0.7	0.4	-	-	-	-	-	0.1	0.1
C69.8		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	0.0	0.0
C69.9		-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	0.4	-	-	-	0.1	0.0
C70	**MENINGES**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.4**	**0.7**	**-**	**1.4**	**0.8**	**2.2**	**0.4**	**-**	**-**	**-**	**0.4**	**0.2**
C70.0		-	-	-	-	-	-	-	0.4	0.4	0.7	-	1.1	0.4	1.7	0.4	-	-	-	0.3	0.2
C70.1		-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.0	0.0
C70.9		-	-	-	-	-	-	-	-	-	-	-	0.4	0.4	-	-	-	-	-	0.1	0.0
C71	**BRAIN**	**3.7**	**3.8**	**3.8**	**1.6**	**0.4**	**2.8**	**2.2**	**2.3**	**2.6**	**7.9**	**4.8**	**11.6**	**12.3**	**13.5**	**15.7**	**14.2**	**13.1**	**2.4**	**6.4**	**4.6**
C71.0		-	-	0.5	-	-	-	-	-	-	-	0.7	-	-	0.9	0.4	-	0.9	-	0.2	0.1
C71.1		1.2	0.6	0.5	-	-	0.4	-	0.8	0.4	1.4	0.7	2.5	2.5	0.9	2.7	0.6	0.9	-	0.9	0.8
C71.2		-	-	-	-	-	-	0.7	-	-	1.1	0.7	1.8	3.4	4.8	0.9	1.7	0.9	-	0.9	0.5
C71.3		-	0.6	-	0.4	-	0.7	0.4	0.4	-	1.4	1.0	1.1	1.3	1.3	0.4	1.7	2.8	-	0.7	0.5
C71.4		-	-	-	-	-	-	-	-	-	-	0.3	0.7	-	-	0.4	-	-	-	0.1	0.1
C71.5		-	0.6	-	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1
C71.6		-	1.3	1.0	0.4	-	0.4	0.7	-	-	-	0.3	0.4	0.8	-	-	-	-	-	0.3	0.4
C71.7		-	-	-	0.4	-	-	0.4	-	-	0.4	-	-	-	-	-	-	-	-	0.1	0.1
C71.8		-	-	-	-	-	-	-	0.4	0.4	0.7	0.3	1.1	-	1.7	2.2	1.7	1.9	-	0.6	0.3
C71.9		2.5	0.6	1.9	0.4	0.4	1.0	-	0.8	1.9	2.9	0.7	4.2	4.2	3.9	8.5	8.5	5.6	2.4	2.6	1.8
C72	**SPINAL CORD, CRANIAL NERVES, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM**	**0.6**	**0.6**	**-**	**-**	**0.4**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**-**	**-**	**-**	**0.1**	**0.2**
C72.0		-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0
C72.1		-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.0	0.0
C72.3		-	0.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.1
C72.9		0.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.1
C73	**THYROID GLAND**	**-**	**-**	**-**	**0.4**	**3.0**	**2.4**	**4.4**	**4.3**	**6.7**	**5.4**	**6.9**	**5.3**	**5.9**	**6.1**	**4.0**	**6.3**	**5.6**	**4.9**	**4.1**	**2.9**

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 - FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		WORLD STAND. RATE
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C74	**ADRENAL GLAND**	**-**	**0.6**	**-**	**-**	**-**	**-**	**0.4**	**-**	**0.4**	**0.4**	**0.7**	**-**	**0.4**	**1.3**	**0.9**	**-**	**-**	**-**	**0.3**	**0.2**
C74.0		-	-	-	-	-	-	-	-	-	0.4	0.7	-	0.4	0.4	-	-	-	-	0.1	0.1
C74.1		-	0.6	-	-	-	-	-	-	-	-	-	-	-	0.4	0.4	-	-	-	0.1	0.1
C74.9		-	-	-	-	-	-	0.4	-	0.4	-	-	-	-	0.4	0.4	-	-	-	0.1	0.1
C75	**OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.4**	**0.4**	**-**	**0.4**	**-**	**-**	**-**	**-**	**-**	**-**	**0.1**	**0.1**
C75.0		-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.0	0.0
C75.1		-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	-	0.0	0.0
C75.3		-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	0.0	0.0
C75.9		-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	0.0	0.0
C76	**OTHER AND ILL-DEFINED SITES**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.8**	**0.4**	**0.3**	**0.4**	**0.4**	**0.9**	**1.4**	**2.3**	**0.9**	**4.9**	**0.4**	**0.2**
C76.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	2.4	0.1	0.0
C76.1		-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	0.0	0.0
C76.2		-	-	-	-	-	-	-	-	0.8	0.4	0.3	0.4	-	0.9	0.9	1.7	0.9	-	0.3	0.2
C76.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.4	0.0	0.0
C76.7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	0.0	0.0
C80	**MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE**	**0.6**	**-**	**-**	**0.4**	**-**	**1.0**	**1.1**	**1.6**	**3.0**	**5.7**	**6.2**	**18.7**	**20.8**	**27.9**	**39.5**	**51.2**	**64.5**	**48.8**	**12.2**	**5.5**
C81	**HODGKIN'S DISEASE**	**-**	**-**	**0.5**	**1.2**	**1.9**	**3.5**	**3.3**	**1.6**	**1.1**	**1.8**	**1.4**	**1.1**	**1.7**	**1.3**	**0.4**	**2.3**	**-**	**2.4**	**1.5**	**1.3**
C81.0		-	-	-	-	-	-	-	-	0.4	-	0.3	-	0.4	0.9	-	-	-	-	0.1	0.1
C81.1		-	-	-	0.4	1.5	1.0	2.2	1.2	0.8	-	0.7	0.7	-	-	-	1.1	-	-	0.6	0.6
C81.2		-	-	-	0.4	0.4	1.4	0.4	0.4	-	1.1	0.3	0.4	1.3	0.4	0.4	0.6	-	-	0.5	0.4
C81.3		-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.0	0.0
C81.7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	0.0	0.0
C81.9		-	-	0.5	0.4	-	1.0	0.7	-	-	0.4	-	-	-	-	-	-	-	2.4	0.2	0.2
C82	**FOLLICULAR NON-HODGKIN'S LYMPHOMA**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.4**	**1.3**	**0.4**	**0.6**	**2.8**	**-**	**0.2**	**0.1**
C82.2		-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	0.6	0.9	-	0.1	0.0
C82.9		-	-	-	-	-	-	-	-	-	-	-	-	0.4	1.3	0.4	-	1.9	-	0.2	0.1
C83	**DIFFUSE NON-HODGKIN'S LYMPHOMA**	**-**	**-**	**-**	**-**	**0.4**	**1.0**	**0.4**	**0.8**	**0.8**	**1.1**	**1.0**	**2.8**	**4.2**	**3.9**	**5.4**	**3.4**	**2.8**	**2.4**	**1.6**	**0.9**
C83.0		-	-	-	-	-	0.4	-	-	-	-	-	-	0.8	-	0.4	-	-	-	0.1	0.1
C83.1		-	-	-	-	-	-	-	-	-	-	-	-	0.8	-	-	0.6	-	-	0.1	0.0
C83.2		-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.0	0.0
C83.3		-	-	-	-	-	-	-	0.4	-	0.4	-	0.4	0.4	-	0.9	-	0.9	-	0.2	0.1
C83.4		-	-	-	-	-	0.4	0.4	0.4	0.4	-	-	1.1	1.7	0.9	0.9	1.1	0.9	-	0.4	0.3
C83.5		-	-	-	-	-	-	-	-	-	0.4	-	-	-	0.4	0.4	0.6	-	-	0.1	0.1
C83.8		-	-	-	-	0.4	0.4	-	-	0.4	-	1.0	1.4	0.4	2.6	2.7	1.1	0.9	-	0.6	0.4
C83.9		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.4	0.0	0.0

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 - FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		WORLD STAND. RATE
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C84	**PERIPHERAL AND CUTANEOUS T-CELL LYMPHOMAS**	**-**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**-**	**0.3**	**0.4**	**0.4**	**0.9**	**0.4**	**0.6**	**-**	**2.4**	**0.2**	**0.1**
C84.0		-	-	-	-	-	-	-	-	-	-	-	0.4	-	0.9	0.4	-	-	2.4	0.1	0.1
C84.3		-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	0.0	0.0
C84.4		-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	0.6	-	-	0.1	0.0
C84.5		-	-	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	-	0.0	0.0
C85	**OTHER AND UNSPECIFIED TYPES OF NON-HODGKIN'S LYMPHOMA**	**0.6**	**-**	**-**	**-**	**0.4**	**0.4**	**1.5**	**2.7**	**0.8**	**1.8**	**2.4**	**4.2**	**3.8**	**7.0**	**5.8**	**10.2**	**10.3**	**7.3**	**2.8**	**1.5**
C85.0		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	0.0	0.0
C85.7		-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.0	0.0
C85.9		0.6	-	-	-	0.4	0.4	1.5	2.7	0.8	1.4	2.4	4.2	3.8	7.0	5.4	10.2	10.3	7.3	2.7	1.5
C88	**MALIGNANT IMMUNOPROLIFERATIVE DISEASES**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.7**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.1**	**0.0**
C88.9		-	-	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	0.1	0.0
C90	**MULTIPLE MYELOMA AND MALIGNANT PLASMA CELL NEOPLASMS**	**-**	**-**	**-**	**-**	**-**	**-**	**0.4**	**0.4**	**0.8**	**3.6**	**3.4**	**4.2**	**5.5**	**8.7**	**7.6**	**5.1**	**5.6**	**-**	**2.5**	**1.4**
C90.0		-	-	-	-	-	-	-	-	0.4	3.2	2.8	3.2	3.4	5.7	5.8	5.1	4.7	-	1.9	1.0
C90.1		-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.0	0.0
C90.2		-	-	-	-	-	-	0.4	0.4	0.4	-	0.7	1.1	2.1	3.0	1.8	-	0.9	-	0.6	0.4
C91	**LYMPHOID LEUKAEMIA**	**3.7**	**1.9**	**1.9**	**-**	**0.4**	**0.4**	**0.4**	**0.4**	**0.8**	**1.1**	**1.4**	**3.9**	**3.4**	**5.2**	**10.3**	**8.0**	**10.3**	**-**	**2.6**	**1.9**
C91.0		3.7	1.9	1.9	-	0.4	-	-	-	0.4	-	0.3	0.7	0.4	0.4	1.8	-	0.9	-	0.6	1.0
C91.1		-	-	-	-	-	-	-	0.4	0.4	0.7	1.0	3.2	2.5	4.4	8.1	8.0	7.5	-	1.8	0.8
C91.3		-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	0.0	0.0
C91.4		-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.0	0.0
C91.5		-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	0.0	0.0
C91.9		-	-	-	-	-	0.4	-	-	-	-	-	-	-	0.4	0.4	-	1.9	-	0.1	0.1
C92	**MYELOID LEUKAEMIA**	**-**	**-**	**-**	**0.4**	**0.8**	**0.7**	**0.7**	**1.2**	**3.4**	**1.4**	**3.1**	**3.2**	**3.8**	**5.7**	**6.7**	**9.1**	**3.7**	**-**	**2.4**	**1.4**
C92.0		-	-	-	0.4	-	0.4	0.4	0.8	1.1	-	1.4	1.8	1.7	2.6	2.2	4.0	0.9	-	1.0	0.6
C92.1		-	-	-	-	0.8	0.4	0.4	0.4	1.9	1.1	1.7	1.4	1.3	1.7	4.0	4.0	0.9	-	1.2	0.7
C92.3		-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.0	0.0
C92.4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	0.0	0.0
C92.9		-	-	-	-	-	-	-	-	0.4	0.4	-	-	0.8	0.9	-	1.1	1.9	-	0.2	0.1
C93	**MONOCYTIC LEUKAEMIA**	**-**	**-**	**-**	**-**	**0.4**	**-**	**-**	**-**	**-**	**0.7**	**-**	**0.4**	**0.8**	**-**	**0.9**	**0.6**	**-**	**-**	**0.2**	**0.1**
C93.0		-	-	-	-	0.4	-	-	-	-	0.7	-	0.4	0.8	-	0.9	-	-	-	0.2	0.1
C93.1		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	0.0	0.0
C94	**OTHER LEUKAEMIAS OF SPECIFIED CELL TYPE**	**-**	**-**	**-**	**-**	**-**	**-**	**0.7**	**0.4**	**0.8**	**0.4**	**2.1**	**1.4**	**2.1**	**3.5**	**0.4**	**4.6**	**-**	**-**	**1.0**	**0.5**
C94.1		-	-	-	-	-	-	-	-	-	-	1.0	0.7	1.3	3.0	0.4	2.3	-	-	0.5	0.2
C94.2		-	-	-	-	-	-	0.7	0.4	0.8	0.4	1.0	0.7	0.4	0.4	-	2.3	-	-	0.4	0.3

CANCER INCIDENCE RATES PER 100 000 BY PRIMARY SITES AND AGE AT DIAGNOSIS IN BULGARIA 2004 - FEMALES

CODE ICD-10	SITE	AGE AT DIAGNOSIS																		WORLD STAND. RATE
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	ALL AGES	
C94.7		-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	0.0	0.0
C95	**LEUKAEMIA, UNSPECIFIED CELL TYPE**	**0.6**	**-**	**0.5**	**-**	**-**	**-**	**0.4**	**0.4**	**0.4**	**0.4**	**0.7**	**1.4**	**0.8**	**2.2**	**2.7**	**1.7**	**0.9**	**4.9**	**0.8**	**0.5**
C95.0		0.6	-	0.5	-	-	-	-	0.4	-	0.4	0.7	1.1	0.8	0.4	1.8	1.1	-	-	0.4	0.3
C95.1		-	-	-	-	-	-	-	-	-	-	-	0.4	-	0.4	0.4	0.6	-	-	0.1	0.0
C95.9		-	-	-	-	-	-	0.4	-	0.4	-	-	-	-	1.3	0.4	-	0.9	4.9	0.2	0.1
C96	**OTHER AND UNSPECIFIED NEOPLASMS OF LYMPHOID, BLOOD FORMING AND RELATED TISSUES**	**0.6**	**-**	**0.5**	**-**	**-**	**0.4**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**-**	**0.1**	**0.1**
C96.1		0.6	-	0.5	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1
D06	**NOT INCLUDED ABOVE CA IN SITU OF CERVIX UTERI**	**-**	**-**	**-**	**1.2**	**4.5**	**11.9**	**21.5**	**16.3**	**19.5**	**14.0**	**8.6**	**1.4**	**0.8**	**2.2**	**0.4**	**0.6**	**1.9**	**-**	**7.0**	**6.3**

AGE-ADJUSTED (WORLD STANDARD) INCIDENCE RATES PER 100 000 BY PRIMARY CANCER SITES AND YEAR OF DIAGNOSIS IN BULGARIA 1981-2004, MALES

Part 1

CODE ICD-9	SITE	YEAR OF DIAGNOSIS																	CODE ICD-10
		1981	1985	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	
140-208	**ALL SITES**	**184.7**	**177.8**	**186.6**	**187.6**	**188.9**	**189.6**	**199.7**	**197.4**	**208.0**	**197.3**	**239.7**	**234.4**	**235.2**	**233.8**	**239.7**	**243.2**	**254.5**	**C00-97**
140	LIP	7.6	6.3	5.6	4.8	4.7	4.4	4.4	4.1	3.4	3.3	3.7	3.6	3.1	2.5	2.6	2.4	2.5	C00
141	TONGUE	0.5	0.9	1.1	2.0	1.8	1.6	1.6	1.7	1.8	1.9	2.0	1.7	1.8	1.9	1.9	1.9	1.9	C01-02
142	SALIVARY GLANDS	0.7	0.4	0.5	0.8	0.6	0.7	0.6	0.6	0.7	0.6	0.7	0.4	0.5	0.8	0.7	0.8	0.7	C07-08
143	GUM	0.3	0.3	0.2	0.6	0.5	0.5	0.4	0.4	0.4	0.6	0.6	0.4	0.5	0.3	0.4	0.5	0.4	C03
144	MOUTH	0.1	0.3	0.6	0.7	0.4	0.5	0.8	0.6	0.9	0.7	0.9	0.8	0.7	1.0	0.7	0.8	0.9	C04
145	OTHER AND UNSPECIFIED PARTS OF MOUTH	0.2	0.3	0.4	0.5	0.5	0.6	0.5	0.6	0.5	0.6	0.5	0.5	0.8	0.9	0.7	0.5	0.5	C05-06
146	OROPHARYNX	0.5	0.7	0.9	1.2	1.4	1.1	1.3	1.2	1.5	1.5	1.9	1.7	1.8	1.7	1.8	1.4	1.2	C09-10
147	NASOPHARYNX	0.8	0.9	0.7	1.0	0.9	0.9	1.1	0.9	0.9	0.6	0.9	0.9	0.9	0.8	0.8	1.0	0.8	C11
148	HYPOPHARYNX	0.1	0.6	0.6	0.9	1.0	1.0	1.1	0.8	1.2	1.0	1.2	0.8	0.9	1.2	1.2	1.3	1.1	C12-13
149	PHARYNX UNSPECIFIED	0.1	0.1	0.0	0.1	0.1	0.1	-	0.0	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.1	0.1	C14
150	OESOPHAGUS	1.5	1.0	1.7	1.5	2.0	1.7	1.6	1.6	2.2	1.6	2.5	2.5	2.2	2.1	1.8	2.4	2.4	C15
151	STOMACH	23.5	18.9	17.7	17.7	16.2	16.0	16.3	15.1	17.1	15.6	18.4	16.8	17.4	16.2	16.9	16.9	15.5	C16
152	SMALL INTESTINE	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.2	0.4	0.2	0.3	0.4	0.4	0.3	0.4	C17
153	COLON	7.4	8.4	9.9	9.4	9.2	10.7	10.5	10.7	12.0	11.4	14.6	14.4	15.8	16.0	16.7	17.5	17.6	C18
154	RECTUM	9.5	9.8	10.8	10.5	11.7	11.8	12.2	12.5	12.7	12.7	14.7	14.2	15.6	14.3	14.8	14.2	15.4	C19-21
155	LIVER	4.9	3.9	3.8	4.1	3.4	4.5	4.0	4.0	4.7	3.8	6.2	6.9	5.7	5.0	5.5	5.2	5.5	C22
156	GALLBLADDER ETC.	1.1	1.0	0.8	0.9	1.0	0.7	0.9	1.0	1.0	0.9	1.3	1.6	1.3	1.2	1.2	1.2	1.4	C23-24
157	PANCREAS	5.6	5.5	6.2	6.4	6.2	6.6	6.6	6.3	6.6	6.8	9.1	8.4	9.0	8.4	8.0	8.7	9.7	C25
158	PERITONEUM ETC.	0.4	0.2	0.3	0.3	0.5	0.6	0.6	0.5	0.7	0.6	0.9	0.9	0.8	0.9	1.0	0.7	0.8	C45.1, C48
159	OTHER SITES WITHIN THE DIGESTIVE ORGANS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	C26
160	NOSE, SINUSES ETC.	0.4	0.5	0.3	0.3	0.5	0.4	0.5	0.3	0.4	0.5	0.4	0.6	0.4	0.4	0.6	0.6	0.6	C30-31
161	LARYNX	6.4	6.5	7.6	8.4	8.2	8.5	7.3	7.9	7.9	7.3	8.2	8.1	9.0	9.0	10.0	10.5	9.9	C32
162	BRONCHUS, LUNG	39.1	38.8	40.4	41.8	42.1	42.3	44.7	43.2	43.8	41.5	52.8	47.5	50.3	48.3	48.3	51.3	50.2	C33-34
163	PLEURA	0.1	0.0	0.1	0.1	0.1	0.1	0.2	0.1	0.3	0.2	0.1	0.2	0.3	0.3	0.3	0.5	0.4	C38.4, C45.0
164	OTHER TORACIC ORGANS	0.5	0.2	0.2	0.3	0.4	0.5	0.6	0.6	0.4	0.6	0.8	0.5	1.1	0.7	0.7	0.6	0.5	C37, C38.0-3, C38.8, C45.2

AGE-ADJUSTED (WORLD STANDARD) INCIDENCE RATES PER 100 000 BY PRIMARY CANCER SITES AND YEAR OF DIAGNOSIS IN BULGARIA 1981-2004, MALES

CODE ICD-9	SITE	YEAR OF DIAGNOSIS																	CODE ICD-10
		1981	1985	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	
165	OTHER AND ILL-DEFINED SITES WITHIN RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.1	0.0	0.0	0.0	0.0	C39
170	BONE	0.9	1.0	0.7	0.8	0.6	0.8	0.8	1.1	0.9	0.9	0.9	0.8	1.5	1.0	1.3	0.9	1.1	C40-41
171	CONNECTIVE TISSUE	2.3	1.7	1.6	2.1	2.1	1.4	1.6	2.2	1.5	1.6	1.7	2.1	2.0	1.7	1.9	2.2	2.2	C47, C49
172	MELANOMA OF SKIN	1.3	1.6	1.5	1.9	2.3	2.4	2.6	2.1	2.5	2.3	2.6	3.2	2.4	2.5	2.6	2.8	3.5	C43
173	OTHER SKIN	25.8	24.0	24.1	22.3	23.0	19.7	22.4	21.0	22.3	17.7	20.6	22.0	20.3	20.3	21.1	20.3	23.6	C44
175	BREAST	0.2	0.4	0.4	0.4	0.4	0.5	0.6	0.6	0.6	0.6	0.5	0.4	0.5	0.5	0.6	0.6	0.6	C50
185	PROSTATE	9.0	8.9	10.0	10.0	10.3	11.6	12.1	12.3	13.3	14.7	16.7	16.0	16.5	17.1	18.1	18.2	20.5	C61
186	TESTIS	2.4	3.4	2.8	3.0	3.5	3.0	3.4	4.0	3.3	3.5	3.7	4.5	3.5	3.2	3.6	3.8	4.1	C62
187	PENIS ETC.	0.4	0.6	0.6	0.6	0.7	0.4	0.8	0.6	0.5	0.7	0.7	1.0	0.8	0.8	0.8	0.8	0.8	C60, C63
188	BLADDER	7.9	8.7	9.0	8.9	8.6	9.2	9.4	10.6	11.2	9.9	12.2	12.3	12.4	13.2	13.9	13.5	15.3	C67
189	KIDNEY ETC.	2.3	2.3	2.8	3.1	3.1	3.5	4.1	4.0	4.8	3.8	5.5	5.7	6.0	5.8	6.2	5.8	7.0	C64-66, C68
190	EYE	0.3	0.3	0.4	0.5	0.5	0.4	0.5	0.5	0.4	0.4	0.4	0.7	0.3	0.5	0.4	0.4	0.6	C69
191	BRAIN	3.2	3.0	3.3	3.5	3.0	3.5	3.6	4.3	4.2	3.8	5.5	6.0	4.9	6.3	5.5	6.0	6.6	C71
192	OTHER PARTS OF NERVOUS SYSTEM	0.3	0.3	0.1	0.1	0.2	0.1	0.2	0.3	0.1	0.3	0.6	0.3	0.3	0.4	0.5	0.3	0.4	C70, C72
193	THYROID	0.8	0.7	0.7	0.7	0.8	0.5	0.8	0.7	0.8	0.8	0.8	0.8	0.9	0.9	0.9	0.8	0.8	C73
194	OTHER ENDOCRINE GLANDS	0.1	0.1	0.1	0.1	0.0	0.2	0.3	0.2	0.2	0.1	0.3	0.4	0.3	0.4	0.2	0.2	0.5	C74-75
195	OTHER AND ILL-DEFINED SITES	0.3	0.1	0.2	0.2	0.2	0.3	0.3	0.3	0.2	0.4	0.2	0.4	0.2	0.1	0.3	0.2	0.2	C76
199	NEOPLASM WITHOUT SPECIFICATION OF SITE	3.3	4.4	6.1	6.3	7.0	6.6	7.6	7.8	8.5	9.2	9.7	9.6	9.6	10.6	10.7	11.2	11.4	C80
200+202	NON-HODGKIN LYMPHOMA	2.5	2.2	1.7	2.7	2.8	2.5	3.1	2.9	3.4	3.1	3.7	4.3	3.6	3.6	4.3	4.0	4.0	C82-85, C96
201	HODGKIN'S DISEASE	1.8	1.6	1.3	1.6	1.6	1.8	1.8	1.8	2.4	2.4	2.8	2.7	2.2	2.3	2.5	2.1	2.6	C81
203	MULTIPLE MYELOMA	0.8	0.5	0.5	0.6	0.6	0.8	0.8	0.9	0.7	0.9	1.2	1.2	1.0	1.1	1.1	1.2	1.4	C88, C90
204	LYMPHOID LEUKAEMIA	1.9	2.0	1.7	2.1	2.3	1.9	1.8	2.1	2.6	2.8	2.9	3.0	2.4	2.8	3.0	3.2	2.8	C91
205	MYELOID LEUKAEMIA	1.2	0.7	0.8	0.6	0.6	0.9	1.2	0.9	1.1	1.4	1.9	1.8	1.7	2.5	2.0	2.2	2.7	C92
206	MONOCYTIC LEUKAEMIA	0.0	-	0.0	0.0	0.1	0.0	0.1	0.0	0.2	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.1	C93
207	OTHER LEUKAEMIA	0.2	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.3	0.4	0.4	0.7	0.6	C94
208	LEUKAEMIA, CELL UNSPECIFIED	1.1	1.2	1.1	0.9	0.9	1.1	1.5	1.0	0.7	1.4	1.0	0.8	0.7	0.6	0.5	0.4	0.4	C95

AGE-ADJUSTED (WORLD STANDARD) INCIDENCE RATES PER 100 000 BY PRIMARY CANCER SITES AND YEAR OF DIAGNOSIS IN BULGARIA 1981 - 2004, FEMALES

Part 1

CODE ICD-9	SITE	YEAR OF DIAGNOSIS																	CODE ICD-10
		1981	1985	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	
140-208	**ALL SITES**	**151.8**	**150.0**	**152.6**	**154.6**	**162.4**	**158.8**	**167.1**	**167.2**	**175.2**	**168.4**	**186.7**	**190.4**	**183.6**	**190.3**	**192.9**	**199.1**	**205.8**	**C00-97**
140	LIP	1.2	1.1	1.1	0.9	0.8	0.9	0.7	0.7	0.7	0.9	0.7	0.8	0.6	0.5	0.4	0.5	0.7	C00
141	TONGUE	0.1	0.2	0.2	0.3	0.1	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.2	0.2	0.4	0.3	0.5	C01-02
142	SALIVARY GLANDS	0.4	0.4	0.5	0.3	0.5	0.6	0.4	0.4	0.2	0.4	0.4	0.2	0.4	0.3	0.4	0.5	0.3	C07-08
143	GUM	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	C03
144	MOUTH	-	0.0	0.0	0.0	0.0	0.0	0.0	-	0.0	0.0	-	0.1	0.1	0.1	0.1	0.1	0.0	C04
145	OTHER AND UNSPECIFIED PARTS OF MOUTH	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.1	0.1	C05-06
146	OROPHARYNX	0.2	0.1	0.1	0.2	0.2	0.1	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.1	0.1	C09-10
147	NASOPHARYNX	0.4	0.4	0.4	0.4	0.8	0.3	0.4	0.2	0.3	0.4	0.4	0.3	0.4	0.2	0.5	0.2	0.4	C11
148	HYPOPHARYNX	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	C12-13
149	PHARYNX UNSPECIFIED	0.1	0.0	-	0.0	0.0	-	-	0.0	0.0	-	0.0	0.1	0.0	0.1	0.1	0.0	0.0	C14
150	OESOPHAGUS	0.2	0.4	0.3	0.3	0.2	0.3	0.3	0.2	0.3	0.3	0.4	0.5	0.4	0.4	0.6	0.4	0.5	C15
151	STOMACH	13.2	10.3	9.0	8.4	8.1	8.2	7.9	7.5	7.9	7.2	8.8	8.3	8.4	7.2	8.3	7.2	7.6	C16
152	SMALL INTESTINE	0.1	0.1	0.0	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.3	0.1	0.2	0.2	C17
153	COLON	7.3	7.1	7.7	7.9	8.0	8.4	8.3	8.3	9.4	9.0	10.5	10.0	11.2	11.6	12.0	12.5	12.3	C18
154	RECTUM	6.6	6.6	6.3	7.2	7.5	7.0	8.1	7.6	8.4	7.6	8.2	8.8	8.2	8.4	7.9	8.4	8.7	C19-21
155	LIVER	2.8	1.7	2.0	2.0	1.6	1.8	2.1	2.3	2.1	2.2	2.8	3.1	2.8	2.0	2.1	2.2	2.1	C22
156	GALLBLADDER ETC.	2.3	2.2	1.7	1.8	1.5	1.5	1.5	1.2	1.6	1.5	1.9	1.9	2.0	1.6	1.8	2.0	1.6	C23-24
157	PANCREAS	2.9	2.8	3.0	3.4	3.0	3.5	3.2	3.3	3.3	3.4	4.4	4.0	4.8	4.2	4.0	4.9	5.1	C25
158	PERITONEUM ETC.	0.6	0.4	0.5	0.4	0.5	0.4	0.4	0.6	0.6	0.7	0.7	0.7	0.6	0.7	0.6	0.7	0.7	C48, C45.1
159	OTHER SITES WITHIN THE DIGESTIVE ORGANS	-	0.0	-	-	0.0	0.0	0.0	0.0	0.0	-	0.1	0.1	0.0	0.0	0.1	0.1	0.1	C26
160	NOSE, SINUSES ETC.	0.3	0.1	0.2	0.1	0.2	0.2	0.1	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	C30-31
161	LARYNX	0.3	0.3	0.2	0.3	0.2	0.5	0.2	0.3	0.3	0.2	0.3	0.4	0.5	0.4	0.5	0.4	0.4	C32
162	BRONCHUS, LUNG	4.4	5.4	4.3	5.8	5.2	5.6	5.3	5.5	5.9	5.2	7.3	7.2	6.8	6.7	7.0	7.4	7.5	C33-34
163	PLEURA	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.2	0.2	0.1	0.2	0.1	0.3	0.2	0.3	0.2	0.1	C38.4, C45.0
164	OTHER TORACIC ORGANS	0.3	0.1	0.1	0.1	0.2	0.1	0.2	0.3	0.3	0.1	0.3	0.3	0.3	0.2	0.3	0.3	0.3	C37, C38.0-3, C38.8, C45.2
165	OTHER SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS	-	-	-	-	-	-	-	-	-	-	0.0	0.1	0.0	0.0	0.0	-	0.0	C39
170	BONE	0.6	0.4	0.5	0.5	0.6	0.8	0.6	0.7	0.7	0.5	0.9	0.8	1.0	0.7	0.8	0.8	0.6	C40-41

AGE-ADJUSTED (WORLD STANDARD) INCIDENCE RATES PER 100 000 BY PRIMARY CANCER SITES AND YEAR OF DIAGNOSIS IN BULGARIA 1981 - 2004, FEMALES

CODE ICD-9	SITE	YEAR OF DIAGNOSIS																	CODE ICD-10
		1981	1985	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	
171	CONNECTIVE TISSUE	3.0	1.0	1.1	1.2	1.8	1.2	1.3	1.6	1.3	1.2	1.0	1.2	1.2	1.2	1.3	1.5	1.3	C47, C49
172	MELANOMA OF SKIN	1.7	1.5	1.5	2.0	2.4	2.2	2.1	1.9	2.3	2.4	2.5	2.7	1.8	2.3	2.2	2.1	2.8	C43
173	OTHER SKIN	20.1	19.5	18.9	16.3	17.1	15.3	16.2	15.6	15.8	12.9	14.1	16.2	13.4	15.0	13.5	14.7	17.0	C44
174	BREAST	32.1	35.8	37.6	38.6	43.3	40.8	45.0	45.1	45.9	46.5	46.1	46.5	45.3	49.8	49.6	51.8	51.9	C50
179	UTERUS UNSPECIFIED	0.0	0.1	0.2	0.4	0.5	0.5	0.6	0.4	0.5	0.4	0.7	0.8	0.8	0.6	0.7	0.7	0.7	C55
180	CERVIX UTERI	10.3	10.1	12.3	14.0	14.3	14.0	14.8	14.8	16.7	15.6	17.0	17.3	17.1	18.8	19.4	19.3	19.5	C53
181	PLACENTA	0.2	0.1	0.1	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.0	0.0	0.0	0.1	0.1	0.1	C58
182	CORPUS UTERI	9.4	11.4	12.1	12.7	12.7	13.5	14.7	14.8	15.1	13.5	14.8	15.6	15.2	14.7	15.4	15.9	17.0	C54
183	OVARY ETC.	8.7	8.4	9.7	9.4	9.9	10.6	11.1	10.6	11.5	10.3	11.6	11.2	10.7	11.4	12.3	12.0	13.3	C56, C57.0-4
184	OTHER FEMALE GENITAL	1.0	1.4	1.5	1.3	1.6	1.2	1.4	1.3	1.4	1.5	1.8	1.6	1.6	1.5	1.6	1.5	1.9	C51, C52, C57.7-9
188	BLADDER	1.5	1.7	1.5	1.5	1.8	1.8	1.6	1.9	2.1	1.9	2.0	2.3	2.3	2.6	2.4	2.8	3.0	C67
189	KIDNEY ETC.	1.3	1.5	1.8	1.6	1.6	1.8	2.1	2.3	2.2	2.5	2.6	2.6	2.5	2.6	2.6	2.9	2.7	C64-66, C68
190	EYE	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.2	0.4	0.3	0.5	0.3	0.5	0.4	0.3	0.4	C69
191	BRAIN	2.6	2.4	2.4	2.5	2.7	2.5	2.2	3.1	2.5	2.2	4.4	4.0	3.6	3.6	4.0	4.0	4.6	C71
192	OTHER PARTS OF NERVOUS SYSTEM	0.2	0.1	0.1	0.2	0.2	0.3	0.1	0.3	0.2	0.1	0.3	0.4	0.3	0.5	0.4	0.4	0.4	C70, C72
193	THYROID	3.0	2.4	1.6	1.9	2.1	2.0	1.9	2.1	2.5	2.7	2.5	2.5	2.7	2.7	3.0	3.5	2.9	C73
194	OTHER ENDOCRINE GLANDS	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.1	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	C74-75
195	OTHER AND ILL-DEFINED SITES	0.4	0.3	0.2	0.4	0.2	0.2	0.4	0.2	0.4	0.5	0.3	0.2	0.2	0.3	0.3	0.2	0.2	C76
199	NEOPLASM WITHOUT SPECIFICATION OF SITE	2.5	2.9	3.1	3.6	3.9	4.1	4.4	3.8	4.5	4.9	5.1	5.0	4.9	5.5	5.3	5.3	5.5	C80
200+202	N0N-HODGKIN LYMPHOMA	1.5	1.6	1.9	1.3	1.5	1.0	1.7	1.7	1.8	1.7	2.1	2.4	2.8	2.9	3.0	2.9	2.8	C82-85, C96
201	HODGKIN'S DISEASE	1.0	1.0	1.0	1.2	1.2	1.4	1.1	1.0	1.1	2.0	1.8	2.0	1.4	1.3	1.6	1.7	1.3	C81
203	MULTIPLE MYELOMA	0.6	0.4	0.5	0.6	0.5	0.5	0.7	0.7	0.4	0.7	0.9	1.0	0.8	0.9	1.1	1.0	1.4	C88, C90
204	LYMPHOID LEUKAEMIA	1.4	0.9	0.9	1.1	1.5	1.2	1.0	1.4	1.6	1.7	2.2	2.5	2.0	1.7	1.4	2.4	1.9	C91
205	MYELOID LEUKAEMIA	1.0	0.5	0.4	0.7	0.5	0.8	0.8	0.8	0.8	1.0	1.4	1.6	1.5	1.8	1.4	1.4	1.4	C92
206	MONOCYTIC LEUKAEMIA	0.0	-	0.0	-	-	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.2	0.1	0.1	C93
207	OTHER LEUKAEMIA	0.1	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.1	0.3	0.1	0.3	0.3	0.3	0.5	C94
208	LEUKAEMIA, CELL UNSPECIFIED	0.9	0.9	0.9	0.8	0.8	0.6	0.8	0.8	0.5	0.8	0.9	0.8	0.6	0.4	0.4	0.4	0.5	C95

PERCENTAGE DISTRIBUTION OF MORPHOLOGICALLY VERIFIED CANCER CASES BY PRIMARY SITES, SEX AND AGE AT DIAGNOSIS IN BULGARIA 2004

CODE ICD-10	SITE	SEX	AGE AT DIAGNOSIS								
			0-14	15-24	25-34	35-44	45-54	55-64	65-74	75+	ALL AGES
C00-97	ALL SITES	M	91.55	94.95	90.95	82.90	78.12	74.79	69.78	61.77	71.25
		F	83.08	94.94	96.43	94.00	91.49	87.74	80.03	63.57	81.35
C00	LIP	M	-	-	-	100.00	100.00	100.00	100.00	100.00	100.00
		F	-	100.00	-	-	83.33	100.00	100.00	87.50	93.33
C01	BASE OF TONGUE	M	-	-	100.00	100.00	100.00	91.67	100.00	100.00	96.97
		F	100.00	-	100.00	100.00	100.00	100.00	-	100.00	100.00
C02	OTHER AND UNSPECIFIED PARTS OF TONGUE	M	-	-	100.00	100.00	87.50	96.43	92.86	100.00	93.06
		F	-	-	-	-	100.00	100.00	83.33	100.00	95.00
C03	GUM	M	-	-	-	-	100.00	100.00	100.00	100.00	100.00
		F	-	-	-	-	100.00	-	100.00	-	100.00
C04	FLOOR OF MOUTH	M	-	-	-	100.00	100.00	94.12	100.00	80.00	95.83
		F	-	-	-	-	100.00	100.00	100.00	-	100.00
C05	PALATE	M	-	-	-	100.00	100.00	87.50	-	-	93.75
C06	OTHER AND UNSPECIFIED PARTS OF MOUTH	M	-	-	-	50.00	75.00	66.67	50.00	-	58.33
		F	-	-	100.00	-	100.00	-	-	100.00	60.00
C07	PAROTID GLAND	M	-	-	-	-	100.00	100.00	88.89	85.71	94.44
		F	-	-	100.00	100.00	-	75.00	100.00	100.00	95.00
C08	OTHER AND UNSPECIFIED MAJOR SALIVARY GLANDS	M	-	-	-	100.00	100.00	100.00	100.00	100.00	100.00
		F	-	-	-	100.00	100.00	100.00	50.00	-	71.43
C09	TONSIL	M	-	-	-	100.00	100.00	90.91	100.00	-	96.43
		F	-	-	-	-	100.00	100.00	100.00	100.00	91.67
C10	OROPHARYNX	M	-	-	-	100.00	100.00	66.67	100.00	-	86.67
C11	NASOPHARYNX	M	100.00	100.00	-	100.00	93.33	83.33	100.00	66.67	88.10
		F	-	-	100.00	100.00	100.00	66.67	100.00	50.00	91.30
C12	PYRIFORM SINUS	M	-	-	-	100.00	100.00	100.00	100.00	-	100.00
		F	-	-	-	-	-	100.00	-	-	100.00
C13	HYPOPHARYNX	M	-	-	-	100.00	73.33	80.00	72.73	100.00	77.55
		F	-	-	-	-	100.00	66.67	100.00	-	88.89
C14	OTHER AND ILL-DEFINED SITES IN LIP, ORAL CAVITY AND PHARYNX	M	-	-	-	-	100.00	100.00	-	-	87.50
		F	-	-	-	-	-	-	-	100.00	100.00
C15	OESOPHAGUS	M	-	-	100.00	100.00	56.25	56.36	44.74	36.84	51.70
		F	-	-	100.00	33.33	50.00	66.67	38.46	26.67	40.48
C16	STOMACH	M	-	-	80.00	72.41	76.07	70.36	59.74	39.11	59.14
		F	-	100.00	84.62	84.00	75.00	67.52	57.53	37.82	54.10
C17	SMALL INTESTINE	M	-	-	-	100.00	100.00	100.00	28.57	-	73.68
		F	-	-	100.00	100.00	66.67	100.00	83.33	50.00	81.25
C18	COLON	M	-	100.00	100.00	95.24	90.83	83.27	77.87	68.60	78.15
		F	100.00	-	100.00	94.12	92.86	89.50	81.68	60.59	78.87
C19	RECTOSIGMOID JUNCTION	M	-	-	-	-	100.00	81.48	85.29	70.00	82.98
		F	-	-	100.00	100.00	91.67	86.67	100.00	58.82	86.30
C20	RECTUM	M	-	100.00	90.00	100.00	92.63	89.25	82.51	60.28	80.40
		F	-	-	50.00	84.62	94.52	89.61	84.90	57.40	79.34
C21	ANUS AND ANAL CANAL	M	-	-	100.00	100.00	75.00	93.75	100.00	100.00	94.59
		F	-	-	-	100.00	100.00	88.89	100.00	100.00	97.30
C22	LIVER AND INTRAHEPATIC BILE DUCTS	M	50.00	100.00	-	17.65	37.21	27.71	26.09	10.20	23.27
		F	100.00	-	-	50.00	30.77	29.63	27.27	8.00	20.86
C23	GALLBLADDER	M	-	-	-	-	50.00	57.14	50.00	41.67	48.89
		F	-	-	-	-	100.00	79.17	76.92	40.48	65.49
C24	OTHER AND UNSPECIFIED PARTS OF BILIARY TRACT	M	-	-	-	-	40.00	58.33	63.16	30.77	51.02
		F	-	-	-	100.00	-	57.14	41.18	20.00	38.89
C25	PANCREAS	M	-	-	66.67	54.55	43.48	45.58	34.40	14.97	34.05
		F	-	100.00	75.00	33.33	50.00	35.05	29.81	19.25	29.25
C26	OTHER AND ILL-DEFINED DIGESTIVE ORGANS	M	-	-	-	-	-	50.00	-	-	14.29
		F	-	100.00	-	-	-	-	25.00	12.50	21.43
C30	NASAL CAVITY AND MIDDLE EAR	M	-	-	-	-	100.00	100.00	100.00	-	100.00
		F	-	100.00	-	-	-	100.00	100.00	-	100.00

PERCENTAGE DISTRIBUTION OF MORPHOLOGICALLY VERIFIED CANCER CASES BY PRIMARY SITES, SEX AND AGE AT DIAGNOSIS IN BULGARIA 2004

CODE ICD-10	SITE	SEX	AGE AT DIAGNOSIS								
			0-14	15-24	25-34	35-44	45-54	55-64	65-74	75+	ALL AGES
C31	ACCESSORY SINUSES	M	-	-	-	50.00	100.00	85.71	100.00	25.00	78.57
		F	-	-	-	-	-	100.00	100.00	-	71.43
C32	LARYNX	M	-	100.00	100.00	81.82	91.98	93.40	86.62	62.50	89.22
		F	-	-	100.00	100.00	75.00	87.50	60.00	28.57	67.86
C33	TRACHEA	M	-	-	-	-	33.33	100.00	100.00	100.00	71.43
		F	-	-	-	100.00	-	-	100.00	-	100.00
C34	BRONCHUS AND LUNG	M	-	-	55.56	73.68	67.31	61.23	46.78	27.36	53.07
		F	-	-	100.00	60.87	67.71	68.09	50.86	24.20	51.18
C37	THYMUS	M	-	-	100.00	-	-	100.00	80.00	-	88.89
		F	-	100.00	-	100.00	-	-	-	-	66.67
C38	HEART, MEDIASTINUM, AND PLEURA	M	-	100.00	-	-	-	40.00	57.14	-	34.62
		F	100.00	-	-	-	33.33	100.00	50.00	-	40.00
C40	BONES, JOINTS AND ARTICULAR CARTILAGE OF LIMBS	M	-	100.00	100.00	-	100.00	71.43	75.00	100.00	84.62
		F	100.00	100.00	-	100.00	-	100.00	100.00	100.00	100.00
C41	BONES, JOINTS AND ARTICULAR CARTILAGE OF OTHER AND UNSPECIFIED SITES	M	-	100.00	100.00	66.67	50.00	62.50	20.00	-	54.84
		F	100.00	100.00	-	100.00	100.00	33.33	60.00	-	60.00
C43	MELANOMA OF SKIN	M	-	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
		F	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
C44	OTHER SKIN	M	-	100.00	100.00	100.00	100.00	100.00	99.52	99.21	99.53
		F	-	100.00	100.00	100.00	100.00	99.60	99.38	98.78	99.24
C45	MESOTHELIOMA	M	-	-	100.00	-	100.00	100.00	100.00	100.00	100.00
		F	-	-	-	100.00	100.00	100.00	100.00	100.00	100.00
C46	KAPOSI'S SARCOMA	M	-	-	-	-	-	100.00	100.00	100.00	100.00
		F	-	-	-	-	-	-	100.00	-	100.00
C47	PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM	M	100.00	-	100.00	-	-	-	-	-	100.00
		F	100.00	-	100.00	-	100.00	-	-	-	100.00
C48	RETROPERITONEUM AND PERITONEUM	M	-	100.00	-	50.00	33.33	80.00	58.33	-	47.62
		F	100.00	-	-	100.00	83.33	66.67	52.94	28.57	61.70
C49	CONNECTIVE AND OTHER SOFT TISSUES	M	100.00	83.33	100.00	100.00	95.00	91.30	92.86	100.00	95.41
		F	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
C50	BREAST	M	-	-	-	100.00	75.00	90.00	81.82	87.50	86.11
		F	-	100.00	98.25	97.53	94.72	95.08	92.09	75.09	91.54
C51	VULVA	F	-	-	100.00	100.00	100.00	100.00	94.12	90.48	94.53
C52	VAGINA	F	-	-	-	100.00	100.00	100.00	100.00	92.31	97.06
C53	CERVIX UTERI	F	-	100.00	100.00	99.22	97.04	96.65	95.89	81.01	96.44
C54	CORPUS UTERI	F	-	100.00	100.00	100.00	98.71	98.89	97.01	85.48	96.99
C55	UTERUS, NOS	F	-	-	100.00	-	72.73	37.50	21.05	5.88	29.31
C56	OVARY	F	100.00	100.00	100.00	93.33	91.40	88.50	77.93	60.00	84.11
C57	OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	F	-	-	100.00	-	100.00	83.33	57.14	100.00	72.22
C58	PLACENTA	F	-	100.00	100.00	100.00	-	-	-	-	100.00
C60	PENIS	M	-	-	100.00	100.00	100.00	100.00	90.00	100.00	97.67
C61	PROSTATE GLAND	M	-	-	100.00	100.00	84.62	87.44	85.42	73.54	80.69
C62	TESTIS	M	100.00	96.55	98.31	95.65	93.33	91.67	50.00	100.00	95.24
C63	OTHER AND UNSPECIFIED MALE GENITAL ORGANS	M	-	100.00	-	-	100.00	-	-	100.00	80.00

PERCENTAGE DISTRIBUTION OF MORPHOLOGICALLY VERIFIED CANCER CASES BY PRIMARY SITES, SEX AND AGE AT DIAGNOSIS IN BULGARIA 2004

CODE ICD-10	SITE	SEX	AGE AT DIAGNOSIS								
			0-14	15-24	25-34	35-44	45-54	55-64	65-74	75+	ALL AGES
C64	KIDNEY	M	100.00	100.00	100.00	81.82	85.88	80.00	68.82	42.55	74.20
		F	-	-	66.67	90.00	79.17	89.80	62.69	37.50	70.22
C65	RENAL PELVIS	M	-	-	-	100.00	100.00	100.00	100.00	100.00	100.00
		F	-	-	-	-	-	100.00	100.00	75.00	90.00
C66	URETER	M	-	-	-	100.00	100.00	100.00	100.00	100.00	100.00
		F	-	-	-	-	100.00	-	100.00	-	100.00
C67	BLADDER	M	100.00	100.00	100.00	100.00	91.74	92.28	84.92	79.06	86.73
		F	-	-	100.00	100.00	81.48	94.55	94.29	71.88	84.94
C68	OTHER AND UNSPECIFIED URINARY ORGANS	M	-	-	-	100.00	-	33.33	-	-	25.00
		F	-	-	100.00	100.00	-	-	-	-	66.67
C69	EYE AND ADNEXA	M	100.00	-	-	100.00	100.00	100.00	100.00	80.00	96.55
		F	100.00	-	-	100.00	100.00	87.50	100.00	100.00	95.00
C70	MENINGES	M	-	-	100.00	-	100.00	100.00	80.00	100.00	81.82
		F	-	-	-	100.00	100.00	100.00	83.33	-	93.75
C71	BRAIN	M	84.62	92.31	88.89	71.88	65.57	44.57	41.18	20.59	53.16
		F	55.00	80.00	71.43	53.85	69.44	67.74	46.97	15.00	53.13
C72	SPINAL CORD, CRANIAL NERVES, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM	M	-	-	100.00	-	100.00	50.00	50.00	-	62.50
		F	100.00	100.00	-	-	-	100.00	-	-	100.00
C73	THYROID GLAND	M	-	100.00	100.00	100.00	60.00	90.00	70.00	100.00	85.11
		F	-	100.00	100.00	100.00	100.00	86.21	73.91	36.84	86.50
C74	ADRENAL GLAND	M	100.00	100.00	-	-	50.00	16.67	25.00	-	40.00
		F	100.00	-	100.00	-	100.00	100.00	60.00	-	75.00
C75	OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES	M	-	-	100.00	-	-	-	-	-	12.50
		F	-	-	-	100.00	100.00	-	-	-	75.00
C76	OTHER AND ILL-DEFINED SITES	M	-	-	-	-	-	-	16.67	-	6.67
		F	-	-	-	-	-	-	20.00	28.57	16.67
C80	MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE	M	-	100.00	33.33	45.83	42.34	35.52	19.26	12.32	25.62
		F	-	-	83.33	41.67	41.18	32.35	23.03	15.08	24.44
C81	HODGKIN'S DISEASE	M	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
		F	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
C82	FOLLICULAR NON-HODGKIN'S LYMPHOMA	M	-	-	-	-	-	100.00	100.00	100.00	100.00
		F	-	-	-	-	-	100.00	100.00	100.00	100.00
C83	DIFFUSE NON-HODGKIN'S LYMPHOMA	M	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
		F	-	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
C84	PERIPHERAL AND CUTANEOUS T-CELL LYMPHOMAS	M	100.00	-	-	100.00	100.00	100.00	100.00	100.00	100.00
		F	-	-	100.00	-	100.00	100.00	100.00	100.00	100.00
C85	OTHER AND UNSPECIFIED TYPES OF NON-HODGKIN'S LYMPHOMA	M	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
		F	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
C88	MALIGNANT IMMUNOPROLIFERATIVE DISEASES	M	-	-	-	100.00	-	-	100.00	-	100.00
		F	-	-	-	-	100.00	-	-	-	100.00
C90	MULTIPLE MYELOMA AND MALIGNANT PLASMA CELL NEOPLASMS	M	-	-	100.00	100.00	100.00	100.00	100.00	100.00	100.00
		F	-	-	100.00	100.00	100.00	100.00	100.00	100.00	100.00
C91	LYMPHOID LEUKAEMIA	M	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
		F	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
C92	MYELOID LEUKAEMIA	M	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
		F	-	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
C93	MONOCYTIC LEUKAEMIA	M	-	-	-	-	100.00	100.00	100.00	100.00	100.00
		F	-	100.00	-	-	100.00	100.00	100.00	100.00	100.00
C94	OTHER LEUKAEMIAS OF SPECIFIED CELL TYPE	M	100.00	-	100.00	100.00	100.00	100.00	100.00	100.00	100.00
		F	-	-	100.00	100.00	100.00	100.00	100.00	100.00	100.00
C95	LEUKAEMIA, UNSPECIFIED CELL TYPE	M	-	100.00	-	-	100.00	100.00	100.00	100.00	100.00
		F	100.00	-	100.00	100.00	100.00	100.00	100.00	100.00	100.00
C96	OTHER AND UNSPECIFIED NEOPLASMS OF LYMPHOID, BLOOD FORMING AND RELATED TISSUES	F	100.00	-	100.00	-	-	-	-	-	100.00

NUMBER AND PERCENTAGE OF MORPHOLOGICALLY CONFIRMED NEW BREAST CANCER CASES BY HISTOLOGIC TYPE AND SEX IN BULGARIA 2004

CODE ICD-10	MORPHOLOGY	ALL			MALES			FEMALES		
		NUMBER	% FROM ALL	% FROM MORPHO-LOGICALLY CONFIRMED	NUMBER	% FROM ALL	% FROM MORPHO-LOGICALLY CONFIRMED	NUMBER	% FROM ALL	% FROM MORPHO-LOGICALLY CONFIRMED
	ALL	**3584**	**100.0**	**-**	**36**	**100.0**	**-**	**3548**	**100.0**	**-**
	WITHOUT MORPHOLOGY	304	8.5	-	5	13.9	-	299	8.4	-
	WITH MORPHOLOGY	3280	91.5	100.0	31	86.1	100.0	3249	91.6	100.0
80013	TUMOR CELLS, MALIGNANT	122	3.4	3.7	1	2.8	3.2	121	3.4	3.7
80033	MALIGNANT TUMOR, GIANT CELL TYPE	1	0.0	0.0	-	-	-	1	0.0	0.0
80103	CARCINOMA, NOS	22	0.6	0.7	2	5.6	6.5	20	0.6	0.6
80203	CARCINOMA, UNDIFFERENTIATED, NOS	16	0.4	0.5	2	5.6	6.5	14	0.4	0.4
80213	CARCINOMA ANAPLASTIC, NOS	2	0.1	0.1	-	-	-	2	0.1	0.1
80503	PAPILLARY CARCINOMA, NOS	11	0.3	0.3	-	-	-	11	0.3	0.3
80703	SQUAMOUS CELL CARCINOMA, NOS	4	0.1	0.1	-	-	-	4	0.1	0.1
81403	ADENOCARCINOMA, NOS	30	0.8	0.9	1	2.8	3.2	29	0.8	0.9
81413	SCIRRHOUS ADENOCARCINOMA	22	0.6	0.7	-	-	-	22	0.6	0.7
82013	CRIBRIFORM CARCINOMA	8	0.2	0.2	-	-	-	8	0.2	0.2
82113	TUBULAR ADENOCARCINOMA	20	0.6	0.6	1	2.8	3.2	19	0.5	0.6
82303	SOLID CARCINOMA, NOS	1	0.0	0.0	-	-	-	1	0.0	0.0
82603	PAPILLARY ADENOCARCINOMA, NOS	5	0.1	0.2	-	-	-	5	0.1	0.2
83103	CLEAR CELL ADENOCARCINOMA, NOS	1	0.0	0.0	-	-	-	1	0.0	0.0
84303	MUCOEPIDERMOID CARCINOMA	1	0.0	0.0	-	-	-	1	0.0	0.0
84803	MUCINOUS ADENOCARCINOMA	69	1.9	2.1	1	2.8	3.2	68	1.9	2.1
84813	MUCIN - PRODUCING ADENOCARCINOMA	10	0.3	0.3	1	2.8	3.2	9	0.3	0.3
85003	INFILTRATING DUCT CARCINOMA	2291	63.9	69.9	19	52.8	61.4	2272	64.0	70.0
85013	COMEDOCARCINOMA, NOS	39	1.1	1.2	-	-	-	39	1.1	1.2
85033	INTRADUCTAL PAPILLARY ADENOCARCINOMA, WITH INVASION	2	0.1	0.1	-	-	-	2	0.1	0.1
85043	INTRACYSTIC CARCINOMA, NOS	2	0.1	0.1	-	-	-	2	0.1	0.1
85103	MEDULLARY CARCINOMA, NOS	67	1.9	2.0	1	2.8	3.2	66	1.9	2.0
85123	MEDULLARY CARCINOMA WITH LYMPHOID STROMA	4	0.1	0.1	-	-	-	4	0.1	0.1
85203	LOBULAR CARCINOMA, NOS	469	13.1	14.4	1	2.8	3.2	468	13.2	14.5
85213	INFILTRATING DUCTULAR CARCINOMA	16	0.4	0.5	-	-	-	16	0.5	0.5
85223	INFILTRATING DUCT AND LOBULAR CARCINOMA	23	0.6	0.7	-	-	-	23	0.6	0.7
85303	INFLAMMATORY CARCINOMA	2	0.1	0.1	-	-	-	2	0.1	0.1
85403	PAGET'S DISEASE, MAMMARY	11	0.3	0.3	1	2.8	3.2	10	0.3	0.3
85413	PAGET'S DISEASE AND INFILTRATING DUCT CARCINOMA OF BREAST	3	0.1	0.1	-	-	-	3	0.1	0.1
88303	FIBROUS HISTIOCYTOMA, MALIGNANT	1	0.0	0.0	-	-	-	1	0.0	0.0
88903	LEIOMYOSARCOMA, NOS	1	0.0	0.0	-	-	-	1	0.0	0.0
90203	PHYLLODES TUMOR, MALIGNANT	4	0.1	0.1	-	-	-	4	0.1	0.1

NUMBER AND PERCENTAGE OF MORPHOLOGICALLY CONFIRMED NEW LUNG CANCER CASES BY HISTOLOGIC TYPE AND SEX IN BULGARIA 2004

CODE ICD-10	MORPHOLOGY	ALL			MALES			FEMALES		
		NUMBER	% FROM ALL	% FROM MORPHO-LOGICALLY CONFIRMED	NUMBER	% FROM ALL	% FROM MORPHO-LOGICALLY CONFIRMED	NUMBER	% FROM ALL	% FROM MORPHO-LOGICALLY CONFIRMED
	ALL	**3763**	**100.0**	**-**	**3167**	**100.0**	**-**	**596**	**100.0**	**-**
	WITHOUT MORPHOLOGY	1774	47.1	-	1484	46.9	-	290	48.7	-
	WITH MORPHOLOGY	1989	52.9	100.0	1683	53.1	100.0	306	51.3	100.0
80013	TUMOR CELLS, MALIGNANT	61	1.6	3.1	44	1.4	2.6	17	2.9	5.6
80103	CARCINOMA, NOS	14	0.4	0.7	13	0.4	0.8	1	0.2	0.3
80123	LARGE CELL CARCINOMA, NOS	55	1.5	2.8	45	1.4	2.7	10	1.7	3.3
80203	CARCINOMA, UNDIFFERENTIATED, NOS	50	1.3	2.5	44	1.4	2.6	6	1.0	2.0
80213	CARCINOMA, ANAPLASTIC, NOS	5	0.1	0.2	5	0.2	0.3	-	-	-
80223	PLEOMORPHIC CARCINOMA	5	0.1	0.2	4	0.1	0.2	1	0.2	0.3
80313	GIANT CELL CARCINOMA	6	0.2	0.3	5	0.2	0.3	1	0.2	0.3
80413	SMALL CELL CARCINOMA, NOS	293	7.8	14.7	248	7.8	14.7	45	7.6	14.8
80423	OAT CELL CARCINOMA	12	0.3	0.6	12	0.4	0.7	-	-	-
80433	SMALL CELL CARCINOMA, FUSIFORM CELL	1	0.0	0.1	1	0.0	0.1	-	-	-
80503	PAPILLARY CARCINOMA, NOS	1	0.0	0.1	1	0.0	0.1	-	-	-
80523	PAPILLARY SQUAMOUS CELL CARCINOMA	1	0.0	0.1	1	0.0	0.1	-	-	-
80703	SQUAMOUS CELL CARCINOMA, NOS	1038	27.6	52.2	929	29.3	55.1	109	18.3	35.7
80713	SQUAMOUS CELL CARCINOMA, KERATINIZING, NOS	66	1.8	3.3	63	2.0	3.7	3	0.5	1.0
80723	SQUAMOUS CELL CARCINOMA, LARGE CELL, NONKERATINIZING	12	0.3	0.6	10	0.3	0.6	2	0.3	0.7
80733	SQUAMOUS CELL CARCINOMA, SMALL CELL, NONKERATINIZING	4	0.1	0.2	3	0.1	0.2	1	0.2	0.3
81403	ADENOCARCINOMA, NOS	204	5.4	10.2	145	4.6	8.6	59	9.9	19.3
82003	ADENOID CYSTIC CARCINOMA	1	0.0	0.1	-	-	-	1	0.2	0.3
82113	TUBULAR ADENOCARCINOMA	1	0.0	0.1	1	0.0	0.1	-	-	-
82303	SOLID CARCINOMA, NOS	1	0.0	0.1	1	0.0	0.1	-	-	-
82403	CARCINOID TUMOR, NOS	7	0.2	0.3	5	0.2	0.3	2	0.3	0.7
82503	BRONCHIOLO - ALVEOLAR ADENOCARCINOMA	36	1.0	1.8	25	0.8	1.5	11	1.8	3.6
82513	ALVEOLAR ADENOCARCINOMA	2	0.1	0.1	1	0.0	0.1	1	0.2	0.3
82603	PAPILLARY ADENOCARCINOMA, NOS	14	0.4	0.7	9	0.3	0.5	5	0.8	1.6
83103	CLEAR CELL ADENOCARCINOMA, NOS	5	0.1	0.2	4	0.1	0.2	1	0.2	0.3
84303	MUCOEPIDERMOID CARCINOMA	25	0.7	1.2	17	0.5	1.0	8	1.3	2.6
84403	CYSTADENOCARCINOMA, NOS	1	0.0	0.1	-	-	-	1	0.2	0.3
84803	MUCINOUS ADENOCARCINOMA	3	0.1	0.1	2	0.1	0.1	1	0.2	0.3
84813	MUCIN - PRODUCING ADENOCARCINOMA	13	0.3	0.6	8	0.3	0.5	5	0.8	1.6
84903	SIGNET RING CELL CARCINOMA	1	0.0	0.1	1	0.0	0.1	-	-	-
85603	ADENOSQUAMOUS CARCINOMA	45	1.2	2.2	34	1.1	2.0	11	1.8	3.6
88103	FIBROSARCOMA, NOS	1	0.0	0.1	-	-	-	1	0.2	0.3
88303	FIBROUS HISTIOCYTOMA, MALIGNANT	3	0.1	0.1	2	0.1	0.1	1	0.2	0.3
89403	MIXED TUMOR, MALIGNANT, NOS	1	0.0	0.1	-	-	-	1	0.2	0.3
89803	CARCINOSARCOMA, NOS	1	0.0	0.1	-	-	-	1	0.2	0.3

NUMBER AND PERCENTAGE OF MORPHOLOGICALLY CONFIRMED NEW CERVIX UTERI CANCER CASES BY HISTOLOGIC TYPE IN BULGARIA 2004

CODE ICD-10	MORPHOLOGY	ALL		
		NUMBER	% FROM ALL	% FROM MORPHO-LOGICALLY CONFIRMED
	ALL	**1097**	**100**	**-**
	WITHOUT MORPHOLOGY	39	3.6	-
	WITH MORPHOLOGY	1058	96.4	100.0
80013	TUMOR CELLS, MALIGNANT	2	0.2	0.2
80103	CARCINOMA, NOS	8	0.7	0.8
80203	CARCINOMA, UNDIFFERENTIATED, NOS	2	0.2	0.2
80213	CARCINOMA, ANAPLASTIC, NOS	4	0.4	0.4
80413	SMALL CELL CARCINOMA, NOS	1	0.1	0.1
80503	PAPILLARY CARCINOMA, NOS	1	0.1	0.1
80513	VERRUCOUS CARCINOMA, NOS	3	0.3	0.3
80523	PAPILLARY SQUAMOUS CELL CARCINOMA	6	0.5	0.6
80703	SQUAMOUS CELL CARCINOMA, NOS	699	63.7	66.0
80713	SQUAMOUS CELL CARCINOMA, KERATINIZING, NOS	77	7	7.3
80723	SQUAMOUS CELL CARCINOMA, LARGE CELL, NONKERATINIZING	82	7.5	7.6
80733	SQUAMOUS CELL CARCINOMA, SMALL CELL, NONKERATINIZING	14	1.3	1.3
80753	ADENOID SQUAMOUS CELL CARCINOMA	2	0.2	0.2
80763	SQUAMOUS CELL CARCINOMA, MICROINVASIVE	39	3.6	3.7
81403	ADENOCARCINOMA, NOS	52	4.7	4.9
82463	NEUROENDOCRINE CARCINOMA	1	0.1	0.1
82603	PAPILLARY ADENOCARCINOMA, NOS	17	1.5	1.6
83103	CLEAR CELL ADENOCARCINOMA, NOS	5	0.5	0.5
83803	ENDOMETRIOID CARCINOMA	1	0.1	0.1
84803	MUCINOUS ADENOCARCINOMA	3	0.3	0.3
84813	MUCIN - PRODUCING ADENOCARCINOMA	5	0.5	0.5
85603	ADENOSQUAMOUS CARCINOMA	30	2.7	2.8
88003	SARCOMA, NOS	1	0.1	0.1
88903	LEIOMYOSARCOMA, NOS	1	0.1	0.1
89803	CARCINOSARCOMA, NOS	1	0.1	0.1
91103	MESONEPHROMA, MALIGNANT	1	0.1	0.1

NUMBER AND PERCENTAGE OF MORPHOLOGICALLY CONFIRMED NEW PROSTATE CANCER CASES BY HISTOLOGIC TYPE IN BULGARIA 2004

CODE ICD-10	MORPHOLOGY	ALL		
		NUMBER	% FROM ALL	% FROM MORPHO-LOGICALLY CONFIRMED
	ALL	**1621**	**100**	**-**
	WITHOUT MORPHOLOGY	312	19.3	-
	WITH MORPHOLOGY	1309	80.7	100.0
80013	TUMOR CELLS, MALIGNANT	43	2.7	3.3
80103	CARCINOMA, NOS	23	1.4	1.8
80203	CARCINOMA, UNDIFFERENTIATED, NOS	28	1.7	2.1
80213	CARCINOMA ANAPLASTIC, NOS	12	0.7	0.9
80713	SQUAMOUS CELL CARCINOMA, KERATINIZING, NOS	1	0.1	0.1
81203	TRANSITIONAL CELL CARCINOMA	4	0.2	0.3
81403	ADENOCARCINOMA, NOS	1047	64.5	79.9
81903	TRABECULAR ADENOCARCINOMA	4	0.2	0.3
82013	CRIBRIFORM CARCINOMA	37	2.3	2.8
82113	TUBULAR ADENOCARCINOMA	4	0.2	0.3
82603	PAPILLARY ADENOCARCINOMA, NOS	1	0.1	0.1
83103	CLEAR CELL ADENOCARCINOMA, NOS	19	1.2	1.5
84403	CYSTADENOCARCINOMA, NOS	1	0.1	0.1
84813	MUCIN-PRODUCING ADENOCARCINOMA	2	0.1	0.2
85503	ACINAR CELL CARCINOMA	82	5.1	6.2
88903	LEIOMYOSARCOMA, NOS	1	0.1	0.1

AGE-ADJUSTED (WORLD STANDARD) INCIDENCE RATES OF CANCER PER 100 000

CODE ICD-10	SITE	DISTRICT											
		Sofia city	Bourgas	Yambol	Sliven	Varna	Dobrich	Shoumen	Veliko Tarnovo	Gabrovo	Pleven	Lovech	Vratsa
C00-97	**ALL SITES**	**275.9**	**285.5**	**229.7**	**244.3**	**266.7**	**235.4**	**295.1**	**239.0**	**232.7**	**240.6**	**206.4**	**260.6**
C00	LIP	1.2	4.5	3.2	0.7	2.6	4.0	3.2	0.3	2.9	0.8	1.1	2.6
C01	BASE OF TONGUE	0.5	2.1	5.0	0.6	0.3	1.6	0.5	0.0	1.0	0.8	0.0	0.0
C02	OTHER AND UNSPECIFIED PARTS OF TONGUE	1.0	0.0	0.0	0.0	0.4	0.5	2.4	1.3	1.9	1.6	2.6	1.3
C03	GUM	0.6	0.3	0.0	1.2	0.7	0.7	0.0	0.0	0.4	0.2	0.0	0.0
C04	FLOOR OF MOUTH	1.0	1.0	0.0	1.2	0.3	0.6	2.4	0.8	0.0	0.4	0.9	0.7
C05	PALATE	0.1	0.4	0.0	0.8	0.0	0.0	0.9	0.6	1.0	0.0	0.0	0.5
C06	OTHER AND UNSPECIFIED PARTS OF MOUTH	0.1	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.5
C07	PAROTID GLAND	0.6	0.5	0.0	0.8	1.2	0.6	0.9	1.9	0.0	0.4	0.7	0.6
C08	OTHER AND UNSPECIFIED MAJOR SALIVARY GLANDS	0.2	0.0	0.0	0.4	0.2	0.0	0.0	0.9	0.0	0.0	2.9	0.8
C09	TONSIL	1.2	3.5	0.8	0.6	0.3	0.0	0.8	0.0	0.0	0.8	0.6	1.2
C10	OROPHARYNX	0.2	0.0	0.0	1.3	0.2	0.0	0.7	0.0	0.0	0.0	0.0	0.6
C11	NASOPHARYNX	0.8	1.1	0.5	0.7	2.0	3.6	0.0	0.0	2.1	0.5	1.1	0.8
C12	PYRIFORM SINUS	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.4	0.0	0.0
C13	HYPOPHARYNX	0.4	1.1	1.0	0.6	1.5	0.5	2.2	0.5	1.3	0.4	0.0	0.0
C14	OTHER AND ILL-DEFINED SITES IN LIP, ORAL CAVITY AND PHARYNX	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C15	OESOPHAGUS	2.6	2.7	2.1	2.7	2.5	1.1	3.6	3.8	2.6	1.8	3.5	1.2
C16	STOMACH	12.5	17.0	13.7	17.0	15.5	17.7	12.3	14.6	10.1	10.2	15.6	16.4
C17	SMALL INTESTINE	0.7	0.3	0.0	0.8	0.0	0.0	0.0	0.6	0.8	0.5	0.0	0.0
C18	COLON	27.0	20.8	12.5	11.3	16.5	11.6	12.1	17.9	20.7	12.2	12.8	19.9
C19	RECTOSIGMOID JUNCTION	2.4	2.0	1.7	0.0	1.4	0.0	2.1	0.2	0.4	1.6	3.0	2.3
C20	RECTUM	14.2	12.0	14.8	9.3	18.3	17.6	12.8	16.1	18.4	12.0	10.5	13.8
C21	ANUS AND ANAL CANAL	0.2	4.1	3.9	1.8	0.0	0.0	0.8	0.2	0.4	0.0	0.0	0.6
C22	LIVER AND INTRAHEPATIC BILE DUCTS	8.2	6.5	10.3	3.8	7.1	9.2	3.8	3.7	9.3	1.4	0.7	5.4
C23	GALLBLADDER	1.2	0.6	0.0	0.6	1.6	2.4	0.7	0.3	0.8	1.0	1.1	0.0
C24	OTHER AND UNSPECIFIED PARTS OF BILIARY TRACT	0.8	1.0	0.0	0.8	1.0	1.2	1.0	0.3	0.3	1.7	0.0	2.1
C25	PANCREAS	11.9	6.8	7.7	5.5	7.0	16.3	10.4	6.4	10.0	11.2	7.3	12.6
C26	OTHER AND ILL-DEFINED DIGESTIVE ORGANS	0.0	0.0	0.0	0.0	0.7	0.6	0.0	0.0	0.4	0.0	0.0	0.0
C30	NASAL CAVITY AND MIDDLE EAR	0.2	0.0	0.0	0.0	0.3	0.0	0.6	0.4	0.8	0.0	0.0	0.0
C31	ACCESSORY SINUSES	0.5	0.7	0.8	0.7	0.7	1.4	1.1	1.5	0.3	0.0	0.9	0.8
C32	LARYNX	8.9	12.0	11.1	12.5	6.7	5.5	10.3	11.9	7.3	9.1	9.8	10.4
C33	TRACHEA	0.1	0.6	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.9	0.0
C34	BRONCHUS AND LUNG	45.4	54.5	49.2	50.4	47.3	39.6	77.4	45.4	34.7	53.0	43.9	42.8
C37	THYMUS	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.5	0.7	0.0
C38	HEART, MEDIASTINUM, AND PLEURA	0.5	0.5	0.8	0.4	0.8	0.8	0.0	0.2	0.9	0.8	0.0	0.6
C39	OTHER AND ILL-DEFINED SITES WITHIN RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0
C40	BONES, JOINTS AND ARTICULAR CARTILAGE OF LIMBS	0.1	0.2	0.5	0.6	0.6	0.3	0.0	0.0	3.1	0.4	0.0	2.6
C41	BONES, JOINTS AND ARTICULAR CARTILAGE OF OTHER AND UNSPECIFIED SITES	1.1	0.9	1.7	0.6	0.3	1.2	1.7	0.5	0.0	1.5	0.0	0.6

BY PRIMARY SITES AND DISTRICTS IN BULGARIA 2004 - MALES

DISTRICT															
Vidin	Montana	Plovdiv	Pazardjik	Smolyan	Rousse	Razgrad	Silistra	Targovi-shte	Sofia district	Kyus-tendil	Pernik	Blagoev-grad	Stara Zagora	Haskovo	Kurdjali
168.3	**218.2**	**291.8**	**237.8**	**221.0**	**264.3**	**240.0**	**238.4**	**239.8**	**250.5**	**227.0**	**259.2**	**239.6**	**261.7**	**274.3**	**203.4**
0.9	2.0	2.0	1.5	0.0	4.0	3.3	8.3	5.5	2.8	2.4	0.7	4.0	3.6	4.1	4.3
0.0	0.0	0.4	0.6	0.0	0.4	0.0	1.7	0.0	0.0	0.0	1.9	0.0	0.3	0.0	0.0
0.0	1.5	1.5	0.4	1.0	1.9	3.4	2.5	0.0	1.1	0.8	0.7	4.4	1.2	2.8	1.0
0.0	0.6	0.4	0.0	0.0	2.4	0.7	0.0	0.0	0.7	0.7	0.0	0.0	0.9	0.0	0.0
0.3	0.0	0.6	0.4	0.0	1.1	0.7	2.2	3.3	1.3	0.0	2.8	0.5	0.4	1.1	2.7
0.0	0.0	0.2	0.5	0.0	0.0	0.0	0.8	2.3	0.5	1.1	0.8	0.5	0.0	0.0	0.0
0.0	1.5	0.4	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.9	0.0	0.5	0.0
0.0	0.4	0.0	0.3	0.7	0.7	0.9	0.0	0.0	0.0	0.0	0.0	0.9	0.4	1.5	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0
0.6	2.3	0.9	0.5	0.0	0.0	1.0	0.0	2.9	0.3	1.5	0.8	0.8	1.2	2.2	0.0
1.1	2.1	0.0	0.5	0.0	0.7	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.7	0.0	0.0
0.0	0.0	0.8	1.0	0.0	0.9	0.0	1.8	0.0	0.0	0.8	3.0	0.4	0.7	0.7	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.8	1.1	0.0	1.2	0.0	0.0
1.1	0.6	0.4	2.0	0.0	1.3	2.1	0.0	0.0	1.3	1.9	2.2	3.1	0.0	0.0	1.0
0.0	2.1	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.3	0.0	1.1	0.0	0.0	0.0	0.0
0.6	0.0	3.5	1.9	3.2	4.2	2.6	3.0	3.4	1.6	2.4	1.4	2.9	0.7	1.8	0.7
4.4	12.5	19.3	22.7	22.2	14.9	23.0	22.8	15.3	12.5	14.9	14.1	16.0	17.4	17.1	22.1
0.0	0.0	0.6	1.4	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	0.0
10.3	14.2	20.6	13.2	13.3	23.8	14.1	17.4	10.5	21.7	15.8	18.9	12.2	19.3	11.3	9.1
0.0	1.2	2.0	1.5	1.0	1.1	0.9	1.7	0.5	2.0	3.3	0.0	0.0	0.7	0.0	0.0
9.7	14.3	12.3	9.4	7.3	14.4	6.8	17.8	12.5	19.3	13.6	10.3	11.6	13.6	12.7	11.5
0.0	0.0	0.4	0.0	1.0	0.0	0.0	0.0	0.0	1.3	0.7	0.0	0.0	0.9	0.5	0.0
3.6	9.9	5.6	7.2	5.7	2.4	5.9	3.6	2.7	3.4	1.2	3.8	6.3	6.5	2.9	5.4
0.8	0.0	0.4	1.0	0.0	0.0	1.6	0.5	0.0	1.2	0.9	0.0	0.0	0.0	0.6	0.0
0.0	1.2	0.3	0.0	0.9	1.7	0.6	0.0	0.0	0.2	0.7	1.1	1.0	0.2	0.8	0.7
3.6	10.1	12.5	10.9	10.8	9.9	10.0	5.8	6.8	13.7	10.6	9.1	7.8	8.7	8.0	3.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.0	0.0	0.4	0.0	0.0
0.0	0.0	0.4	0.4	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.4	0.0	0.0	0.5	0.0	0.0	0.0	0.6	0.0	2.1	0.0	0.4	0.0	0.0
8.9	6.9	10.0	13.7	3.9	11.0	14.6	12.5	10.2	12.4	9.8	14.3	8.3	9.5	9.1	10.2
0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9
42.1	40.0	54.2	47.1	58.0	51.8	52.8	44.3	57.3	49.1	46.5	50.9	49.3	58.0	64.2	55.4
0.6	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.4	0.3	0.0	0.0
0.0	0.0	0.2	0.9	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	2.2	0.5	0.4	1.7	0.0	0.7	0.0	0.0	1.0	0.0	0.5	0.5	0.3	0.0	0.0
0.3	0.0	0.4	0.0	0.0	0.3	1.2	0.9	0.0	0.0	0.0	1.1	0.0	0.4	0.0	0.0

AGE-ADJUSTED (WORLD STANDARD) INCIDENCE RATES OF CANCER PER 100 000

CODE ICD-10	SITE	DISTRICT											
		Sofia city	Bourgas	Yambol	Sliven	Varna	Dobrich	Shoumen	Veliko Tarnovo	Gabrovo	Pleven	Lovech	Vratsa
C43	MELANOMA OF SKIN	6.3	4.4	2.3	0.0	4.5	4.1	2.9	2.2	6.2	2.5	3.7	6.6
C44	OTHER SKIN	19.3	35.0	11.6	23.6	37.3	12.0	28.3	21.2	16.4	20.8	13.5	26.3
C45	MESOTHELIOMA	0.6	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.2	0.9	0.0
C46	KAPOSI'S SARCOMA	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C47	PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C48	RETROPERITONEUM AND PERITONEUM	0.7	0.9	0.8	1.4	1.4	0.7	0.0	0.8	0.8	0.6	0.7	0.0
C49	CONNECTIVE AND OTHER SOFT TISSUES	2.5	1.5	0.0	2.8	1.3	3.8	3.7	2.9	0.8	0.5	4.7	4.2
C50	BREAST	1.0	0.6	2.6	0.0	1.0	0.3	1.5	0.8	0.0	0.4	1.1	0.0
C60	PENIS	0.7	0.8	0.5	2.5	0.2	1.3	0.4	0.0	3.2	0.4	1.9	0.2
C61	PROSTATE GLAND	29.2	19.7	17.5	19.0	24.9	26.0	17.2	11.8	22.3	27.0	10.6	19.6
C62	TESTIS	4.6	4.3	6.2	4.4	3.0	4.6	4.7	5.1	3.1	3.2	4.0	0.8
C63	OTHER AND UNSPECIFIED MALE GENITAL ORGANS	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	0.0	0.0	0.0
C64	KIDNEY	7.6	5.2	4.4	5.7	6.4	5.2	7.2	10.7	8.4	8.0	3.4	4.2
C65	RENAL PELVIS	0.6	0.0	0.0	0.0	0.3	0.6	0.0	0.2	0.0	0.4	0.0	0.0
C66	URETER	0.3	0.0	0.0	0.8	0.0	0.0	0.4	0.0	0.0	0.6	0.0	0.0
C67	BLADDER	21.1	20.3	17.3	13.4	16.3	8.3	19.2	15.2	11.1	11.4	9.2	15.1
C68	OTHER AND UNSPECIFIED URINARY ORGANS	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C69	EYE AND ADNEXA	1.4	0.7	0.0	1.8	0.0	0.0	0.0	0.2	0.0	0.8	0.9	0.0
C70	MENINGES	0.1	0.7	0.0	1.3	0.2	0.0	0.8	0.0	0.0	0.0	0.0	0.0
C71	BRAIN	6.1	6.8	6.3	9.1	4.0	6.8	4.2	5.8	7.6	7.6	5.1	6.4
C72	SPINAL CORD, CRANIAL NERVES, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM	0.2	0.0	0.8	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0
C73	THYROID GLAND	1.0	0.0	0.0	1.0	1.2	1.3	1.3	0.9	0.0	0.4	0.7	0.6
C74	ADRENAL GLAND	1.4	0.3	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C75	OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0
C76	OTHER AND ILL-DEFINED SITES	0.1	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C80	MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE	9.6	9.9	10.7	10.5	10.0	9.4	20.6	11.6	8.7	15.0	11.2	13.4
C81	HODGKIN'S DISEASE	2.1	5.6	1.1	3.8	0.9	1.5	4.7	0.0	0.0	2.5	3.3	3.0
C82	FOLLICULAR NON-HODGKIN'S LYMPHOMA	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0
C83	DIFFUSE NON-HODGKIN'S LYMPHOMA	1.3	0.0	0.0	0.0	2.2	0.9	1.4	1.9	2.0	0.4	0.0	1.7
C84	PERIPHERAL AND CUTANEOUS T-CELL LYMPHOMAS	0.0	0.2	0.0	0.0	0.7	1.4	1.5	0.0	0.0	0.4	0.9	0.0
C85	OTHER AND UNSPECIFIED TYPES OF NON-HODGKIN'S LYMPHOMA	2.8	1.9	0.9	4.9	2.2	1.8	1.7	2.0	0.9	4.2	3.8	2.4
C88	MALIGNANT IMMUNOPROLIFERATIVE DISEASES	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0
C90	MULTIPLE MYELOMA AND MALIGNANT PLASMA CELL NEOPLASMS	1.8	1.1	0.0	1.7	4.2	0.8	0.0	4.2	0.0	2.7	2.4	1.3
C91	LYMPHOID LEUKAEMIA	2.0	2.2	1.7	2.2	1.6	0.6	4.9	4.5	2.7	3.8	2.0	7.7
C92	MYELOID LEUKAEMIA	2.4	1.7	1.6	5.0	2.7	2.6	0.7	5.6	3.3	1.5	1.9	4.0
C93	MONOCYTIC LEUKAEMIA	0.2	0.0	0.0	0.5	0.0	0.0	0.0	0.2	1.1	0.0	0.0	0.0
C94	OTHER LEUKAEMIAS OF SPECIFIED CELL TYPE	1.2	2.8	1.3	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.6
C95	LEUKAEMIA, UNSPECIFIED CELL TYPE	0.7	0.4	0.0	0.0	0.2	0.7	0.7	0.0	0.0	0.0	0.0	0.8

BY PRIMARY SITES AND DISTRICTS IN BULGARIA 2004 - MALES

DISTRICT															
Vidin	Montana	Plovdiv	Pazardjik	Smolyan	Rousse	Razgrad	Silistra	Targovi-shte	Sofia district	Kyus-tendil	Pernik	Blagoev-grad	Stara Zagora	Haskovo	Kurdjali
2.3	3.5	4.1	2.2	2.3	3.0	3.4	5.1	2.5	2.4	2.7	2.4	1.1	2.9	1.4	0.0
9.6	20.8	28.8	22.9	16.8	36.8	19.3	21.2	17.6	13.0	17.2	20.2	36.0	24.7	32.9	18.7
0.0	0.0	0.4	1.0	1.1	0.5	0.0	0.8	0.0	0.0	0.0	0.0	0.4	0.6	1.1	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0
0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	2.2	0.0
0.0	0.0	0.8	1.9	0.0	0.5	1.0	0.7	2.2	0.2	0.0	0.3	0.8	1.1	0.6	0.0
0.0	1.6	1.9	1.7	1.8	1.3	0.0	3.8	1.7	3.5	0.0	2.6	1.9	1.1	4.0	0.0
0.0	0.0	0.4	0.0	0.9	0.0	0.0	0.5	0.0	0.2	0.4	1.7	0.5	0.3	0.0	0.0
0.3	0.0	0.4	0.5	0.0	0.5	0.0	0.0	0.7	2.0	0.8	0.8	0.4	0.8	0.0	0.0
20.1	21.4	26.0	14.4	18.0	14.4	15.4	9.8	15.9	16.6	26.7	24.6	16.5	13.0	17.4	12.2
1.1	0.0	5.0	3.6	0.0	0.7	5.1	3.7	7.7	3.6	8.0	6.0	4.3	5.7	4.8	1.0
0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0
5.3	4.9	8.8	5.7	6.9	5.9	1.9	2.3	9.1	4.0	2.3	7.6	5.1	4.7	5.5	5.7
0.0	0.0	1.5	1.8	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.5	1.5	0.5	0.0
0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0
15.7	10.1	16.5	13.9	7.9	16.8	12.2	8.0	16.2	13.8	16.4	16.1	12.7	17.0	12.8	9.3
0.3	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0
0.0	0.0	0.8	0.0	0.0	0.2	0.6	0.0	0.0	1.1	0.0	0.0	0.9	1.0	0.0	0.7
0.0	0.0	0.0	0.4	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0
4.2	7.7	7.3	2.8	1.1	7.8	8.5	9.6	8.4	8.7	3.0	6.6	8.1	6.2	11.8	9.2
0.0	0.0	0.2	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.4	0.0
1.4	0.4	1.1	1.3	2.8	1.7	0.0	0.0	1.1	1.3	0.8	0.0	0.0	1.5	0.0	0.0
0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.6	1.0	0.0
0.0	0.4	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.7	1.0	0.0
0.8	0.2	0.2	0.0	0.0	0.0	0.0	0.0	2.0	0.7	0.4	1.3	0.0	0.0	0.5	0.0
4.3	9.3	16.6	8.4	13.9	14.2	12.4	13.0	8.3	12.5	7.4	10.1	5.1	11.0	15.6	12.7
0.6	0.0	3.7	5.4	1.0	1.2	2.3	3.8	0.0	2.4	1.1	4.5	2.3	2.9	3.5	0.8
0.0	0.4	0.0	0.5	0.0	0.0	0.6	0.0	0.9	0.6	0.0	0.0	0.0	0.0	0.0	0.0
0.0	6.2	4.6	1.4	3.5	0.5	1.0	0.0	0.7	0.9	0.9	0.0	0.4	1.0	1.8	1.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0
1.2	1.1	1.2	0.5	0.0	1.2	5.1	4.3	0.7	3.6	1.9	1.8	1.6	2.8	3.2	0.9
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	1.5	0.7	1.9	0.8	0.0	0.0	0.0	0.3	2.0	1.7	0.7	0.8	0.6	0.0
3.9	0.8	2.8	3.2	8.0	1.9	0.0	0.8	4.2	2.6	0.0	0.8	4.2	5.5	1.2	2.4
4.0	1.2	5.0	2.0	2.6	1.5	1.7	2.6	1.9	3.2	1.1	0.0	3.4	3.1	3.0	0.7
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0
2.2	0.8	0.4	0.0	0.0	0.6	0.7	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.6	0.0
1.9	0.6	0.2	0.0	0.0	0.7	0.9	0.0	1.6	0.9	0.0	0.3	0.4	1.0	0.5	0.0

AGE-ADJUSTED (WORLD STANDARD) INCIDENCE RATES OF CANCER PER 100 000

CODE ICD-10	SITE	DISTRICT											
		Sofia city	Bourgas	Yambol	Sliven	Varna	Dobrich	Shoumen	Veliko Tarnovo	Gabrovo	Pleven	Lovech	Vratsa
C00-97	**ALL SITES**	**242.4**	**211.0**	**148.2**	**169.0**	**226.9**	**206.8**	**206.3**	**208.8**	**192.7**	**218.5**	**180.6**	**232.3**
C00	LIP	0.3	1.2	1.7	1.3	0.6	2.2	0.0	0.6	0.0	0.0	0.2	2.4
C01	BASE OF TONGUE	0.1	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.6
C02	OTHER AND UNSPECIFIED PARTS OF TONGUE	0.4	0.0	0.0	0.0	0.1	0.0	0.0	0.2	1.5	0.3	0.0	0.0
C03	GUM	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C04	FLOOR OF MOUTH	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0
C06	OTHER AND UNSPECIFIED PARTS OF MOUTH	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C07	PAROTID GLAND	0.1	0.3	0.0	0.6	0.2	0.0	0.0	0.4	0.4	0.2	0.0	0.6
C08	OTHER AND UNSPECIFIED MAJOR SALIVARY GLANDS	0.2	0.0	0.8	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0
C09	TONSIL	0.2	0.5	0.0	0.0	0.2	0.0	0.0	0.4	0.0	0.0	0.0	0.0
C11	NASOPHARYNX	0.5	0.2	0.0	0.0	0.0	0.0	0.9	0.6	0.0	0.0	0.0	0.0
C12	PYRIFORM SINUS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
C13	HYPOPHARYNX	0.0	0.0	0.0	0.0	0.2	0.4	0.5	0.6	0.0	0.0	0.0	0.8
C14	OTHER AND ILL-DEFINED SITES IN LIP, ORAL CAVITY AND PHARYNX	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C15	OESOPHAGUS	0.6	0.6	0.6	0.2	1.6	1.2	0.6	0.2	0.0	0.3	0.0	0.0
C16	STOMACH	6.6	5.9	6.6	6.9	6.9	8.8	3.8	7.9	9.4	8.2	5.6	8.5
C17	SMALL INTESTINE	0.3	0.7	0.0	0.0	0.3	1.4	0.7	0.1	0.0	0.4	0.0	0.0
C18	COLON	18.0	11.3	8.1	9.4	10.8	8.8	14.0	13.6	8.5	15.1	8.2	10.5
C19	RECTOSIGMOID JUNCTION	1.3	2.0	2.2	0.9	2.3	0.0	0.0	0.2	0.0	0.7	0.0	1.3
C20	RECTUM	9.2	7.2	4.8	4.8	6.3	4.2	9.6	11.5	11.4	8.2	5.7	10.3
C21	ANUS AND ANAL CANAL	0.4	4.8	1.2	0.7	0.3	0.0	0.4	0.4	0.0	1.0	0.0	0.0
C22	LIVER AND INTRAHEPATIC BILE DUCTS	2.9	4.1	1.2	2.4	2.8	2.4	1.4	0.7	1.0	1.4	0.0	1.9
C23	GALLBLADDER	1.9	1.2	0.2	1.3	0.8	1.0	2.8	0.5	0.6	1.3	0.7	1.3
C24	OTHER AND UNSPECIFIED PARTS OF BILIARY TRACT	0.2	0.7	0.0	1.1	0.4	0.0	0.4	0.0	0.0	0.7	0.0	1.1
C25	PANCREAS	6.4	5.5	6.8	3.0	7.9	4.2	2.7	4.5	3.8	7.6	3.7	5.1
C26	OTHER AND ILL-DEFINED DIGESTIVE ORGANS	0.1	0.0	0.0	0.0	0.7	0.2	0.0	0.2	0.3	0.0	0.0	0.0
C30	NASAL CAVITY AND MIDDLE EAR	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.0	0.0	0.0	0.0
C31	ACCESSORY SINUSES	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C32	LARYNX	0.7	0.0	0.0	0.4	0.3	0.0	0.0	0.0	0.0	0.4	0.2	0.7
C33	TRACHEA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C34	BRONCHUS AND LUNG	11.0	10.1	7.2	4.6	6.6	7.4	5.8	6.3	5.0	10.1	13.0	7.3
C37	THYMUS	0.0	0.0	0.0	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C38	HEART, MEDIASTINUM, AND PLEURA	0.2	0.4	0.0	0.0	0.5	1.5	0.0	0.0	0.0	0.4	0.0	0.0
C39	OTHER AND ILL-DEFINED SITES WITHIN RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C40	BONES, JOINTS AND ARTICULAR CARTILAGE OF LIMBS	0.8	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.2	0.0	0.0
C41	BONES, JOINTS AND ARTICULAR CARTILAGE OF OTHER AND UNSPECIFIED SITES	0.1	0.4	0.0	0.0	1.2	0.6	0.0	0.0	0.0	0.2	0.0	0.0
C43	MELANOMA OF SKIN	4.2	3.2	1.9	4.8	1.8	2.1	1.7	1.5	3.1	4.2	1.4	1.7
C44	OTHER SKIN	15.9	19.4	7.5	17.9	27.8	3.6	19.6	15.5	9.3	19.0	9.3	17.2
C45	MESOTHELIOMA	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0
C46	KAPOSI'S SARCOMA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C47	PERIPHERAL NERVES AND AUTONOMIC NERVOUS SYSTEM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8

BY PRIMARY SITES AND DISTRICTS IN BULGARIA 2004 - FEMALES

DISTRICT															
Vidin	Montana	Plovdiv	Pazardjik	Smolyan	Rousse	Razgrad	Silistra	Targovi-shte	Sofia district	Kyus-tendil	Pernik	Blagoev-grad	Stara Zagora	Haskovo	Kurdjali
170.1	**178.6**	**222.3**	**179.5**	**166.3**	**233.0**	**181.4**	**208.5**	**174.5**	**189.4**	**163.4**	**243.7**	**191.1**	**189.0**	**194.4**	**148.4**
0.9	0.7	0.3	0.4	2.4	0.0	0.0	1.0	1.4	0.2	2.1	0.0	0.8	1.0	0.6	0.5
0.0	0.0	0.5	1.5	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	1.6	0.4	0.0	0.0	0.5	0.0	0.0	1.3	0.0	0.0	0.0	0.2	0.3	0.6	0.0
0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.8	0.1	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0
0.0	0.0	0.5	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.0
0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0
0.0	0.0	0.9	0.9	0.0	0.0	0.0	0.0	1.3	0.0	0.9	0.0	0.5	0.5	1.6	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0
0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.2	0.6	0.3	1.1	0.0	0.1	0.4	0.0	0.4	0.7	0.0	0.7	0.4	0.0	0.1	0.0
4.6	5.0	8.4	9.6	6.6	6.6	7.4	12.0	10.1	5.7	4.9	6.8	12.4	7.7	8.9	16.5
0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7
9.0	7.8	11.7	12.5	4.8	16.8	11.4	13.4	7.8	13.2	8.2	17.6	12.4	12.7	8.3	9.3
1.3	0.0	0.7	0.0	1.0	1.9	0.0	0.0	0.5	0.1	3.4	0.7	0.0	1.3	0.7	0.0
7.3	5.5	6.8	5.8	3.6	4.9	10.7	4.7	7.3	8.4	4.6	9.2	6.0	5.2	8.0	4.0
0.8	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.2	0.0	0.9	0.0	0.2	0.0	0.0
2.0	2.5	2.2	1.7	5.1	0.4	1.0	3.4	3.2	0.8	0.6	1.2	3.4	1.8	0.6	1.4
0.0	0.6	1.8	0.7	0.0	0.3	1.4	1.3	0.5	1.6	0.7	3.3	1.3	1.2	0.7	1.0
0.2	0.0	0.1	0.0	0.0	2.0	0.6	1.9	0.0	0.5	0.0	0.0	0.8	0.9	0.0	0.0
0.2	2.5	7.0	2.9	5.7	5.7	3.3	6.7	1.5	3.2	2.8	7.0	3.5	2.3	4.2	6.9
0.0	0.0	0.0	0.1	0.4	0.0	0.0	0.0	0.0	0.2	0.0	0.8	0.2	0.0	0.0	0.9
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0
0.0	0.0	0.1	0.0	0.0	0.0	0.9	0.0	0.7	0.0	0.0	0.6	0.0	0.0	0.0	0.0
0.0	0.0	0.8	0.5	0.0	0.4	0.0	0.0	1.2	0.0	0.0	1.4	0.4	0.8	0.1	0.0
0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0
5.4	8.7	7.1	7.1	3.4	5.7	3.7	6.8	7.2	6.1	3.8	6.5	7.6	4.8	5.0	6.6
1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.2	0.0	0.0	1.5	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0
0.0	0.0	0.0	2.2	0.0	0.7	0.0	0.0	0.0	1.2	0.0	0.0	0.7	0.0	0.0	0.0
0.0	0.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0
1.1	2.0	2.5	1.0	3.6	3.4	2.0	0.0	2.7	2.9	5.4	1.0	3.5	3.2	2.0	3.2
5.8	16.0	20.7	15.9	10.2	31.4	24.9	18.8	14.3	10.2	9.0	11.4	27.3	12.9	18.5	12.1
0.0	0.6	0.2	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.0	0.0
0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	0.0

AGE-ADJUSTED (WORLD STANDARD) INCIDENCE RATES OF CANCER PER 100 000

CODE ICD-10	SITE	DISTRICT											
		Sofia city	Bourgas	Yambol	Sliven	Varna	Dobrich	Shoumen	Veliko Tarnovo	Gabrovo	Pleven	Lovech	Vratsa
C48	RETROPERITONEUM AND PERITONEUM	0.5	0.3	1.1	0.0	0.6	3.9	0.9	0.6	0.0	0.4	1.1	1.6
C49	CONNECTIVE AND OTHER SOFT TISSUES	0.8	1.5	0.0	0.9	1.3	1.6	2.4	1.0	0.6	3.4	1.1	1.9
C50	BREAST	70.4	48.0	34.4	37.2	60.6	51.6	42.8	45.8	59.0	50.6	56.7	55.1
C51	VULVA	1.7	0.8	0.0	0.0	1.2	2.5	3.0	2.2	2.1	1.5	1.1	1.6
C52	VAGINA	0.2	0.8	0.0	1.4	0.0	0.5	0.0	0.0	0.0	0.8	0.9	0.2
C53	CERVIX UTERI	15.8	15.3	21.5	17.0	20.6	31.4	20.0	26.8	18.0	25.2	26.6	38.2
C54	CORPUS UTERI	19.8	17.7	10.9	15.5	17.8	16.4	19.4	20.2	17.3	10.7	8.6	25.0
C55	UTERUS, NOS	0.9	1.3	1.8	0.0	0.0	0.0	2.1	1.7	2.0	0.0	1.1	1.1
C56	OVARY	13.7	21.8	10.9	13.6	11.4	15.5	17.8	17.7	19.6	6.2	6.9	10.1
C57	OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	0.1	0.0	0.0	0.0	0.5	0.5	0.6	0.0	0.0	0.3	1.2	0.5
C58	PLACENTA	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0
C64	KIDNEY	2.4	2.0	1.4	0.0	2.9	3.9	0.4	3.0	0.0	2.3	0.8	2.7
C65	RENAL PELVIS	0.2	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.3	0.0	0.4
C66	URETER	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C67	BLADDER	4.3	4.1	1.4	1.9	3.8	4.6	3.8	1.4	2.3	4.3	3.2	2.9
C68	OTHER AND UNSPECIFIED URINARY ORGANS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2
C69	EYE AND ADNEXA	0.2	0.2	0.0	0.6	0.0	0.6	0.0	0.0	0.8	0.0	3.1	0.0
C70	MENINGES	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.0	0.0
C71	BRAIN	5.0	4.5	0.4	5.4	5.2	2.8	6.2	4.6	1.2	5.9	2.2	3.6
C72	SPINAL CORD, CRANIAL NERVES, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0
C73	THYROID GLAND	3.5	2.7	2.2	5.5	3.7	3.5	3.5	1.6	4.3	2.7	0.7	0.8
C74	ADRENAL GLAND	0.3	0.3	0.9	0.0	0.0	0.0	0.5	0.6	0.9	0.0	0.0	0.0
C75	OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C76	OTHER AND ILL-DEFINED SITES	0.1	0.4	0.0	0.0	0.4	0.0	0.0	0.3	0.0	0.0	0.0	0.0
C80	MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE	5.2	3.2	2.2	1.3	4.8	9.8	5.1	6.1	3.4	11.0	8.8	4.8
C81	HODGKIN'S DISEASE	1.3	1.8	0.0	3.9	1.0	0.8	2.1	0.0	1.6	1.5	1.7	0.0
C82	FOLLICULAR NON-HODGKIN'S LYMPHOMA	0.1	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.0	0.0	0.0	0.1
C83	DIFFUSE NON-HODGKIN'S LYMPHOMA	1.8	0.0	0.0	0.5	1.1	0.0	0.9	0.8	2.6	0.0	0.0	0.5
C84	PERIPHERAL AND CUTANEOUS T-CELL LYMPHOMAS	0.1	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	1.3
C85	OTHER AND UNSPECIFIED TYPES OF NON-HODGKIN'S LYMPHOMA	1.9	2.0	0.5	1.4	0.7	1.1	1.1	1.5	0.0	3.0	0.8	0.9
C88	MALIGNANT IMMUNOPROLIFERATIVE DISEASES	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0
C90	MULTIPLE MYELOMA AND MALIGNANT PLASMA CELL NEOPLASMS	2.0	0.2	1.1	0.2	3.4	2.0	1.2	1.2	0.0	3.1	2.0	2.1
C91	LYMPHOID LEUKAEMIA	1.2	1.3	0.6	0.6	1.2	1.5	1.8	2.7	1.0	2.8	0.7	0.2
C92	MYELOID LEUKAEMIA	1.8	0.2	4.4	1.6	1.2	1.2	2.3	1.1	0.0	0.2	1.9	0.8
C93	MONOCYTIC LEUKAEMIA	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0
C94	OTHER LEUKAEMIAS OF SPECIFIED CELL TYPE	1.6	0.4	0.0	0.0	0.3	0.0	0.7	0.0	0.0	0.0	0.0	2.2
C95	LEUKAEMIA, UNSPECIFIED CELL TYPE	1.0	0.3	0.0	0.0	0.3	0.5	0.0	0.0	0.7	0.0	0.9	0.0
C96	OTHER AND UNSPECIFIED NEOPLASMS OF LYMPHOID, BLOOD FORMING AND RELATED TISSUES	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
D06	NOT INCLUDED ABOVE CA IN SITU OF CERVIX UTERI	11.8	3.6	16.8	5.1	1.4	0.0	4.9	3.8	4.0	6.6	1.2	8.2

BY PRIMARY SITES AND DISTRICTS IN BULGARIA 2004 - FEMALES

DISTRICT															
Vidin	Montana	Plovdiv	Pazardjik	Smolyan	Rousse	Razgrad	Silistra	Targovi-shte	Sofia district	Kyus-tendil	Pernik	Blagoev-grad	Stara Zagora	Haskovo	Kurdjali
0.7	1.1	0.9	0.0	1.0	3.8	0.0	0.0	1.6	0.3	1.2	0.0	0.5	0.0	0.0	0.0
0.0	0.5	1.6	1.4	1.6	0.2	0.0	0.0	2.4	1.4	0.2	1.0	1.9	0.4	1.4	3.6
40.2	42.6	62.5	42.6	43.3	53.1	32.6	44.7	32.2	50.9	44.7	64.0	37.6	44.7	48.3	22.7
3.5	1.0	0.8	0.9	1.6	2.0	0.8	2.2	1.6	1.1	1.0	3.2	1.8	0.6	1.2	1.8
0.0	0.0	0.9	0.0	1.0	0.6	1.1	0.6	0.0	0.9	0.0	0.0	0.0	0.5	0.1	0.0
26.5	18.9	14.5	10.7	4.4	21.1	19.9	22.4	30.1	27.7	21.9	28.3	15.5	21.3	15.0	10.4
24.2	18.2	17.1	17.0	16.2	17.5	13.2	19.2	18.6	15.1	16.1	18.5	12.1	16.9	19.4	8.6
0.7	1.0	0.1	0.0	1.0	0.0	0.8	0.4	0.5	1.7	2.3	2.5	0.0	0.0	0.0	1.8
9.4	12.4	10.7	12.3	18.5	18.4	9.3	12.4	9.8	9.0	10.5	12.9	11.0	11.1	15.6	14.4
1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.3	0.0	0.0	0.7	1.1	0.0	0.0
0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.5	0.0	0.0	0.0
4.2	2.1	3.0	3.2	0.0	4.5	1.8	2.5	0.0	2.1	2.9	4.5	4.0	3.0	2.0	2.4
0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.0
0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
0.9	1.6	3.7	2.1	2.6	1.6	0.4	1.0	4.0	3.0	0.6	4.4	3.6	1.2	2.7	0.9
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0
1.7	0.0	1.2	0.4	1.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.8	0.0	0.0
0.0	0.0	1.0	0.4	0.0	0.4	0.7	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.8
0.0	3.6	4.5	7.4	1.0	4.2	3.9	7.1	2.1	2.7	3.2	11.7	7.0	6.7	4.5	1.5
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	0.0	2.3	0.0	0.0
1.7	0.8	3.8	1.5	6.9	4.6	2.7	1.0	0.0	3.4	1.9	3.0	1.0	3.0	3.6	2.3
0.0	1.1	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0
0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1
0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.9	0.5	1.9	1.1	0.0	0.7	0.6	0.0
1.4	5.6	7.3	3.1	7.7	6.0	8.2	8.9	2.4	4.5	0.8	4.0	4.7	5.6	6.6	6.9
0.0	1.0	1.6	1.3	2.4	0.0	4.2	5.8	0.0	1.1	0.2	0.0	0.0	0.5	2.4	2.8
0.0	0.2	0.1	0.4	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1.8	0.0	2.2	1.8	1.6	0.0	0.0	0.0	0.0	0.0	0.9	1.3	0.6	0.0	1.1	0.0
0.0	0.5	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0
0.2	0.2	1.2	2.0	0.0	2.9	2.6	2.1	0.8	2.4	0.8	2.7	0.3	3.1	0.8	1.5
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1.3	0.0	1.1	1.3	0.8	1.6	0.0	0.7	0.9	0.6	0.0	1.1	0.6	1.6	1.7	0.0
1.6	5.0	4.2	4.4	5.0	1.3	3.8	2.8	0.0	2.7	0.2	0.4	1.0	1.6	1.1	0.0
5.4	0.6	1.9	0.0	1.0	0.6	1.6	2.1	1.3	1.5	1.4	3.7	0.7	1.6	2.5	0.4
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.5	0.0	0.0
1.7	2.5	0.4	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0
1.5	0.0	0.4	0.8	0.0	1.2	2.0	0.8	0.5	0.3	1.2	0.8	0.0	0.3	0.7	0.0
0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0
6.7	5.4	4.3	3.1	3.0	2.5	1.7	2.6	0.0	6.8	11.7	5.9	2.7	16.4	10.9	3.0

DISTRIBUTION OF THE NEWLY DIAGNOSED CANCER CASES BY SELECTED PRIMARY SITES AND BASIS OF DIAGNOSIS IN BULGARIA 2004

CODE ICD-9	SITE	TOTAL NUMBER	CLINICAL		CYTOLOGY		HISTOLOGY *		OTHERS AND UNKNOWN **		DEATH CERTIFICATE ONLY	
			NUMBER	%	NUMBER	%	NUMBER	%	NUMBER	%	NUMBER	%
140	LIP	233	1	0.4	8	3.4	221	94.9	-	-	3	1.3
140-149	LIP, ORAL CAVITY AND PHARYNX	782	9	1.2	11	1.4	720	92.1	12	1.5	30	3.8
151	STOMACH	1762	22	1.3	10	0.6	997	56.6	389	22.0	344	19.5
153	COLON	2296	13	0.6	4	0.2	1799	78.3	253	11.0	227	9.9
154	RECTUM	1744	11	0.6	5	0.3	1409	80.8	169	9.7	150	8.6
155	LIVER	548	10	1.8	9	1.6	114	20.8	202	36.9	213	38.9
150-159	DIGESTIVE ORGANS AND PERITONEUM	8042	85	1.1	52	0.6	4961	61.7	1712	21.3	1232	15.3
161	LARYNX	603	3	0.5	-	-	532	88.2	25	4.2	43	7.1
162	BRONCHUS, LUNG	3763	24	0.6	286	7.6	1703	45.3	1216	32.3	534	14.2
160-165	RESPIRATORY SYSTEM	4471	28	0.6	288	6.4	2298	51.4	1263	28.3	594	13.3
173	OTHER SKIN	3291	10	0.3	167	5.0	3104	94.3	5	0.2	5	0.2
174	BREAST	3548	76	2.1	145	4.1	3104	87.5	151	4.3	72	2.0
180	CERVIX UTERI	1097	7	0.6	5	0.5	1053	96.0	10	0.9	22	2.0
182	CORPUS UTERI	1198	9	0.8	2	0.2	1160	96.8	10	0.8	17	1.4
183	OVARY ETC.	870	26	3.0	27	3.1	704	80.9	71	8.2	42	4.8
185	PROSTATE	1621	45	2.8	108	6.7	1201	74.0	137	8.5	130	8.0
188	BLADDER	1284	16	1.3	3	0.2	1106	86.2	102	7.9	57	4.4
179-189	GENITAL ORGANS AND URINARY SYSTEM	7129	117	1.6	147	2.1	6061	85.0	456	6.4	348	4.9
193	THYROID	210	2	1.0	2	1.0	179	85.2	11	5.2	16	7.6

* Histology included: histology of a primary tumor, and histology of a metastasis

** Other included: clinical investigations, and specific tumor markers

DISTRIBUTION OF THE NEWLY DIAGNOSED CANCER CASES BY SELECTED PRIMARY SITES AND STAGES IN BULGARIA 2004

CODE ICD-9	SITE	TOTAL NUMBER	I STAGE		II STAGE		III STAGE		IV STAGE		WITHOUT STAGE	
			NUMBER	%	NUMBER	%	NUMBER	%	NUMBER	%	NUMBER	%
140	LIP	233	156	67.0	46	19.7	21	9.0	6	2.6	4	1.7
140-149	LIP, ORAL CAVITY AND PHARYNX	782	181	23.2	144	18.4	177	22.6	231	29.5	49	6.3
151	STOMACH	1762	66	3.7	161	9.1	395	22.4	697	39.7	443	25.1
153	COLON	2296	157	6.8	766	33.4	594	25.9	497	21.6	282	12.3
154	RECTUM	1744	170	9.7	601	34.5	385	22.1	382	21.9	206	11.8
155	LIVER	548	1	0.2	14	2.6	70	12.8	203	37.0	260	47.4
150-159	DIGESTIVE ORGANS AND PERITONEUM	8042	421	5.2	1665	20.7	1739	21.6	2597	32.4	1620	20.1
161	LARYNX	603	30	5.0	97	16.1	153	25.4	257	42.6	66	10.9
162	BRONCHUS, LUNG	3763	97	2.6	277	7.4	1580	42.0	1186	31.4	623	16.6
160-165	RESPIRATORY SYSTEM	4471	131	2.9	378	8.5	1756	39.2	1474	33.0	732	16.4
173	OTHER SKIN	3291	2537	77.1	620	18.8	81	2.5	18	0.5	35	1.1
174	BREAST	3548	798	22.5	1705	48.0	695	19.6	251	7.1	99	2.8
180	CERVIX UTERI	1097	403	36.7	299	27.3	295	26.9	37	3.4	63	5.7
182	CORPUS UTERI	1198	634	52.9	314	26.2	129	10.8	38	3.2	83	6.9
183	OVARY ETC.	870	197	22.6	133	15.3	315	36.3	156	17.9	69	7.9
185	PROSTATE	1621	158	9.7	527	32.5	439	27.1	317	19.6	180	11.1
188	BLADDER	1284	282	22.0	511	39.8	254	19.8	130	10.1	107	8.3
179-189	GENITAL ORGANS AND URINARY SYSTEM	7129	1855	26.0	2092	29.3	1651	23.2	886	12.4	646	9.1
193	THYROID	210	69	32.9	48	22.9	40	19.0	29	13.8	24	11.4

DISTRIBUTION OF THE NEWLY DIAGNOSED CANCER CASES BY SELECTED PRIMARY SITES, STAGES AND DISTRICTS IN BULGARIA 2004

DISTRICT	FEMALE BREAST				CERVIX UTERI				PROSTATE			
	TOTAL	I+II STAGE	III+IV STAGE	WITHOUT STAGE	TOTAL	I+II STAGE	III+IV STAGE	WITHOUT STAGE	TOTAL	I+II STAGE	III+IV STAGE	WITHOUT STAGE
	NUMBER	%	%	%	NUMBER	%	%	%	NUMBER	%	%	%
BLAGOEVGRAD	99	76.8	17.2	6.0	37	45.9	51.4	2.7	48	14.6	75.0	10.4
BOURGAS	164	70.7	27.5	1.8	43	69.8	27.9	2.3	77	58.4	37.7	3.9
YAMBOL	48	54.1	41.7	4.2	20	80.0	20.0	0.0	30	40.0	50.0	10.0
VARNA	227	78.9	18.5	2.6	66	65.1	28.8	6.1	98	37.8	56.1	6.1
DOBRICH	87	77.0	19.5	3.5	47	34.1	55.3	10.6	51	17.7	39.2	43.1
VELIKO TURNOVO	117	71.8	28.2	0.0	52	67.3	30.8	1.9	37	24.3	67.6	8.1
GABROVO	79	69.6	30.4	0.0	21	52.4	47.6	0.0	39	18.0	76.9	5.1
VRATSA	109	59.6	31.2	9.2	52	69.2	7.7	23.1	48	29.2	54.1	16.7
VIDIN	50	54.0	26.0	20.0	19	26.3	26.3	47.4	31	22.6	41.9	35.5
MONTANA	70	45.7	37.1	17.2	28	42.9	14.2	42.9	46	30.4	43.5	26.1
PLEVEN	155	76.8	22.6	0.6	63	58.7	41.3	0.0	104	22.1	76.9	1.0
LOVECH	89	66.3	33.7	0.0	31	48.4	48.4	3.2	25	48.0	52.0	0.0
PLOVDIV	384	76.0	24.0	0.0	77	80.5	19.5	0.0	180	42.2	56.1	1.7
PAZARDJIK	108	65.7	34.3	0.0	23	73.9	26.1	0.0	38	63.2	36.8	0.0
SMOLYAN	48	60.4	39.6	0.0	6	83.3	16.7	0.0	20	60.0	35.0	5.0
ROUSSE	132	76.5	22.7	0.8	41	56.1	34.1	9.8	38	26.3	50.0	23.7
RAZGRAD	42	66.7	30.9	2.4	20	45.0	50.0	5.0	21	23.8	52.4	23.8
SILISTRA	47	53.2	46.8	0.0	21	52.4	47.6	0.0	13	30.8	46.1	23.1
SOFIA SITY	745	75.8	21.6	2.6	148	68.9	29.1	2.0	323	63.6	26.2	10.2
SOFIA DISTRICT	122	66.4	32.0	1.6	51	62.8	33.3	3.9	49	34.7	42.9	22.4
KYUSTENDIL	68	64.7	30.9	4.4	27	59.3	37.0	3.7	48	43.8	43.8	12.4
PERNIK	88	67.0	27.3	5.7	29	69.0	24.1	6.9	50	38.0	50.0	12.0
STARA ZAGORA	153	68.0	31.4	0.6	56	71.4	28.6	0.0	47	53.2	46.8	0.0
SLIVEN	67	53.7	40.3	6.0	22	86.4	13.6	0.0	38	36.8	39.4	23.7
HASKOVO	116	62.9	32.8	4.3	32	81.2	9.4	9.4	53	66.0	28.3	5.7
KURDJALI	29	62.1	37.9	0.0	11	81.8	18.2	0.0	17	29.4	58.8	11.8
SHOUMEN	69	69.6	29.0	1.4	27	63.0	33.3	3.7	31	32.2	45.2	22.6
TURGOVISHTE	36	66.7	22.2	11.1	27	77.8	22.2	0.0	21	28.6	38.1	33.3

CANCER PREVALENCE IN BULGARIA 2004
DISTRIBUTION BY PRIMARY SITES AND SEX

CODE ICD-9	SITE	NUMBER	MALES CRUDE DATA 100 000	%	NUMBER	FEMALES CRUDE DATA 100 000	%	NUMBER	TOTAL CRUDE DATA 100 000	%
140-208	**ALL SITES**	**95685**	**2531.9**	**100.0**	**136345**	**3407.0**	**100.0**	**232030**	**2981.9**	**100.0**
140-149	LIP, ORAL CAVITY AND PHARYNX	7383	195.4	7.7	2239	55.9	1.6	9622	123.6	4.1
140	LIP	5180	137.1	5.4	1115	27.9	0.8	6295	80.9	2.7
150-159	DIGESTIVE ORGANS AND PERITONEUM	18026	477.0	18.8	14818	370.3	10.9	32844	422.1	14.2
151	STOMACH	3468	91.8	3.6	2229	55.7	1.6	5697	73.2	2.5
153	COLON	6296	166.6	6.6	5951	148.7	4.4	12247	157.4	5.3
154	RECTUM	5509	145.8	5.8	4457	111.4	3.3	9966	128.1	4.3
155	LIVER	606	16.0	0.6	365	9.1	0.3	971	12.5	0.4
160-165	RESPIRATORY SYSTEM	13084	346.2	13.7	2248	56.2	1.6	15332	197.0	6.6
161	LARYNX	4539	120.1	4.7	320	8.0	0.2	4859	62.4	2.1
162	BRONCHUS, LUNG	8103	214.4	8.5	1673	41.8	1.2	9776	125.6	4.2
170-175	BONE, CONNECTIVE TISSUE, MELANOMA OF SKIN, OTHER SKIN AND BREAST	28479	753.6	29.8	67727	1692.4	49.7	96206	1236.4	41.5
170	BONE	436	11.5	0.5	363	9.1	0.3	799	10.3	0.3
172	MELANOMA OF SKIN	1350	35.7	1.4	1711	42.8	1.3	3061	39.3	1.3
173	OTHER SKIN	25308	669.7	26.4	24152	603.5	17.7	49460	635.6	21.3
174	BREAST	-	-	-	40309	1007.2	29.6	40309	518.0	17.4
180-189	GENITAL ORGANS AND URINARY SYSTEM	19820	524.4	20.7	39341	983.0	28.9	59161	760.3	25.5
180	CERVIX UTERI	-	-	-	12581	314.4	9.2	12581	161.7	5.4
182	CORPUS UTERI	-	-	-	15493	387.1	11.4	15493	199.1	6.7
183	OVARY ETC.	-	-	-	6367	159.1	4.7	6367	81.8	2.7
185	PROSTATE	7973	211.0	8.3	-	-	-	7973	102.5	3.4
188	BLADDER	6790	179.7	7.1	1727	43.2	1.3	8517	109.5	3.7
190-199	EYE, NERVOUS SYSTEM, THYROID AND OTHER ENDOCRINE GLANDS	4226	111.8	4.4	5825	145.6	4.3	10051	129.2	4.3
191	BRAIN	1157	30.6	1.2	997	24.9	0.7	2154	27.7	0.9
193	THYROID	650	17.2	0.7	2815	70.3	2.1	3465	44.5	1.5
200-208	LYMPHATIC AND BLOOD-FORMING TISSUES	4667	123.5	4.9	4147	103.6	3.0	8814	113.3	3.8
200	LYMPHOSARCOMA ETC.	918	24.3	1.0	900	22.5	0.7	1818	23.4	0.8
201	HODGKIN`S DISEASE	1157	30.6	1.2	958	23.9	0.7	2115	27.2	0.9
204	LYMPHOID LEUKAEMIA	831	22.0	0.9	670	16.7	0.5	1501	19.3	0.6
205	MYELOID LEUKAEMIA	522	13.8	0.5	446	11.1	0.3	968	12.4	0.4

CANCER MORTALITY IN BULGARIA 2004
DISTRIBUTION OF DEATHS BY PRIMARY SITES AND SEX


CODE ICD-9	SITE	NUMBER	MALES CRUDE DATA 100 000	%	NUMBER	FEMALES CRUDE DATA 100 000	%	NUMBER	TOTAL CRUDE DATA 100 000	%
140-208	**ALL SITES**	**9566**	**253.1**	**100.0**	**6613**	**165.2**	**100.0**	**16179**	**207.9**	**100.0**
140	LIP	15	0.4	0.2	7	0.2	0.1	22	0.3	0.1
141	TONGUE	51	1.3	0.5	10	0.2	0.2	61	0.8	0.4
142	SALIVARY GLANDS	17	0.4	0.2	11	0.3	0.2	28	0.4	0.2
143-145	MOUTH	54	1.4	0.6	13	0.3	0.2	67	0.9	0.4
146-149	PHARYNX	125	3.3	1.3	17	0.4	0.2	142	1.8	0.9
150	OESOPHAGUS	126	3.3	1.3	51	1.3	0.8	177	2.3	1.1
151	STOMACH	918	24.3	9.6	582	14.5	8.8	1500	19.3	9.3
152	SMALL INTESTINE	31	0.8	0.3	22	0.6	0.3	53	0.7	0.3
153	COLON	705	18.7	7.4	550	13.7	8.3	1255	16.1	7.7
154	RECTUM	520	13.8	5.4	371	9.3	5.6	891	11.4	5.5
155	LIVER	527	13.8	5.5	291	7.3	4.4	818	10.5	5.0
156	GALLBLADDER ETC.	55	1.5	0.6	85	2.1	1.3	140	1.8	0.9
157	PANCREAS	540	14.3	5.6	408	10.2	6.2	948	12.2	5.8
158	PERITONEUM ETC.	50	1.3	0.5	40	1.0	0.6	90	1.2	0.6
160	NOSE, SINUSES ETC.	25	0.7	0.3	2	0.1	0.0	27	0.3	0.2
161	LARYNX	376	9.9	3.9	26	0.6	0.4	402	5.2	2.5
162	BRONCHUS, LUNG	2611	69.1	27.3	548	13.7	8.3	3159	40.6	19.5
163	PLEURA	15	0.4	0.2	5	0.1	0.1	20	0.2	0.1
164	OTHER THORACIC ORGANS	18	0.5	0.2	10	0.2	0.2	28	0.4	0.2
170	BONE	56	1.5	0.6	38	0.9	0.6	94	1.2	0.6
171	CONNECTIVE TISSUE	14	0.4	0.1	9	0.2	0.1	23	0.3	0.1
172	MELANOMA OF SKIN	71	1.9	0.7	50	1.3	0.8	121	1.6	0.7
173	OTHER SKIN	41	1.1	0.4	29	0.7	0.4	70	0.9	0.4
174	BREAST	-	-	-	1144	28.6	17.3	1144	14.7	7.1
175	BREAST	12	0.3	0.1	-	-	-	12	0.2	0.1
179, 181	UTERUS UNSPECIFIED, PLACENTA	-	-	-	201	5.0	3.0	201	2.6	1.2
180	CERVIX UTERI	-	-	-	364	9.1	5.5	364	4.7	2.2
182	CORPUS UTERI	-	-	-	165	4.1	2.5	165	2.1	1.0
183	OVARY ETC.	-	-	-	431	10.8	6.5	431	5.5	2.7
184	OTHER FEMALE GENITAL	-	-	-	50	1.3	0.8	50	0.6	0.3
185	PROSTATE	755	20.0	7.9	-	-	-	755	9.7	4.7
186	TESTIS	49	1.3	0.5	-	-	-	49	0.6	0.3
187	PENIS ETC.	14	0.4	0.2	-	-	-	14	0.2	0.1
188	BLADDER	356	9.4	3.7	108	2.7	1.6	464	5.9	2.9
189	OTHER URINARY	203	5.4	2.1	83	2.1	1.3	286	3.6	1.8
190	EYE	13	0.3	0.1	3	0.1	0.0	16	0.2	0.1
191-192	BRAIN, NERVOUS SYSTEM	313	8.3	3.3	232	5.8	3.5	545	7.0	3.4
193	THYROID	27	0.7	0.3	33	0.8	0.5	60	0.8	0.4
194	OTHER ENDOCRINE GLANDS	10	0.3	0.1	7	0.2	0.1	17	0.2	0.1
200	LYMPHOSARCOMA ETC.	36	1.0	0.4	22	0.6	0.3	58	0.7	0.4
201	HODGKIN`S DISEASE	54	1.4	0.6	14	0.3	0.2	68	0.9	0.4
202	OTHER RETICULOSES	84	2.2	0.9	48	1.2	0.7	132	1.7	0.8
203	MULTIPLE MYELOMA	34	0.9	0.4	25	0.6	0.4	59	0.8	0.4
204-208	LEUKAEMIA	252	6.7	2.6	207	5.2	3.1	459	5.9	2.8
PSU	PRIMARY SITE UNCERTAIN	393	10.4	4.1	301	7.5	4.6	694	8.9	4.3

NATIONAL ESTIMATES OF FIVE-YEAR OBSERVED CUMULATIVE SURVIVAL (OBS) AND 95% CONFIDENCE INTERVAL (CI) AGE 0-14

Country	Total		Leukaemia		Lymphomas		CNS tumours		Neuro-blastoma		Retino-blastoma		Renal tumours		Hepatic tumours		Bone tumours		Soft tissue sarcomas		Germ cell tumours		Carcinomas		Other and NOS	
			I		II		III		IV		V		VI		VII		VIII		IX		X		XI		XII	
	Obs	CI	Obs	CI	Obs	CI	Obs	CI	Obs	CI	Obs	CI	Obs	CI	Obs	CI	Obs	CI	Obs	CI	Obs	CI	Obs	CI	Obs	CI
EUROPE	**63**	**63-63**	**61**	**60-61**	**75**	**74-75**	**58**	**57-59**	**50**	**49-51**	**90**	**89-91**	**77**	**76-78**	**43**	**39-46**	**52**	**50-53**	**59**	**58-61**	**75**	**73-76**	**84**	**82-85**	**49**	**46-53**
BELARUS	63	61-65	54	51-58	73	68-76	50	46-54	37	27-46	76	63-85	66	58-72	34	18-51	39	31-47	45	37-52	62	50-71	96	94-97	42	11-71
BULGARIA	56	51-60	50	43-57	76	66-83	45	33-56	66	44-82	68	39-85	66	44-81	17	1-52	36	21-52	53	36-68	92	57-99	75	50-89	14	1-46
DENMARK	65	63-67	64	60-67	65	59-71	65	61-69	41	33-48	93	83-97	81	73-86	42	24-59	45	35-55	66	58-73	76	65-84	90	81-94	79	62-89
ESTONIA	31	28-34	19	15-24	48	40-55	32	26-38	36	23-48	79	59-90	27	18-36	13	2-32	23	11-36	29	18-42	37	22-52	70	47-84	5	0-21
FINLAND	62	60-63	53	50-56	67	63-72	61	58-64	54	48-60	92	86-96	73	68-78	53	35-69	55	47-62	69	63-74	72	63-79	85	78-89	49	29-66
FRANCE	70	69-71	69	66-71	83	80-86	61	58-64	64	59-69	92	86-96	82	77-85	60	45-72	60	54-66	64	58-70	86	79-90	86	79-91	40	7-73
GERMANY	74	73-74	74	73-75	87	85-88	65	63-67	64	62-66	97	94-98	86	84-87	46	37-55	65	63-68	64	62-67	87	84-89	70	62-76	66	37-84
HUNGARY	57	56-59	54	52-57	70	66-73	56	53-60	45	41-50	83	72-89	77	71-81	42	29-53	47	40-53	52	46-57	58	49-66	72	58-82	37	11-64
ICELAND	70	64-76	64	51-74	78	54-90	72	58-81	60	29-81	83	27-97	83	48-96	100	-	50	21-74	73	47-88	80	41-95	87	56-96	-	-
IRELAND	70	63-77	68	49-82	81	60-91	65	52-75	77	49-91	100	-	100	-	60	2-93	83	61-93	47	16-73	68	35-87	85	51-96	71	26-92
ITALY	66	64-67	64	62-67	75	72-79	62	58-65	53	47-59	86	76-92	80	74-85	39	25-53	57	50-63	63	57-69	73	64-81	85	77-90	71	51-84
LITHUANIA	36	32-40	33	26-39	46	36-55	36	27-46	28	16-41	59	34-77	40	26-53	20	1-58	27	14-42	25	12-41	42	20-62	73	49-87	14	5-27
MALTA	68	57-77	64	43-79	80	41-95	57	30-77	45	8-77	100	-	59	19-85	-	-	100	-	100	-	100	-	75	13-96	-	-
NETHERLANDS	69	67-71	71	68-74	77	73-82	63	58-66	44	36-52	79	67-87	83	77-88	40	19-60	62	52-71	63	56-69	73	64-81	91	84-95	40	12-67
NORWAY	62	60-63	58	55-61	67	61-73	58	55-62	43	36-49	96	90-99	79	72-84	56	42-67	47	38-55	69	62-75	73	64-81	84	75-90	45	31-59
POLAND	68	64-71	62	55-69	84	75-90	59	51-67	49	31-64	100	-	72	56-83	67	19-90	75	59-86	70	48-83	78	57-89	69	37-87	78	51-91
PORTUGAL	69	64-73	57	47-66	89	81-94	71	60-79	46	30-61	46	19-70	77	56-89	67	19-90	65	42-81	64	45-77	57	28-78	88	59-97	-	-
ROMANIA	33	27-39	28	18-39	38	24-51	24	12-38	20	1-58	25	1-67	38	10-67	20	0-71	46	21-69	60	19-85	64	16-89	38	9-67	30	14-48
SLOVAKIA	49	48-51	49	46-52	62	57-66	42	38-46	39	33-46	83	73-89	59	51-66	22	11-37	28	20-36	46	39-53	61	52-70	68	58-76	12	4-23
SLOVENIA	57	54-59	46	41-51	71	64-76	51	45-57	49	37-60	78	58-90	73	61-81	40	16-63	41	29-54	69	58-77	67	52-79	80	65-89	27	7-54
SPAIN	65	63-67	59	56-62	75	71-79	58	54-62	60	53-66	92	82-97	82	75-88	42	25-58	59	52-66	72	65-78	77	66-85	87	78-92	60	25-83
SWEDEN	68	66-69	62	60-64	80	77-83	70	67-72	49	42-56	97	93-99	80	76-84	50	40-60	53	47-59	63	58-67	83	76-89	90	85-94	52	47-56
SWITZERLAND	69	66-73	64	57-70	84	75-90	64	55-71	48	33-61	90	64-97	91	73-97	57	17-84	56	38-70	72	57-82	84	58-94	93	74-98	-	-
UNITED KINGDOM	57	56-57	55	54-56	68	66-70	52	51-53	37	35-39	91	89-93	74	72-76	33	28-39	43	40-45	53	51-55	70	67-73	78	75-81	66	57-73
YUGOSLAVIA	14	9-21	18	10-29	31	13-50	0	-	0	-	28	1-70	57	9-88	33	0-87	0	-	11	0-47	0	-	30	0-84	8	0-38

NATIONAL ESTIMATES OF FIVE-YEAR OBSERVED CUMULATIVE SURVIVAL (OBS) AND 95% CONFIDENCE INTERVAL (CI) AGE 0-19

Country	Total		Leukaemia		Lymphomas		CNS tumours		Neuro-blastoma		Retino-blastoma		Renal tumours		Hepatic tumours		Bone tumours		Soft tissue sarcomas		Germ cell tumours		Carcinomas		Other and NOS	
	Obs	CI	I Obs	CI	II Obs	CI	III Obs	CI	IV Obs	CI	V Obs	CI	VI Obs	CI	VII Obs	CI	VIII Obs	CI	IX Obs	CI	X Obs	CI	XI Obs	CI	XII Obs	CI
EUROPE	**62**	**61-62**	**52**	**51-53**	**72**	**71-73**	**60**	**59-61**	**46**	**44-48**	**89**	**87-91**	**72**	**70-74**	**38**	**34-42**	**46**	**44-48**	**61**	**59-62**	**76**	**75-78**	**84**	**83-85**	**47**	**44-50**
BULGARIA	57	54-61	48	41-54	74	66-80	50	40-60	62	42-77	68	39-85	69	49-83	29	4-61	44	32-55	43	30-55	80	65-89	82	72-89	21	5-44
DENMARK	66	65-68	58	55-62	70	66-74	66	63-69	40	33-48	93	83-97	79	72-85	36	20-51	43	36-50	62	56-68	84	79-88	88	83-91	72	58-83
ESTONIA	34	32-37	18	14-21	52	46-57	33	28-39	33	21-44	79	59-90	27	18-36	10	2-27	23	15-33	31	22-41	46	35-57	71	61-79	3	0-15
FINLAND	63	61-64	49	47-51	72	69-75	62	60-65	54	48-60	92	86-96	72	67-77	41	28-54	48	42-53	67	63-71	73	68-78	88	84-90	49	34-62
FRANCE	63	60-65	54	49-59	76	71-81	56	49-62	53	42-62	91	75-97	73	62-82	32	10-56	48	38-57	54	44-63	84	74-90	81	71-87	56	20-81
ICELAND	68	62-72	56	45-66	77	62-87	63	51-73	56	27-77	83	27-97	85	51-96	50	6-84	58	36-75	70	48-84	80	58-91	86	70-94	-	-
IRELAND	70	65-75	64	48-76	79	67-86	68	57-76	71	43-87	100	-	95	68-99	57	10-87	68	51-80	52	24-74	78	59-89	84	66-93	75	31-93
ITALY	69	68-71	59	56-63	80	76-83	65	61-69	57	48-65	86	66-94	83	74-89	47	26-65	49	42-57	67	60-73	88	82-92	87	82-90	79	64-89
LITHUANIA	38	35-41	30	24-35	51	44-58	39	30-47	25	15-37	59	34-77	41	27-54	14	1-46	25	14-37	25	15-37	40	24-56	83	71-90	14	6-25
MALTA	66	57-74	57	39-72	73	47-88	59	33-78	45	8-77	100	-	59	19-85	-	-	85	30-98	90	49-99	100	-	64	15-90	0	-
NETHERLANDS	68	64-72	62	55-69	69	59-77	62	52-71	27	11-46	100	-	87	66-96	40	5-75	56	40-70	68	53-79	75	59-85	91	83-96	64	16-89
NORWAY	64	62-65	53	51-56	71	67-74	61	58-64	43	36-50	96	90-99	78	71-84	47	35-58	47	41-53	66	61-71	81	76-84	85	81-88	47	36-58
POLAND	67	64-70	59	52-65	84	77-89	61	54-68	47	30-63	100	-	72	56-83	34	9-62	68	55-78	68	51-79	70	56-81	76	59-86	67	48-81
PORTUGAL	69	65-72	57	48-65	88	81-92	70	61-78	41	26-56	46	19-70	77	56-89	50	15-77	59	42-72	60	44-72	69	52-82	83	68-92	78	36-94
ROMANIA	33	28-39	25	16-34	39	26-52	27	15-39	20	1-58	25	1-67	34	9-62	43	3-82	48	29-65	55	26-77	48	20-71	51	22-75	27	13-43
SLOVAKIA	50	49-52	44	41-47	63	60-67	44	40-47	38	31-44	83	73-89	59	52-66	18	9-30	27	21-33	46	40-52	67	61-72	73	67-78	11	5-21
SLOVENIA	58	55-60	43	38-47	73	68-77	52	46-58	49	37-60	78	58-90	74	62-82	35	14-57	43	33-52	66	57-73	70	61-78	75	66-82	28	12-46
SPAIN	63	61-65	52	48-56	74	70-78	55	51-59	60	52-68	87	72-95	79	69-86	38	22-53	51	44-57	67	60-73	81	73-87	84	78-88	48	26-67
SWEDEN	69	68-69	58	56-60	81	78-83	71	69-73	49	42-55	97	93-99	78	74-82	44	34-54	53	49-57	63	59-67	82	78-85	89	86-91	52	48-56
SWITZERLAND	71	68-73	60	54-66	84	78-89	65	58-72	52	39-64	90	64-97	79	62-89	50	18-75	59	47-70	65	52-75	87	76-93	90	82-95	-	-
UNITED KINGDOM	64	62-65	61	58-64	76	72-79	54	51-58	37	30-43	93	85-96	74	67-81	44	26-60	44	37-49	60	54-65	73	67-78	83	79-87	75	57-86
YUGOSLAVIA	13	8-18	15	8-24	37	23-51	0	-	0	-	28	1-70	53	9-84	33	0-87	0	-	16	1-46	0	-	0	-	0	-



Бл. МНЗ експ. ‘89

RAPID NOTIFICATION:

1. Health establishment;
2. Registration number;
3. Notify: suspected, newly cases, death certificate, cases found incidentally at autopsy;
4. Sex;
5. Age;
6. Name, Personal Identification Number;
7. Place of residence;
8. Marital status;
9. Address;
10. Place of work;
11. Occupation;
12. Social class;
13. Clinical diagnosis;
14. TNM system and stage;
15. Most valid basis of diagnosis;
16. Morphological diagnosis;
17. Notified by… and date



ФОНДАЦИЯ БОРБА С РАКА
FIGHTING THE CANCER FOUNDATION

Чрез **Фондация "Борба с рака"** всеки може да подпомогне онкологичните здравни заведения в страната, развитието на лечебно-диагностичната, научно-изследователската, учебната и здравно-просветната дейност по отношение на злокачествените новообразувания.
Фондация "Борба с рака" осъществява изпълнението на редица медицински програми свързани с:

- **Първична и вторична профилактика на рака чрез здравна просвета, издаване на печатни, нагледни материали и видеофилми;**

- **Намаляване на тютюнопушенето сред населението и младежта;**

- **Повишаване професионалната квалификация на онкологичните медицински кадри от столицата и страната;**

- **Стимулиране, израстване и утвърждаване в медицинската специалност "Онкология" на млади онколози;**

- **Подпомагане на онкологично болни от столицата и страната при домашни и амбулаторни условия;**

- **Участие в провеждането на палиативни грижи при домашни условия на болни с напреднало онкологично заболяване, живеещи в столицата;**

- **Разработване на проблема "Ранно откриване и навременно лечение на рака на млечната жлеза у жените"**

Вашето дарение чрез **Фондацията** ще допринесе за по-ранната диагностика и своевременното лечение на раково болните в България.

За дарения IBAN на нашите банкови сметки са:
В левове – BG02 BFTB 7630 1007 9290 00
В щатски долари – BG62 BFTB 7630 1107 9290 03
Булбанк АД – София BIC код: BFTBBGSF
Фондация "Борба с рака"

